

TENDER NOTICE NO. SGD/03/2017

The Federal Government owned Autonomous Corporation invites sealed technical and financial proposals in accordance with PPRA under "Single Stage- Two Envelop Procedure" from GST/NTN registered firms/Dealers/distributors having own Office/ Phone/Fax number (if found contrary the tender will be rejected) preferably based in Punjab for the following items.

Sr. #	Name of Items	Specification	No. of Items
01	Diesel Power Generator 100 KVA	Supply, installation and commissioning of one brand new Diesel Generator with 100 KVA prime rating (Cummins, Caterpillar, Perkins, F.G Wilson or equivalent) with 50Hz, 1500RPM to 1800RPM,0.8PF,ATS change over control(imported), 3-Phase main sensing, Canopy, Cabling and earth work etc. complete with one year comprehensive warranty including service, spare parts, labour and maintenance	One Set
02	Telephone Exchange	Maximum configuration - 8 Analogue CO / 24 Extensions Call Forwarding (Busy / No Answer / Follow-Me / to Outside) Built-in Voice Message (BV) DISA (Direct Inward System Access) Uniform Call Distribution (UCD) Caller ID Display on SLTs and APTs Allow SMS message senders to address their messages Directly to a specific user's SLT (Single Line Telephone) Panasonic KX-TES824 or equivalent	<u>One</u>
03	Fax Machine	Navigator key for easy operation Junk fax prohibitor (up to 20 stations) Delayed send (1 location) Auto reduction 64-level halftone resolution Friendly fax reception (100 pages) Out-of-paper reception (100 pages) Auto document feeder (15 sheets) 250-sheet paper tray (20 lb.) Quick scan (150 sheets) Redial / Pause / Handset mute Phonebook (100 stations) One-touch dial (5 x 2 with Lower) Sending report Overseas mode On-hook dial (Pre-dial, Phonebook, Redial, One touch dial) Monitor EXT telephone feature supported Panasonic KX-FL422CX model or equivalent	<u>One</u>

04	UPS	Capacity-VA / Watts = 1000 W Voltage Range-input = 170-280 Vac for Narrow range mode 90-280 Vac for Wide range mode Frequency Range = 50/60Hz (Auto Sensing) Waveform = Simulated Sine Wave Battery =12V Charging= 10A/20A AC Voltage Regulation = ±10% Frequency Range(Output)= 50Hz ± 1Hz Transfer Time = <20ms Protection = Overload, Overcharge & Deep Discharge Protection Noise Level = Less then 40dB Display = Digital Inverex, Homeage, Ecostar or equivalent	<u>02</u>
05	Air Conditioner (1.5) Ton	1.5 ton Wall Mounted DC inverter Heating & Cooling =Yes Energy Saving (minimum) 50% BTU Cooling Capacity= 18000 btu Ventilation Mode =Yes (without Heating & Cooling) Short Cooling Time= Yes, required Self Diagnosis Function= Yes, required Blower =Random Pitch Straight Fan Blower Number of Speeds= 4 (minimum) Low Startup Voltage= 150V-170V Complete Copper Wiring/Coiling/Piping= Yes Star rating= 3 stars or above Gree, Mitsubishi, Dawlence, Samsung, LG, Haier, Orient OR Equivalent	<u>05</u>
06	Air Conditioner (4) Ton	4 Ton Floor Standing Heating & Cooling =Yes BTU Cooling Capacity= 48000 btu Ventilation Mode =Yes (without Heating & Cooling) Blower =Overlong/3D Air Flow Air Flow Direction= 4 Way Number of Speeds= Multiple Complete Copper Wiring/Coiling/Piping= Yes Star rating= 3 stars or above Gree, Mitsubishi, Dawlence, Samsung, LG, Haier, Orient OR Equivalent	<u>02</u>
07	Dot Matrix Printers	Number of pins in head : 24 pins Printable columns : 80 Print speed : - High speed draft : 347 cps - Draft : 260 cps - LQ : 86 cps Copy capability : One original and three copies Interface : RS-232, Parallel, USB Paper Path : - Manual Insertion : Rear in, top out - Push Tractor : Rear in, top out Reliability : - MTBF : 10,000 POH - Ribbon life : 2,500,000 characters Epson 310/350 or equivalent	<u>04</u>
08	IR IP Camera Day/Night	3 Megapixel, 1536P Resolution, 0 Lux, H.264 Main Profile,.30FPS, SSNR3 Digital Noise Detection, 1/2.5" Sony CMOS Sensor or equivalent, POE Supported, 70Mtr IR Range, 48 IR LED, IP-66 Weatherproof, Metal Steel Body, POE. with Auto IRIS Verifocal Lens 9mm - 22mm with one year warranty	<u>08</u>

TERMS & CONDITIONS

- a) *No bids will be entertained without earnest money equivalent to 05% of the bids value in favour of State Life in the form of Pay Order (Cheque is not acceptable).*
- b) *The sealed quotations should reach to the Secretary Zonal Procurement Committee, State Life, Zonal Office, 40-C, University Road, Sargodha up to 11:00 a.m. on 4th July, 2017. The Envelop must bear the name bidding item at its right hand corner of the Envelop.*
- c) *Technical bids will be opened in the office of Secretary (Procurement), State Life, Zonal Office, 40-C, University Road, Sargodha on 4th July, 2016 at 11:30 a.m. in the presence of Bidders or their authorized representatives. Financial bids will be opened on same day.*
- d) *The Competent Authority may reject all bids / proposals at any time prior to the acceptance of a bid or proposal. The competent authority shall upon request communicate to any supplier or contractor who submitted a bid or proposal, the grounds for its rejection of all bids or proposals, but is not required to justify those grounds.*
- e) *The estimated quantity of items mentioned above may vary at the time of issuing purchase order.*
- f) *Bidding documents are available for the bidders without any cost at the below mentioned address, however it is not compulsory for qualifying.*
- g) *Withholding Tax and Sales Tax will be deducted as per laid down Government Policy from payment.*
- h) *The quoted prices should be valid for 90 days from the opening date of tender i.e.04/07/2017.*
- i) *The bidders must attach copies of their GST and NTN certificate and proof of Active Taxpayer with the tender.*
- j) *The firm / supplier will be bound to supply the required items at State Life, Zonal Office, 40-C, University Road, Sargodha on the very short notice or at prescribed site with the territorial of Sargodha Zone, no transportation expenses shall be payable.*

[SECRETARY]

*Zonal Procurement Committee
State Life Insurance Corporation of Pakistan
Sargodha Zone
Personnel & General Services Department
1st Floor, 40-C University Road, Sargodha
Tel:048-9230626, Telefax: 048-9230627*