

STATE LIFE INSURANCE CORPORATION OF PAKISTAN (SLICP)

PROJECT: **PROCUREMENT OF OFFICE FURNITURE/ FIXTURE AND
ACCESSORIES
FOR RENOVATION OF
STATE LIFE INSURANCE CORPORATION OF PAKISTAN (SLICP) BUILDING NO 9
DR. ZIAUDDIN AHMAD ROAD KARACHI**

METHODS & PROCEDURES

TENDER REF. NO.: SLIC/PO/06/2025

PREAMBLE TO PRICING AND METHOD OF MEASUREMENTS

Generally

The Bill of Quantities herein, including all notes and instructions, forms an integral part of the Bid/Contract Documents. The descriptions/ quantity contained in the Bill of Quantities are for evaluation purposes only and the quantity may increase or decrease. However, the lowest evaluated/ most advantageous bidder will be selected for supply on turn key basis. The Contractor is referred to the Conditions of the Contract and other Documents, Specifications and Drawings as well as relevant Standards and Codes of Practice for further information as no claim or variation will be considered on account of the Contractor's failure to do so.

The Contractor is cautioned to familiarize himself with the full content of other Contract Documents including the Instructions to Bidders, Bid Form, General Conditions, Particular Conditions, Bid / Contract Drawings and Specifications or any other information that can be easily inferred from any of them and all obligations contained in the documents shall be included in the item rates and / or contract price.

Drawings, Specifications and Bill of Quantities and all other documents are complementary and if description of any item is included in any of them, it shall be deemed included in all.

The Contractor's bid for the entire work shall provide for supervision of any or all trades that are intended to be performed with his own forces, his domestic sub-contractors and nominated sub-contractors. No extra compensation for services as a General Contractor will be paid.

The Contractor shall not use these Bills of Quantities as the basis for a construction program or for the purposes of ordering materials or arranging sub-contracts. The references for these activities shall be the drawings, specifications and instructions issued by the Procuring Agency (PA).

This is a Measurable type of Contract. The quantities contained within these Bills of Quantities may not accurately reflect the quantities of works as indicated in the drawings, Specification and Package Scope. Quantities mentioned in the BOQ may be changed increase/decrease. Quantities mentioned in the BOQ are only for evaluation purposes. The contractor is to satisfy himself for the accuracy of all quantities. No claim will be entertained for differences in quantities between the Tender Drawings, Specification and Bills of Quantities.

Items in the Preamble Section of these Bills of Quantities are deemed to qualify and to form part of description of measured work to which they refer including composite description.

All measurements are net and the rates shall include for all laps, waste, working space, storage, transportation, loading /unloading etc. and all type of Federal & provincial and local municipal taxes, trade or traditional allowances.

Amendments shall not be made to these Bills of Quantities without the authority, in writing of the PA.

A price or rate is to be entered against each item in the Bills of Quantities. The cost of any item left un-priced will be deemed to be included for elsewhere in the Bills of Quantities, and the rate for the un-priced item will be taken as nil.

ISO code No ISO/TC 136 code is applicable to all furniture item mentioned in the Bill of Quantities and drawings etc.

Method of Measurement

The quantities in the Bill of Quantities have been prepared generally in accordance with the **Principles of Measurement (International) for, U.K. amended to suit the local practice and conditions**. The description of each item (which description shall imply references to any heading, sub-heading, preamble or other clause of item which shall apply) shall be held to include all claims, materials, workmanship, including all taxes, duties, charges, all Government levies, landing charges, transport, profit and overheads and all other incidental costs to complete the Works.

These preambles are to be read in conjunction with the item description in the Bill of Quantities.

"As described" means as directed in the Specifications and / or Drawings.

Unless otherwise described or measured separately, prices for all items shall include for all necessary straight, raking or circular cutting.

The Conditions of Contract applicable to this Contract is as specified in Volume 1 – Tender & Contract Conditions of the Tender and Contract Document

PRICING

The prices shall be comprehensive and must include for complying in all respects with the instructions to Bidder, Conditions of Contract, Specifications, and Drawings and for all matters and things necessary for the proper construction and completion of the whole of the Works. No claim for additional payment will be allowed for any error or misunderstanding by the Contractor of the work involved.

The rates and sums inserted in the Bills of Quantities are deemed to include for the following:

- (i) Labor and all costs of Tools and Plants in connection therewith.
- (ii) Materials, goods and all costs in connection therewith (e.g. carriage, freight, Packing delivery, loading, unloading, storing, returning packing handling, Letters of Credit, Bank Guarantees, Bank charges and the like, Customs duties, port dues, import duties, taxes including sales tax, charges, Insurances and other dues levied by any authority or imposed by the Government, hoisting or lowering, replacing work, goods or materials damaged, broken, lost or stolen until the issue of a Certificate of Completion.
- (iii) Fittings and fixing materials or goods in position.
- (iv) Overhead charges and profit.
- (v) Guarantees and warranties where necessary.

Lump sums shall not be given where unit rates are applicable.

Where the word "allow" is used, the cost of the item shall be the responsibility of the Contractor.

The amounts set against any items of overhead shall include for all costs in connection with letters of credit, bank charges, interest charges and insurance after the materials come under the control of the Contractor.

The rates inserted will be used to determine the amount of the Contractor's Interim Payments.

Where "fix only" items are specified, the rate shall be deemed to include for taking delivery, storing and installation of goods or materials in works where appropriate.

Contractor in making up rates for works items in all Parts of the Bills of Quantities.

Adjustment Item

The adjustment item, if any, addition or deduction, shall apply to all Bill items, excluding provisional sum unless clearly indicated otherwise. The adjustment item shall not be a lump sum, but a percentage of the total Bid amount excluding provisional sum or a percentage of the total for the items indicated. The adjustment items shall be applied to all applicable item rates and sums entered in the Bills of Quantities (including any addenda). The adjusted rates and sums shall be applied for the valuation of Variations.

General Requirements

Standards

Where no reference is made to a code, standard or Specifications in I Specifications of the SUB-CONTRACT Documents, the Standard Specifications of the American Society of Testing Materials, (ASTM), British Standard Codes of Practice (BSCP) ISO /TC 136 or any other relevant standard as approved by the ARCHITECT firm MESA / EMPLOYER shall govern.

DRAWINGS

The WORK shall agree in all particulars with the Drawings or any approved modifications of them or such other drawings as may be issued during the CONTRACT. The ARCHITECT firm MESA/ PA will supply two copies of each of the drawings to the CONTRACTOR.

CONTRACTOR'S (Drawings & Documents)

The CONTRACTOR shall submit three copies of all drawings, SHOP DRAWING, documents and schedules to be prepared by him. These will be of a standard size and format acceptable to the PA/ARCHITECT firm MESA. All such submission by the CONTRACTOR shall be accompanied by a letter of submittal.

Disposal of Wastes

The CONTRACTOR shall make adequate arrangements to the satisfaction of the PA'S REPRESENTATIVE for disposal of all sewage, rubbish and all other waste material arising from or connected with the execution of the WORK.

Other Services

The CONTRACTOR shall make his own arrangements for and shall provide any service (including telephone) which may require in addition to the foregoing.

Progress Photograph

The CONTRACTOR shall, throughout the construction of the Furniture Work, use digital camera for photography and provide the progress photographs in color to the PA./ARCHITECT firm MESA. He will also submit three prints each of size 5"x7" along with the recorded data at two week intervals. All such photographs will be taken under the direction of the PA./ARCHITECT'S FIRM MESA.

Materials and Workmanship

As soon as possible after the CONTRACT has been awarded, the CONTRACTOR shall submit to PA list of suppliers from whom he proposes to purchase the materials necessary for the execution of the WORK. The information regarding the names of suppliers may be submitted at different times, as may be convenient, but no approved source of supply shall be changed without the prior permission of the PA'S REPRESENTATIVE.

Preference shall be given to the use of materials and fittings manufactured in Pakistan which comply with the SUB-CONTRACT and are competitive in price. Foreign materials shall only be used with the consent of the PA./ARCHITECT firm MESA.

All materials incorporated in the WORK shall be new and of the best quality and description of their respective kinds and shall comply with all relevant specifications. Similarly, the workmanship in every case shall be of the best character, and the whole shall be subject to the approval of the PA./ARCHITECT firm MESA.

Materials whose quality and construction are not covered by the Technical Specifications shall be of equal or better quality than the relevant sample accepted by the ARCHITECT firm MESA

Samples

In addition to any special provisions herein for the sampling and testing of materials, the CONTRACTOR shall submit to the PA as he may require samples of all materials and goods which he proposes to use or employ in or for the WORK. Such samples, if approved, will be retained by the PA'S REPRESENTATIVE, and no materials or goods of which samples have been submitted shall be used on the WORK unless and until such samples have been approved in writing by the PA./ARCHITECT firm MESA.

The ARCHITECT firm MESA may reject any materials and goods which in his opinion are inferior to the samples thereof previously approved and the CONTRACTOR shall promptly remove such materials and goods from the Site.

The cost of supplying all such samples and of conveying same to such place of inspection or testing as the ARCHITECT firm MESA may designate within the country of origin shall be deemed to be included in the tendered rates and prices.

Samples will be retained by the PA/ARCHITECT firm MESA and when directed by the PA'S REPRESENTATIVE/ARCHITECT, the CONTRACTOR shall dispose of the samples. Except for those which may be incorporated into the WORK after approval.

Tests Generally, Access to Premises

The PA/ Architect firm MESA may examine and may require to be tested any materials or goods required in or for the WORK such as he may decide from time to time and shall have unrestricted access to the CONTRACTOR'S, CONTRACTOR'S and supplier's premises for such purpose at all times and the CONTRACTOR shall specify this requirement when placing all orders.

The PA/ Architect firm MESA will notify the CONTRACTOR whether materials and goods will be inspected at the manufacturer's or supplier's premises or at the Site. No materials or goods shall be dispatched from such premises until such notification is given and, if appropriate, inspection is complete and a release certificate is given to this effect. In both cases the CONTRACTOR is to notify the PA/MESA when materials and good will be ready for inspection and shall do so adequately in advance for him to make the necessary arrangement for inspection.

The CONTRACTOR shall afford the PA/ Architect firm MESA all facilities, assistance, labor and appliances necessary for the convenient examination, testing weighing or analysis of all such materials or goods. The CONTRACTOR shall provide and prepare such test pieces of any such materials or goods as the PA may require.

Notwithstanding any tests which may have been carried out off at the Site, the PA/ARCHITECT firm MESA shall be empowered to order further tests of any materials or goods to be made on the Site and to reject such materials or goods should they fail to pass such test on the Site.

The full cost of providing all facilities, labor, consumable stores and appliances required in connection with all testing on the Site shall be deemed to be included in the tendered rates and prices.

Test Certificates

Should the PA/ARCHITECT firm MESA not inspect any materials or goods at the place of manufacture, the CONTRACTOR shall, if required, obtain certificates of test from the suppliers of such materials or goods and shall send such certificates to the PA/ARCHITECT firm MESA. Such certificates shall certify that the materials or goods concerned have been tested in accordance with the requirements of the Technical Specifications and shall show the results of all the tests carried out. The CONTRACTOR shall provide adequate means of identifying the materials & goods delivered to the Site with the corresponding certificates.

Testing at an independent Laboratory

Where tests are specified or directed by the PA/ARCHITECT firm MESA to be carried out in an independent testing laboratory, expense of which is borne by the contractor, the CONTRACTOR shall supply and deliver the samples and shall arrange for the relevant tests to be carried out. The independent testing laboratory shall be nominated by the CONTRACTOR and acceptable to the PA/ARCHITECT firm MESA. Unless otherwise specified the CONTRACTOR shall arrange for one copy each of the independent testing laboratory's test certificates to be delivered to the PA/ARCHITECT firm MESA and to the PA/ARCHITECT firm MESA not less than 3 working days before the materials covered by the relevant test certificates are to be incorporated in the WORK. Each test certificate shall be relatable to the materials from which the sample was taken.

Shop Drawings, Working Drawings, Operations and Maintenance Instructions

The Contractor is to allow in his rates for the production of all shop drawings, working drawings, operations and maintenance instructions called for in the Specifications.

The rates in the appropriate section shall include for providing working drawings, shop drawings, schedules, specifications, calculations, etc. and for obtaining the MESA/ARCHITECT's approval.

Abbreviations

In the Specification and Bill of Quantities the following abbreviations have the meanings hereby assigned to them:

B.S.	Means the specification issued by the British Standards Institution (B.S.I.)
C.P.	Means the code of practice issued by the B.S.I.
ASTM	means the specification issued by the American Society for Testing & Materials.
Cont'd	Continued
Dia	diameter
Drg.	Drawing
E.O.	Extra Over
HP	Horse Power
ISO	International Standards Organization
Kw/hr	Kilowatt per hour
L.R.B.	Local Regulatory Body
L.S.	Lump Sum
M	meter
mm	millimeter
m ³ .cu.m.	Cubic meter
m ² , sq.m.	Square meter
MDPE	Medium Density Polyethylene
Mic	Micron
Min., min	Minimum
MDD	Maximum Dry Density
No.	Number
Nos.	Numbers
P.Q.	Provisional Quantity
PVC	Polyvinyl Chloride
Qty.	Quantity
RHS	Rectangular Hollow Section
Spec	Specifications
W	Width
P.C. Rate	prime cost rate
> Greater than	
≥ Equal to or Greater than	
< Less than	
≤ Equal to or less than	
= Equal to	

Rates for various items throughout the Bills of Quantities shall include, unless otherwise stated or measured, for cutting of every description and the consequent waste, for work in girths, widths or heights of less than 300mm and for all short lengths.

Rates for all work shall include for protection, provision of samples and testing.

The pricing of materials shall take account of the following:

- (i) Pricing Preambles and Specifications shall apply reciprocally between sections of the works unless otherwise described.
- (ii) Materials shall be of the quantity specified unless otherwise directed by the PA/Architect firm MESA.

(iii) All materials shall be transported, handled, stored and fixed in accordance with the printed instructions or recommendations of their manufacturers or suppliers.

(iv) Protection of completed work, all casings and temporary coverings and making good, cleaning and polishing and clearing away upon completion.

STATE LIFE INSURANCE CORPORATION OF PAKISTAN (SLICP)

BIDDING DOCUMENTS

**PROCUREMENT OF OFFICE FURNITURE/ FIXTURE AND
ACCESSORIES
FOR RENOVATION OF
STATE LIFE INSURANCE CORPORATION OF PAKISTAN (SLICP) BUILDING
NO 9
DR. ZIAUDDIN AHMAD ROAD KARACHI**

Procurement Ref No: SLIC/PO/06/2025

Last Date/Time for Submission: 11AM – 17TH FEBRUARY, 2025.

Bid Opening Date/Time: 11:30AM – 17TH FEBRUARY, 2025.

Pre-Bid Meeting Date/Time: 11:00AM – 10th FEBRUARY, 2025.

Table of Contents

SECTION-I: INVITATION TO BIDS	5
SECTION-II: INSTRUCTIONS TO BIDDERS (ITB)	6
2.1. INTRODUCTION	6
2.1.1 Scope of Bid	6
2.1.2 Source of Funds	6
2.1.3 Eligible Bidders	6
2.1.4. Eligible Furniture and fixture and Services.....	9
2.1.5. Cost of Bidding	9
2.1.6. One person one bid	9
2.2. THE BIDDING DOCUMENTS	10
2.2.1. Content of Bidding Documents	10
2.2.2. Clarification of Bidding Documents	12
2.2.3. Amendment of Bidding Documents	13
2.3. PREPARATION OF BIDS	13
2.3.1. Language of Bid	13
2.3.2. Bid Form	13
2.3.3. Bid Prices	14
2.3.4. Bid Currencies	14
2.3.5. Documents Establishing Bidder's Eligibility and Qualification	14
2.3.6. Documents Establishing Furniture and fixture' Eligibility and Conformity to Bidding Documents.....	15
2.3.7. Bid Security	17
2.3.8. Period of Validity of Bids	18
2.3.9. Format and Signing of Bid	19
2.4. SUBMISSION OF BIDS	19
2.4.1 Sealing and Marking of Bids	19
2.4.2 Deadline for Submission of Bids	20
2.4.3. Late Bids	22
2.4.4. Modification and Withdrawal of Bids	20
2.5. OPENING AND EVALUATION OF BIDS	21
2.5.1. Opening of Bids by the Procuring Agency	21
2.5.2. Confidentiality	22
2.5.3. Clarification of Bids	22
2.5.4. Preliminary Examination	23
2.5.5. Examination of Terms and Conditions; Technical Evaluation	24
2.5.6. Correction of Errors	25
2.5.7. Conversion to Single Currency	25
2.5.8. Post-Qualification & Evaluation of Bids	26
2.5.9. Contacting the Procuring Agency	29
2.5.10. Grievance Redressal	29
2.6. AWARD OF CONTRACT	30

2.6.1. Notification of Award.....	30
2.6.2. Performance Guarantee	30
2.6.3. Signing of Contract/ Issuance of Purchase Order	31
2.6.4. Award Criteria	31
2.6.5. Procuring Agency's Right to Vary Quantities at Time of Award	31
2.6.6. Procuring Agency's Right to Accept or Reject All Bids	32
2.6.7. Re-Bidding	32
2.6.8. Corrupt or Fraudulent Practices	32
2.6.9. Quantity and volume of the furniture and fixture to be considered in mind	33
SECTION-III. TECHNICAL SPECIFICATIONS	34
3.1. TECHNICAL SPECIFICATIONS	34
SECTION-IV: BID DATA SHEET	35
A. INTRODUCTION	35
B. BIDDING DOCUMENTS	36
C. BID PRICE, CURRENCY, LANGUAGE AND COUNTRY OF ORIGIN	36
D. PREPARATION AND SUBMISSION OF BIDS	36
E. OPENING AND EVALUATION OF BIDS	38
F. BID EVALUATION CRITERIA	38
G. AWARD OF CONTRACT	42
SECTION-V: GENERAL CONDITIONS OF CONTRACT	42
1. DEFINITIONS	42
2. APPLICATION	43
3. COUNTRY OF ORIGIN	43
4. STANDARDS.....	43
5. USE OF CONTRACT DOCUMENTS AND INFORMATION; INSPECTION AND AUDIT BY THE PROCURING AGENCY	44
6. PATENT RIGHTS	44
7. PERFORMANCE GUARANTEE	45
8. INSPECTIONS AND TESTS	45
9. PACKING	46
10. DELIVERY AND DOCUMENTS	46
11. INSURANCE	47
12. TRANSPORTATION	47
13. INCIDENTAL SERVICES	47
14. SPARE PARTS	47
15. WARRANTY	48
16. PAYMENT	48
17. PRICES	49
18. CHANGE ORDERS	49
19. CONTRACT AMENDMENTS	49
20. ASSIGNMENT	50
21. SUB-CONTRACTS	50
22. DELAYS IN THE SUPPLIER'S PERFORMANCE	50
23. LIQUIDATED DAMAGES	50
24. TERMINATION FOR DEFAULT	51
25. FORCE MAJEURE	51
26. TERMINATION FOR INSOLVENCY	52
27. TERMINATION FOR CONVENIENCE	53
28. RESOLUTION OF DISPUTES	53
29. GOVERNING LANGUAGE	53
30. APPLICABLE LAW	54
31. NOTICES	54
32. TAXES AND DUTIES	54
SECTION-VI. SPECIAL CONDITIONS OF CONTRACT	55
SPECIAL CONDITIONS OF CONTRACT	56
1. Definitions (GCC Clause 1)	56

2.	<i>Country of Origin (GCC Clause 3)</i>	56
3.	<i>Performance Guarantee (GCC Clause 7)</i>	56
4.	<i>Inspections and Tests (GCC Clause 8)</i>	57
5.	<i>Delivery and Documents</i>	57
6.	<i>Insurance</i>	57
7.	<i>Incidental Services (GCC Clause 13)</i>	57
8.	<i>Spare Parts</i>	57
9.	<i>Warranty</i>	57
10.	<i>Payment (GCC Clause 16)</i>	58
11.	<i>Prices (GCC Clause 17)</i>	58
12.	<i>Liquidated Damages (GCC Clause 23)</i>	58
13.	<i>Resolution of Disputes (GCC Clause 28)</i>	58
14.	<i>Governing Language (GCC Clause 29)</i>	59
17.	<i>Applicable Law (GCC Clause 30)</i>	59
18.	<i>Notices (GCC Clause 31)</i>	59
SECTION-VII. SCHEDULE OF REQUIREMENTS		60
7.1	SCHEDULE OF REQUIREMENTS	61
SECTION-VIII: SAMPLE FORMS		62
8.1	BID FORM	63
8.2.	BIDDER'S JV MEMBERS INFORMATION FORM	65
8.3.	MANUFACTURER'S AUTHORIZATION FORM	67
8.4.	BIDDER PROFILE FORM	68
8.5.	GENERAL INFORMATION FORM	69
8.6.	AFFIDAVIT	70
8.7.	PERFORMANCE GUARANTEE FORM	71
8.8.	TECHNICAL BID FORM	72
8.9.	CONTRACT FORM	73
8.10.	FINANCIAL BID FORM/PRICE SCHEDULE	75
8.11.	BID SECURITY FORM	76
8.12.	WARRANTY FORM	77
8.13.	BRAND NEW FURNITURE AND FIXTURE CERTIFICATION FORM	78
METHODS AND PROCEDURES		82-88

Section-I: Invitation to Bids

- State Life Insurance Corporation of Pakistan SLICP, (hereinafter referred to as the (Procuring Agency “PA”), invites the bids from Contractors / Firms / Companies / General Order Suppliers / Manufacturers / Authorized dealers registered with income tax and sales tax department & who are on Active Taxpayers list of FBR for the PROCUREMENT of **Furniture and Fixture & Accessories**, on delivery to Consignee’s end basis. Detailed specifications along with tentative quantities of work cited above are given in the bidding documents.
- Interested bidders may download the bidding documents & detailed specifications PPRA/SLIC website or from EPADS system.
- Bidding mechanism will be “Single Stage – Two envelopes” and any bids which are incomplete and without bid security shall not be considered.
- Technical Proposal must contain bid Security in the form of CDR/Demand Draft/Pay Order or bank guarantee for an amount of 5,000,000 (Five Million Rupees) in favor of “**State Life Insurance Corporation of Pakistan**”. **Bid Security** must be uploaded on Epads along with the Technical Proposal.
- The bidders shall provide company profile including Income Tax and General Sales Tax numbers updated with FBR, Professional Tax Certificate, and Affidavit regarding blacklisting & No litigation. All the above-mentioned certificates issued by the authorities in this regard if found fake at any stage, bidder / vender will be responsible and the Procuring Agency has right to take action against the vender in accordance with PPRA Rules, 2004 as amended and according to terms & conditions mentioned in Bidding Documents. However, for details please consult bidding documents.
- The Bids (Technical & Financial) must be uploaded on **E Pad on 17/02/2025 at 11 A.M.** The Technical bids will be opened on the same day at **11:30 A.M** in presence of the bidder / bidder's representatives who choose to present.
- Only technically responsive bidder(s) will be qualified for opening of financial bid(s).
- The Procuring Agency will not be responsible for any cost or expenses incurred in connection with the preparation of bids / proposals.
- Tender Notice and Bidding Documents can be seen at website of PPRA (www.ppra.gov.pk)/ procuring agency (www.statelife.com.pk) and EPADS system.
- The Procuring agency may reject all bids at any time prior to acceptance of a bid, as provided under Rule-33 of PPRA Rules 2004 as amended.
- Conditional tender will not be accepted. In case of contradiction between submitted bid and this document then terms and conditions of this document will prevail.
- The procurement shall be governed by the PPRA Rules, 2004 as amended and according to terms & conditions mentioned in Bidding Documents.

**STATE LIFE INSURANCE CORPORATION OF PAKISTAN SLICP
BUILDING NO 9 DR. ZIAUDDIN AHMAD ROAD KARACHI**

Section-II: Instructions to Bidders (ITB)

Note:- All the procurement procedures shall be conducted in accordance with PPRA Rules-2004. In case of any conflict between the provision of this document and PPRA Rules-2004, the later shall prevail.

2.1. Introduction

- | | |
|-------------------------------|--|
| 2.1.1 Scope of Bid | i) The Procuring Agency (PA), as indicated in the Bid Data Sheet (BDS) invites Bids for the provision of FURNITURE & FIXTURE as specified in the Section-IV Bid Data Sheet (BDS) and Section III - Technical Specifications & Section VII- Schedule of Requirements. The successful Bidders will be expected to deliver, install the furniture and fixture within the specified period and timeline(s) as stated in the Schedule of requirements. |
| 2.1.2 Source of Funds | i) The Procuring Agency named in the Bid Data Sheet has received budget from its own resources. The Procuring Agency intends to apply the provided funds/ a portion of this budget to make eligible payments under the contract for which the Invitation to bids has been issued. |
| 2.1.3 Eligible Bidders | <div>i) The Invitation to Bids is open to all suppliers i.e., Contractors / Firms / Companies / General Order Suppliers / Manufacturers / Authorized dealers registered with income tax and sales tax department & who are on Active Taxpayers list of FBR.</div> <div>ii) The bidder must fulfill the basic eligibility criteria enlisted in the BDS.</div> <div>iii) Government-owned enterprises may also participate only if they are duly/legally authorized in this regard by the respective / relevant competent forum/authority.</div> |

If the bidder fails to comply with its bid, the Procuring Agency may proceed with second lowest evaluated bidder after confiscating bid security or performance security as the case may be.

- v) In the case of a Joint Venture, Consortium, or Association, all members shall be jointly and severally liable for the execution of the Contract in accordance with the terms and conditions of the Contract. The Joint Venture, Consortium, or Association shall nominate a Lead Member as nominated in the BDS, who shall have the legal authority to conduct all business for and on behalf of any and all the members of the joint venture, consortium, or association during the Bidding process, and in case of award of contract, during the execution of contract.
- vi) The appointment of Lead Member in the Joint Venture, Consortium, or Association shall be confirmed by submission of a valid JV or Consortium agreement to the Procuring Agency.
- vii) Any agreement that forms a Joint Venture, Consortium or Association shall be required to be submitted as part of the Bid and shall be attested.
- viii) Any bid submitted by the Joint Venture, Consortium or Association shall indicate the part of proposed contract to be performed by each party and the responsibilities of each party and shall not be substantially altered without prior written approval of the Procuring Agency and in line with any instructions issued by the Authority.
- ix) The invitation for Bids is open to all prospective Supplier, Manufacturers or Authorized Agents/Dealers/Distributors subject to any provisions or licensing/regulatory requirements issued by the respective National/ Provincial Professional Statutory Body established for that particular trade or business as mentioned in bid data sheet.
- x) A Bidder shall not have a conflict of interest. All Bidders found to have a conflict of interest shall be non-Responsive. A Bidder may be considered to have a conflict of interest with one or more parties in this bidding process, if they:
 - a) Are associated or have been associated for the procurement of the furniture and fixture to be purchased under this Invitation for Bids, directly or indirectly with a firm or any of its affiliates which have been engaged by the Procuring Agency to provide consulting services for

the preparation of the design, specifications and other documents to be used.

- b) Have controlling shareholders in common; or
- c) Receive or have received any direct or indirect subsidy from any of them; or
- d) Have the same legal representative for purposes of this Bid; or
- e) Have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Agency regarding this Bidding process; or

xi) A Bidder may be ineligible if –

- (a) The Bidder is declared bankrupt or, in the case of company or firm, insolvent;
- (b) Payments in favor of the Bidder is suspended in accordance with the judgment of a court of law other than a judgment declaring bankruptcy and resulting, in accordance with the national laws, in the total or partial loss of the right to administer and dispose of its property;
- (c) Legal proceedings are established against such Bidder involving an order suspending payments and which may result, in accordance with the national laws, in a declaration of bankruptcy or in any other situation entailing the total or partial loss of the right to administer and dispose of the property;
- (d) The Bidder is convicted, by a final judgment, of any offence involving professional conduct;
- (e) The Bidder is debarred and blacklisted due to involvement in corrupt and fraudulent practices in accordance with the PPRA Rules.
- (f) The Bidder is debarred and blacklisted in general (i.e., to the extent of all public procurement) due to consistent performance failure in accordance with PPRA Rules, 2004.
- (g) The firm, supplier and contractor is blacklisted/ debarred by any international organization.

- xii) Bidders shall provide to the Procuring Agency evidence of their eligibility, proof of compliance with the necessary legal requirements to carry out the contract effectively.
- xiii) Bidders shall provide such evidence of their continued eligibility satisfactory to the Procuring Agency, as the Procuring Agency shall reasonably request.
- xiv) Bidders shall submit proposals relating to the nature, conditions and modalities of sub-contracting wherever the sub-contracting of any elements of the contract amounting to more than ten percent of the Bid price is envisaged.

2.1.4. Eligible Furniture and fixture and Services

- i) All Furniture & Fixture related services to be supplied under the Contract shall have their origin in eligible source countries, defined in the *Bid Data Sheet (BDS/Technical Specification)*, and all expenditures made under the contract will be limited to such furniture and fixture and related services.
- ii) For purposes of this clause, “origin” means the place where the furniture and fixture are mined, grown, or produced, or the place from which the related services are supplied. Furniture and fixture are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product is obtained that is substantially different in basic characteristics or in purpose or utility from its components.

2.1.5. Cost of Bidding

- i) The Bidder shall bear all costs associated with the preparation and submission of its Bid, and the Procuring Agency named in the Bid Data Sheet, hereinafter referred to as “the Procuring Agency,” will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the Bidding process.

2.1.6. One person one bid

- i) As per Rule 36A of PPRA Rules 2004, a Bidder shall submit only one Bid in the same bidding process, either individually as a Bidder or as a member in a joint venture or any similar arrangement.

- ii) No Bidder can be a sub-contractor while submitting a Bid individually or as a member of a joint venture in the same Bidding process.
- iii) A Bidder, if acting in the capacity of sub-contractor in any Bid, shall not submit bid for the same.

2.1.7. Important Instructions

- i) Bidder to mark Furniture Layout. The successful is bound mark the furniture and keep the markings displayed on site till the Furniture is delivered on site, as per the Floor Plan. The Bidder may use Tape on any other temporary means of marking.
- ii) The successful Bidder shall submit (03) THREE SWATCHES each of all Furniture Finishes (6" x 6") sample of all Swatches, Paint, Colours, Laminates, etc., for approval Of PA/Consultant firm MESA. Including Furniture Accessories.

2.2. The Bidding Documents

2.2.1. Content of Bidding Documents

- i) The Furniture & Fixture required, Bidding procedures, and contract terms are prescribed in the Bidding documents. The Bidding documents, inter alia, include:
 - (a) Invitation to Bids
 - (b) Instructions to Bidders (ITB)
 - (c) Technical Specifications
 - (d) Bid Data Sheet
 - (e) General Conditions of Contract (GCC)
 - (f) Special Conditions of Contract (SCC)
 - (g) Schedule of Requirements
 - (h) Bid Form
 - (i) Manufacturer's Authorization Form
 - (j) Bidder Profile Form
 - (k) General Information Form
 - (l) Affidavit

- (m) Bid Security Form
- (n) Technical Bid Form
- (o) Contract Form
- (p) Financial Bid Form / Price Schedule
- (q) Performance Guarantee Form
- (r) Warranty Form
- (s) Brand New Furniture and fixture Certification Form
- (t) Integrity Pact
- (u) Check List

- ii) The Bidder is required to examine all instructions, forms, terms, and specifications in the Bidding documents. Failure to furnish all information as required by the Bidding documents or to submit a Bid not responsive to the Bidding documents in every respect will be at the Bidder's risk and may result in the rejection of its Bid.
- iii) In case of discrepancies between the Invitation to Bid and the Bidding Documents listed in **ITB 2.2.1 (i)** above, the said Bidding Documents, not in conflict with any provision of PPRA Rules, will take precedence.
- iv) The Procuring Agency is not responsible for the completeness of the Bidding Documents and their addenda, if they were not obtained directly from the Procuring Agency or from its website/ website of PPRA or EPADS system. Re-confirming from the Procuring Agency that all pages/ contents have been properly and clearly received is the prime responsibility of the Bidder.

**2.2.2. Clarification
of Bidding
Documents**

- i) All clarification shall be obtained through EPADS and will be responded through same medium. The Procuring Agency will respond in writing to any request for clarification of the Bidding documents which it receives no later than seven (7) days prior to the deadline for the submission of Bids prescribed in the Bid Data Sheet.

- ii) The Procuring Agency will within three (3) working days after receiving the request for clarification, respond to any request for clarification provided that such request is received not later than seven (7) days prior to the deadline for the submission of Bids. As prescribed in **ITB 2.2.2 (i), above**. However, this clause shall not apply in case of alternate methods of Procurement.

- iii) Should the Procuring Agency deem it necessary to amend the Bidding Documents as a result of a clarification, it shall do so following the procedure under **ITB 2.2.3**.

- iv) If indicated **in the BDS**, the Bidder's designated representative is invited at the Bidder's cost to attend a pre-Bid meeting at the place, date and time mentioned **in the BDS**. During this pre-Bid meeting, prospective Bidders may request clarification of the schedule of requirement, the Evaluation Criteria or any other aspects of the Bidding Documents.

vi)

Any modification to the Bidding Documents that may become necessary as a result of the pre-Bid meeting shall be made by the Procuring Agency exclusively through the use of an Addendum pursuant to ITB 2.2.3. Non-attendance at the pre-Bid meeting will not be a cause for disqualification of a Bidder.

**2.2.3. Amendment
of Bidding Documents**

- i) At any time prior to the deadline for submission of Bids, but not later than three (3) days before the closing date of the submission of Bid, the Procuring Agency, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, may modify the Bidding documents by amendment. Any such change/amendment in the Bidding documents shall be provided / advertised in a timely manner.

2.3. Preparation of Bids

In order to allow prospective Bidders reasonable time in which to take an addendum into account in preparing their Bids, the Procuring Agency, at its discretion, may extend the deadline for the submission of Bids as per PPRA rules, in the manner similar to the original advertisements, so as to avoid any inconvenience and to doubly ensure level playing field for all prospective bidders.

**2.3.1. Language of
Bid**

- i) The Bid prepared by the Bidder, as well as all correspondence and documents relating to the Bid exchanged by the Bidder and the Procuring Agency shall be written in the language specified in the Bid Data Sheet. Supporting documents and other literature furnished by the Bidder (through EPADS) may be in same language.

2.3.2. Bid Form

- i) The Bidder shall complete the Bid Form and the appropriate Price Schedule (Financial Bid) furnished in the Bidding documents, indicating the furniture and fixture to be supplied, a brief description of the furniture and fixture, their country of origin, quantity, and prices.

- 2.3.3. Bid Prices**
- i) The Bidder shall indicate on form 8.10 the unit prices (where applicable) and total Bid price of the furniture and fixture it proposes to supply under the contract.
 - ii) Prices indicated on the Price Schedule shall be item wise.
 - iii) The Bidder's separation of price components in accordance with ITB Clause 2.3.3(ii) above will be solely for the purpose of facilitating the comparison of Bids by the Procuring Agency and will not in any way limit the Procuring Agency's right to contract on any of the terms offered.
 - iv) Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account, unless otherwise specified in the Bid Data Sheet. A Bid submitted with an **adjustable price quotation** will be treated as non-responsive and may be rejected.
- 2.3.4. Bid Currencies**
- i) Prices shall be quoted in **Pak Rupees** for local/DDP items.
- 2.3.5. Documents Establishing Bidder's Eligibility and Qualification**
- i) Pursuant to ITB Clause 2.1.3, the Bidder shall furnish, as part of its Bid, documents establishing the Bidder's eligibility to Bid and its qualifications to perform the contract if its Bid is accepted.
 - ii) The documentary evidence of the Bidder's eligibility to Bid shall establish to the Procuring Agency's satisfaction that the Bidder, at the time of submission of its Bid, is eligible as defined under ITB Clause 2.1.3.

- iii) The documentary evidence of the Bidder's qualifications to perform the contract if its Bid is accepted, shall establish to the Procuring Agency's satisfaction:
 - (a) that, in the case of a Bidder offering to supply furniture and fixture under the contract which the Bidder did not manufacture or otherwise produce, the Bidder has been duly authorized by the furniture and fixture' Manufacturer or authorized dealer / distributor of the furniture and fixture' Manufacturer [*Manufacturer's Authorization form No. 8.3* or producer to supply the same in Pakistan;
 - (b) that the Bidder has the financial, technical, and production capability necessary to perform the contract;
 - (c) that, in the case of a Bidder not doing business within Pakistan, the Bidder is or will be (if awarded the contract) represented by an Agent in that country equipped, and able to carry out the Supplier's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications; and that the Bidder meets the qualification criteria listed in the Bid Data Sheet.

**2.3.6. Documents
Establishing
Furniture and fixture'
Eligibility and**

**Conformity to
Bidding Documents**

- i) Pursuant to ITB, the Bidder shall furnish, as part of its Bid, documents establishing the eligibility and conformity to the Bidding documents of all furniture and fixture and related services which the Bidder proposes to supply under the contract.
- ii) The documentary evidence of the eligibility of the furniture and fixture and services shall consist of a statement in the Price Schedule/Financial Bid Form of the country of origin of the furniture and fixture and services offered which shall be confirmed by a **Certificate of Origin** issued at the time of shipment.

- iii) The documentary evidence of conformity of the furniture and fixture and accessories to the Bidding documents may be in the form of literature, drawings, data and shall consist of:
 - (a) a detailed description of the essential technical and performance characteristics of the furniture and fixture;
 - (b) a list giving full particulars, including available sources and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the furniture and fixture for a period to be specified in the Bid Data Sheet, following commencement of the use of the furniture and fixture by the Procuring Agency; and an item-by-item commentary on the Procuring Agency's Technical Specifications demonstrating **responsiveness** of the furniture and fixture and services to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.

- iv) For purposes of the commentary to be furnished, the Bidder shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procuring Agency in its Technical Specifications, are intended to be descriptive only and not restrictive.

- v) Where a sample(s) is required by a procuring agency, the sample shall be:
 - (a) submitted as part of the bid, in the quantities, dimensions and other details requested in the **BDS**;
 - (b) carriage paid;
 - (c) received on, or before, the closing time and date as required; and
 - (d) Evaluated to determine compliance with all characteristics listed in the **BDS**.

{However, the procuring agency may also opt to ask for samples after submission of technical bids (where require)}

- vi) The Procuring Agency may retain the sample(s) of the successful Bidder till the successful delivery of the furniture and fixture. A Procuring Agency may reject the Bid if the sample(s)-
 - (a) do(es) not conform to all characteristics prescribed in the bidding documents; and
 - (b) is/are not submitted within the specified time clearly mentioned in the Bid Data Sheet.

- vii) Where it is not possible to avoid using a propriety article as a sample, a Bidder shall make it clear that the propriety article is displayed only as an example of the type or quality of the furniture and fixture being Bided for, and that competition shall not thereby be limited to the extent of that article only.
- viii) Samples made up from materials supplied by a Procuring Agency shall not be returned to a Bidder nor shall a Procuring Agency be liable for the cost of making them.
- ix) All samples produced from materials belonging to an unsuccessful Bidder may be kept by the Procuring Agency till thirty (30) days from the date of award of contract or exhaust of all the grievance forums (including those pending at Authority's Level or in some Court of Law).
- x) Pursuant to the requirements as indicated in ITB 2.3.6, the Bidder shall furnish, as part of its Bid, all those documents establishing the eligibility in conformity to the terms and conditions specified in the Bidding Documents for all furniture and fixture, accessories and related services which the Bidder proposes to deliver.
- xi) The Bidder shall also furnish a list giving full particulars, including available sources and current prices of furniture and fixture, spare parts, special tools, etc., necessary for the proper and continuing functioning of the Furniture and fixture during the period **specified in the BDS** following commencement of the use of the furniture and fixture by the Procuring Agency.
- xii) The required documents and other accompanying documents must be in English. In case any other language than English is used the pertinent translation attested by the embassy in country of manufacturer into English shall be attached to the original version.

2.3.7. Bid Security

- i) The Bid Security needs to be physically submitted to the PA prior to bid opening & Technical submission should be made on e-pads.
- ii) The Bid security is required to protect the Procuring Agency against the risk of Bidder's conduct which would warrant the security's forfeiture Pursuant to ITB Clause 2.3.8. (vii).

- iii) The Bid Security shall be, at the option of the bidder, in the form of Deposit at Call or a Bank Guarantee issued by a Scheduled Bank in Pakistan in favor of the Procuring agency (PA) valid for a period thirty (30) days beyond the Bid Validity date.
- iv) Any Bid not secured in accordance with ITB Clauses 2.3.8 (i) and (ii) may be rejected by the Procuring Agency as nonresponsive.
- v) Technically Unsuccessful Bidders' Bid security will be discharged or returned after completion of necessary procedures as per PPRA Rules. Bid security shall be discharged after (07) days of uploading of technical evaluation report on the EPADS system (in case no grievance is received) or may be released after the grievance received (if any) is settled from that particular bidder.

"Financial proposal of the Bids found technically non-responsive shall not be considered for further evaluation/ procedures on EPADS system."

- vi) The successful Bidder's Bid security will be discharged upon the Bidder signing the contract, pursuant to ITB Clause 2.6.1, and furnishing the Performance Guarantee, pursuant to ITB Clause 2.6.2.
- vii) The Bid security may be forfeited:
 - a. If a Bidder withdraws its Bid during the period of Bid validity specified by the Bidder on the Bid Form; or
 - b. In the case of a successful Bidder, if the Bidder:
 - i. Fails to sign the contract in accordance with ITB Clause 2.6.3; **or**
 - ii. Fails to furnish Performance Guarantee in accordance with ITB Clause 2.6.2; or
 - iii. If the blacklisting proceedings under PPRA/ SLIC Rules are initiated and the bidder is declared blacklisted after due process of law.
- i) Bids shall remain valid for the period specified in the Bid Data Sheet after the date of Bid opening prescribed by the Procuring Agency. A Bid valid for a shorter period may be rejected by the Procuring Agency as non-responsive.

2.3.8. Period of Validity of Bids

- ii) In exceptional circumstances, the Procuring Agency may solicit the Bidder's consent to an extension of the period of validity (as per PPRA Rules). The request and the responses thereto shall be made in writing through EPADS. The Bid security provided under ITB Clause 2.3.8 shall also be suitably extended. A Bidder may refuse the request without forfeiting its Bid security. A Bidder accepting the request will not be required nor permitted to modify its Bid.

2.3.9. Format and Signing of Bid

- I. The Bidder shall authorize a person/persons for signing, submission and further correspondence with Procuring Agency on behalf of bidder with having proper legal authority from the company owner. Authority letter must be part of bid. However, in case of any issue bidder shall be responsible for all consequences.
- II. Any interlineation, erasures, or overwriting shall be valid only if they are initialed by the authorized person for signing the Bid.
- iii) The original Bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person duly authorized to sign on behalf of the Bidder having proper legal authority. This authorization shall consist of a written confirmation as specified in the **BDS** and shall be attached to the Bid. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Bid are signed and stamped by the authorized person.
- iv) Any interlineations, erasures, or overwriting shall be valid only if they are signed by the person or persons signing the Bidder.
- v) The Bidder shall furnish information as described in the Form of Bid on commissions or gratuities, if any, paid or to be paid to agents relating to this Bid and to contract execution if the Bidder is awarded the contract.

2.4. Submission of Bids

2.4.1 Submission through EPADS only

- i) All bids shall be submitted through EPADS only as per laid down procedure for single stage two-envelope (i.e separate submission of Technical and Financial proposals). Hard copy of Bid security should be submitted physically to the PA on address mentioned in the bidding documents. BID should be submitted through EPADS system before closing date and time else bid will

be rejected. Physical submission of Bid Security is mandatory requirement.

Furthermore, submission of bids through EPADS system is entire responsibility of the participating bidders. For assistance regarding submission through EPADS (and other EPADS related queries) bidders may contact EPADS help line 051-111-137-237.

2.4.2 Deadline for submission

of bids

- i) Bids shall be submitted through EPADS system before closing date and time as mentioned in Tender documents along with furnishing of physical bid security in original to PA. .
- ii) The Procuring Agency may, at its discretion and as per PPRA rules, extend this deadline for the submission of Bids by amending the Bidding documents in accordance with ITB Clause 2.2.2 & 2.2.3 in which case all rights and obligations of the Procuring Agency and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

2.4.4. Modification and Withdrawal of Bids

- i) The Bidder may modify or withdraw its Bid after the Bid's submission if allowed by the EPADS system/ PPRA prior to the deadline prescribed for submission of Bids.
- ii) No Bid may be modified after the deadline for submission of Bids.
- iii) No Bid may be withdrawn in the interval between the deadline for submission of Bids and the expiration of the period of Bid validity specified by the Bidder on the Bid Form. Withdrawal of a Bid during this interval may result in the Bidder's forfeiture of its Bid security (along with other remedies available under PPRA Rules, pursuant to the ITB Clause 2.3.8 (vii)).

2.5. Opening and Evaluation of Bids

2.5.1. Opening of Bids by the Procuring Agency

- i) The Procuring Agency will open/ download all Bids (from EPADS system), in public, in the presence of Bidders' or their representative who choose to attend, and other parties with a legitimate interest in the Bid proceedings at the place, on the date and at the time, specified in the **BDS**. The Bidders' representatives present shall sign a register/attendance sheet as proof of their attendance.
- 1. The Technical Proposals shall be opened/ downloaded from the EPADS system one at a time, and the following read out and recorded: (a) the name of the Bidder; (b) the presence of a Bid Security, if required; and (c) Any other details as the Procuring Agency may consider appropriate.
- iii) Bidders are advised to send in a representative with the knowledge of the content of the Bid who shall verify the information read out from the submitted documents. Failure to send a representative or to point out any un-read information by the sent Bidder's representative shall indemnify the Procuring Agency against any claim or failure to read out the correct information contained in the Bidder's Bid.
- iv) No Bid will be rejected at the time of Bid opening except for bids the technical bids containing financial information/ details.
- v) The Procuring Agency shall prepare minutes of the Bid opening. The record of the Bid opening shall include, as a minimum: the name of the Bidder and whether or not there is a withdrawal, substitution or modification, the Bid price if applicable.
- vi) The Bidders' representatives who are present shall be requested to sign on the attendance sheet. The omission of a Bidder's signature on the record shall not invalidate the contents and affect the record.

- 2.5.2. Confidentiality**
- i) Information relating to the examination, clarification, evaluation and comparison of Bids and recommendation of contract award shall not be disclosed to Bidders or any other persons not officially concerned with such process until the time of the announcement of the respective evaluation report in accordance with the requirements of PPRA Rules.
 - ii) Any effort by a Bidder to influence the Procuring Agency processing of Bids or award decisions may result in the rejection of its Bid.
 - iii) Notwithstanding **ITB Clause 2.2.2** from the time of Bid opening to the time of contract award, if any Bidder wishes to contact the Procuring Agency on any matter related to the Bidding process, it should do so in writing or in electronic forms that provides record of the content of communication.

- 2.5.3. Clarification of Bids**
- i) As per PPRA rules, to assist in the examination, evaluation and comparison of Bids and post-qualification of the Bidders, the Procuring Agency may, at its discretion, ask any Bidder for a clarification of its Bid including breakdown of prices to determine its reasonability. Any clarification submitted by a Bidder that is not in response to a request by the Procuring Agency shall not be considered.

ii)

The request for clarification and the response shall be in writing or in electronic forms that provide record of the content of communication. In case of Single Stage Two Envelope Procedure, no change in the prices or substance of the Bid shall be sought, offered, or permitted.

- iii) The alteration or modification in The Bid which in any way affect the following parameters will be considered as a change in the substance of a bid:
 - a) Evaluation & qualification criteria;
 - b) Required scope of work or specifications;
 - c) All securities requirements;
 - d) Tax requirements;
 - e) Terms and conditions of bidding documents.
 - f) Change in the ranking of the Bidder
- iv) From the time of Bid opening to the time of Contract award if any Bidder wishes to contact the Procuring Agency on any matter related to the Bid it should do so in writing or in electronic forms that provide record of the content of communication.

2.5.4. Preliminary Examination

- i) The Procuring Agency will examine the Bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the Bids are generally in order.
- ii) Arithmetical errors will be rectified on the following basis:-
 - a. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the Supplier does not accept the correction of the errors, its Bid may be rejected, and its Bid security may be forfeited.
 - b. If there is a discrepancy between words and figures, the amount in words will prevail.

- iii) Prior to the detailed evaluation, the Procuring Agency will determine the responsiveness of each Bid to the Bidding documents, pursuant to ITB Clause 2.5.5. For purposes of these Clauses, a responsive Bid is one which conforms to all the terms and conditions of the Bidding documents without material deviations. Deviations from, or objections or reservations to critical provisions, such as those concerning **Bid Security** (ITB Clause 2.3.8), **Applicable Law, Taxes and Duties** & mandatory Registrations/ Renewals will be deemed to be a material deviation. The Procuring Agency's determination of a Bid's responsiveness is to be based on the contents of the Bid itself without recourse to extrinsic evidence.
- iv) If a Bid is not responsive, it will be rejected by the Procuring Agency and may not subsequently be made responsive by the Bidder by correction of the non-conformity.
- v) Prior to the detailed evaluation of Bids, the Procuring Agency will determine whether each Bid:
 - a) Meets the eligibility criteria defined in **ITB 2.1.3** and **ITB 2.1.4**;
 - b) Has been prepared as per the format and contents defined by the Procuring Agency in the Bidding Documents;
 - c) Has been properly signed;
 - d) Is accompanied by the required securities; and
 - e) Is responsive to the requirements of the Bidding Documents.

The Procuring Agency's determination of a Bid's responsiveness will be based on the contents of the Bid itself.

2.5.5. Examination of Terms and Conditions; Technical Evaluation

- i) The Procuring Agency shall examine the Bid to confirm that all terms and conditions specified in the **bidding documents** have been accepted by the Bidder without any material deviation or reservation.
- ii) The Procuring Agency shall evaluate the technical aspects of the Bid submitted to confirm that all requirements specified in **Section III-Technical Specifications, Section VII – Schedule of Requirements & Evaluation Criteria as provided in BDS**, have been met without material deviation or reservation.

- iii) If after the examination of the terms and conditions and the technical evaluation, the Procuring Agency determines that the Bid is not responsive in accordance, it shall reject the Bid.
- 2.5.6. Correction of Errors**
- i) Bids determined to be substantially responsive will be checked for any arithmetic errors. Errors will be corrected as follows:-
 - a) If there is a discrepancy between unit prices and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected, unless in the opinion of the Procuring Agency there is an obvious misplacement of the decimal point in the unit price, in which the total price as quoted shall govern and the unit price shall be corrected;
 - b) If there is an error in a total corresponding to the addition or subtraction of sub-totals, the sub-totals shall prevail and the total shall be corrected; and
 - c) Where there is a discrepancy between the amounts in figures and in words, the amount in words will govern.
 - d) Where there is discrepancy between grand total of price schedule and amount mentioned on the Form of Bid, the amount referred in Price Schedule shall be treated as correct subject to elimination of other errors.
 - ii) The amount stated in the Bid will, be adjusted by the Procuring Agency in accordance with the above procedure for the correction of errors. The concurrence of the Bidder shall be considered as binding upon the Bidder. If the Bidder does not accept the corrected amount, its Bid will then be rejected, and the Bid Security may be forfeited or the Bid Securing Declaration may be executed in accordance with **ITB 2.3.8.**
- 2.5.7. Conversion to Single Currency**
- i) All the bidders must be quoted the unit price of furniture and fixture and accessories in Pak Rupees Only.

2.5.8 Opening and evaluation of Bids

2.5.8.1 Opening of Bids by the Procuring agency

A The Procuring agency will open all bids by download bids from the EPADS system in the presence of bidders' representatives who choose to attend, at the time, on the date, and at the place specified in the Bid Data Sheet. The bidders' representatives who are present shall sign a register evidencing their attendance.

B

The bid security amount and all other necessary details will be announced at the time of bid opening.

2.5.8.2 Clarification of Bids

C The Procuring agency will prepare minutes of the bid opening.

a During evaluation of the bids, the Procuring agency / MESA-PA may, at its discretion, ask the Bidder for any clarification of its bid. The Bids request for clarification and the response shall be in writing, and no change in the prices or substance of the bid shall be sought, offered, or permitted.

2.5.8.3. Preliminary Examination

a The Procuring agency will examine the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the bids are generally in order.

b Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the Supplier does not accept the correction of the errors, its bid will be rejected, and its bid security may be forfeited. If there is a discrepancy between words and figures, the amount in words will prevail.

c The Procuring agency may waive any minor informality, nonconformity, or irregularity in a bid which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any Bidder as per PPRA rule.

2.5.8.4 Evaluation and Comparison of Bid

- d. Prior to the detailed evaluation, pursuant to ITB Clause 25 the Procuring agency will determine the substantial responsiveness of each bid to the bidding documents. For purposes of these Clauses, a substantially responsive bid is one which conforms to all the terms and conditions of the bidding documents without material deviations. Deviations from, or objections or reservations to critical provisions, such as those concerning Bid Security (ITB Clause 15), Applicable Law (GCC Clause 30), and Taxes and Duties (GCC Clause 32), will be deemed to be a material deviation. The Procuring agency's determination of a bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence.
 - e. If a bid is not substantially responsive, it will be rejected by the Procuring agency and may not subsequently be made responsive by the Bidder by correction of the nonconformity.
- a. The Procuring agency will evaluate and compare financial bids of the technically responsive bidder.
- b. The Procuring agency's evaluation of a bid will be on delivered duty paid (DDP) price inclusive of prevailing duties and will exclude any allowance for price adjustment during the period of execution of the contract, if provided in the bid.
- c. The Procuring agency's evaluation of a bid will take into account, in addition to the bid price quoted in accordance with ITB one or more of the following factors as specified in the Bid Data Sheet, and quantified in ITB Clause 25.4:
- i. incidental costs
 - ii. delivery schedule offered in the bid;
 - iii. deviations in payment schedule from that specified in the Special Conditions of Contract;
 - iv. the cost of components, mandatory spare parts, and service;
 - v. the availability Procuring agency of spare parts and aftersales services for the equipment offered in the bid;
 - vi. the projected operating and maintenance costs during the life of the equipment; the performance and productivity of the equipment offered; and/or
 - vii. other specific criteria indicated in the Bid Data Sheet or in the Technical Specifications.

2.5.8.5 Quantification Method For factors retained in the Bid Data Sheet, one or more of the following quantification methods will be applied, as detailed in the Bid Data Sheet:

Delivery schedule.

- i. The SLIC is in the process of renovation of its Building # 09, this renovation is floor wise and the number of Furniture and Fixture and accessories in BOQ is floor wise. Bidder has to supplied the furniture of each floor within 30 (thirty) days on the receipt of advice/order.
- ii. Payment of each floor will be made after the delivery / fixing of furniture and fixture as per satisfaction of consultant firm MESA / PA. The bidder as to check furniture fixture items before the supply of each delivery.

25.4 (i) Merit Point System (Technical Evaluation Criteria):

The following merit point system for weighing technical evaluation factors can be applied if none of the evaluation methods listed in 25.4 above has been retained in the Bid Data Sheet. The number of points allocated to each factor shall be specified in the Bid Data Sheet.

[In the Bid Data Sheet, choose from the range of]

Company Profile, Experience etc	30
Technical Specification	10
Authorization from Original Equipment Manufacturer	20
No of Showrooms/Shops/Distribution center	10
Annual Turnover last 03 Years	20
Managerial Capability/Staff Details	10
Total	100

Bidders scoring more than 70% Marks shall be Technically complaint for Financial Evaluation.

- ii) The determination will take into account the Bidder's financial, technical, and production/ supplying capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder as well as such other information required for eligibility/qualification expressed in Bid Data Sheet as the Procuring Agency deems necessary and appropriate. The Consultant shall ask any or all

bidders for physical inspection of its stores, warehouses, production facilities to determine the bidder's capabilities. Cost to be borne by the bidder for transport or any other arrangement.

- iii) The Procuring Agency will **technically evaluate** and compare the Bids which have been determined to be responsive as per Technical Specifications required.
- iv) The **financial evaluation** of a Bid will be on the basis of form of Price Schedules/ Financial Bid to be decided by the Procuring Agency which must include clear cut instruction inclusive of prevailing taxes, duties, fees etc.

2.5.9. Contacting the Procuring Agency

- i) No Bidder shall contact the Procuring Agency on any matter relating to its Bid, from the time of the Bid opening to the time the evaluation report is made public i.e., 10 days before the contract is awarded. If the Bidder wishes to bring additional information or has grievance to the notice of the Procuring Agency, it should do so through e-pads or in writing.
- ii) Any effort by a Bidder to influence the Procuring Agency during Bid evaluation, or Bid comparison may result in the rejection of the Bidder's Bid.

2.5.10. Grievance Redressal

- i) Procuring Agency shall constitute a Grievance Redressed Committee (GRC) comprising of odd number of persons to address the complaints as per PPRA rules. In this regard, any grievance received will be dealt as per Tender Documents/ PPRA rules.

- ii) Any Bidder feeling aggrieved can file its written complaint against the eligibility parameters or any other terms and conditions prescribed in the bidding found contrary to provisions of PPRA rules, and the same shall be addressed by the procuring agency well before the proposal submission deadline or shall be referred to GRC.

iii) Any Bidder feeling aggrieved by any act of the Procuring Agency after the submission of his Bid may lodge a written complaint concerning his grievances not later than seven days after uploading of the technical evaluation report on EPADS system and five days after the announcement of the Final evaluation reports. After completion of the evaluation process, the procuring agency shall immediately upload the final evaluation report on the website of PPRA and Procuring Agency for obtaining/ receiving grievance petitions from the prospective bidders (if any).

2.6. Award of Contract

2.6.1. Notification of Award

- i) Prior to the expiration of the period of Bid validity, the Procuring Agency will notify the successful Bidder in writing (through EPADS system).
- ii) The notification of award will constitute the formation of the Contract.

- iii) Upon the successful Bidder's furnishing of the Performance Guarantee, the Procuring Agency will promptly notify each unsuccessful Bidder and will discharge its Bid security.

2.6.2. Performance Guarantee

- i) Within fifteen (15) days of the receipt of notification of award from the Procuring Agency, the successful Bidder shall furnish the Performance Guarantee in accordance with the Conditions of Contract, in the Performance Guarantee Form provided in the Bidding documents, or in another form acceptable to the Procuring Agency.
- ii) Failure of the successful Bidder to comply with the requirement of ITB Clause (i) above or ITB Clause 2.6.3 shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid security along with other remedies available under PPRA Rules. After that, the Procuring Agency may decide to award the contract to the next lowest evaluated Bidder, keeping in view the Bid validity time, or call for new Bids keeping in view the concept of value for money as defined under rule-2(ae) read with Principles of Procurement as enunciated in rule-4 of PPRA Rules.

2.6.3. Signing of Contract/ Issuance of Purchase Order

- i) At the same time as the Procuring Agency notifies the successful Bidder that its Bid has been accepted, the Procuring Agency will send the Bidder the Contract Form provided in the Bidding documents, incorporating all agreements between the parties or will issue the purchase order *[as the case may be]*.
- ii) Under PPRA rules, where the Procuring Agency requires formal signing of contract, within seven (07) days of receipt of the Contract Form, the successful Bidder shall sign and mention date of the contract and return it to the Procuring Agency.

- 2.6.4. Award Criteria**
- i) Subject to ITB Clause 2.6.2, the Procuring Agency will award the contract to the successful Bidder whose Bid has been determined to be responsive and has been determined to be the Most advantageous bid, provided that the Bidder has been determined to be qualified to perform the contract satisfactorily.
- 2.6.5. Procuring Agency's Right to Vary Quantities at Time of Award**
- i) The Procuring Agency reserves the right at the time of contract award to increase or decrease the quantity of furniture and Fixture and accessories originally specified in the Schedule of Requirements without any change in unit price or other terms and conditions. Design may also be defined before award of work notice for each floor.
- 2.6.6. Procuring Agency's Right to Accept or Reject All Bids**
- i) As per rule 33 of PPRA Rules, the Procuring Agency reserves the right to accept or reject all Bids or proposals (and to annual the Bidding process) at any time prior to the acceptance of any Bid or proposal, without thereby incurring any liability towards the Bidders.
 - ii) The Bidders shall be promptly informed about the rejection of the Bids, if any
 - iii) The Procuring Agency shall upon request communicate to any Bidder, the grounds for its rejection of all Bids or proposals, but shall not be required to justify those grounds.
- 2.6.7. Re-Bidding**
- i) If the Procuring Agency rejects all the Bids under rule 35, the procuring agency has a right for rebidding process.
- 2.6.8. Corrupt or Fraudulent Practices**
- i) The Procuring Agency Bidders, Suppliers, and Contractors observe the highest standard of ethics during the procurement and execution of contracts.
 - ii) **Blacklisting & Debarment:**

Blacklisted Consultants and those found involved in "Corrupt Practices" are not allowed to participate in bidding.

I. Blacklisting policy

Blacklisting policy will be implemented in line PPRA Rules and SLIC Blacklisting Policy.

II. Termination of Contract

1. In case a contract / order is placed on the basis of this tender enquiry SLIC may without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier terminate the Contract in whole or in part:
 - i. If the supplier/bidder fails to deliver any or all of the furniture and fixture/ performances within the time period(s) specified in the Contract / Order, or any extension thereof granted by SLIC.
 - ii. If the supplier/bidder fails to perform any other obligations(s) under contract/order, or.
 - iii. If the supplier/bidder, in either of the above circumstances, does not cure its failure within a period of 30 days after receipt of the default notice from SLIC.
 - iv. In case of any instruction received from Federal Government.
2. In case 1st lowest most advantage evaluated bidder does not respond within due time, then bid security of the respective supplier/bidder will be confiscated, old purchase order will be cancelled and new purchase order will be issued to 2nd lowest most advantage evaluated bidder.
3. All bidders shall submit integrity pact along with their technical bids as per format attached at- Annex-A.
4. All terms and conditions of the PPRA Rules are essential parts of this Tender.

2.6.9. Quantity and volume of the furniture and fixture to be considered in mind [Framework Contract Modality]

- i) While quoting the rate, the Bidder must consider the following facts:
 - a. Certain volume and quantity of the furniture and fixture as prescribed in Bid Data Sheet.
 - b. The Bidder has to maintain the rates of the furniture and fixture fixed during for the whole contract period.
 - c. The Bidder should quote the rate as per Price Schedule/ Financial Bid form. In case of non-observance of prescribed format, Financial Bid may be rejected.

Technical Specification

General

1. All the furniture complaints with ISO/TC.
2. All the furniture item listed below must be procured from the approved vendor brand i.e. global, master, interwood Dimensions or equivalent.
3. Complete profile brochure of item origin of item to be submitted by tenderer.
4. Contractor to submit each sample to consultants head office /PA site as desired for review after inspection at sites office. Sample to be consumed for testing and review physical sample is to be a part of submittal else conditional approval can only be granted.
5. The finish product shall be delivered to the site duly covered with bubble sheet to avoid any breakage etc. However in case of any minor repair arising out of transportation etc the same shall be prepared/replaced immediately by the supplier without any extra cost.
6. Five years comprehensive maintenance to be apart of tender.
7. All the wooden products should be anti-termite treated with a certificate with warranty for a for Atlas at least five years.
8. All fabric leather, and finishes will be approved upon physical inspection of swatches by Architect's firm MESA.
9. All the technical specification of the furniture and fixture are available in BOQ.

Section-IV: Bid Data Sheet

The following specific data for the furniture and fixture to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB) Section II. Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

A. Introduction		
BDS Clause Number	ITB Number	Amendments of, and Supplements to, Clauses in the Instruction to Bidders
1.	2.1.1	<p>Name of Procuring Agency: State Life Insurance Corporation of Pakistan SLICP.</p> <p>The subject of procurement is: Procurement of Furniture & Fixture Items SLIC BUILDING NO 9 DR. ZIAUDDIN AHMAD ROAD KARACHI</p> <p>Commencement date for delivery of Furniture and fixture: As per schedule of Requirements</p>
2.	2.1.2	<p>Financial year for the operations of the Procuring Agency: 2025-26</p> <p>Name of Project : Rehabilitation /Renovation of SLICP BLDG NO 9</p> <p>Name of financing institution: SLICP</p> <p>Name and identification number of the Contract: Tender No. --- Supply and Fixing of Furniture/Fixture at SLICP Building No 09 Dr. Ziauddin Ahmad Road Karachi</p>
3.	2.1.3 (iv)	<p>Maximum number of members in the joint venture, consortium or association shall be: Two (02). J.V. form 8.2 should be followed.</p> <p><i>(The lead partner must hold at least > 50% shares whereas other partner should hold not less than 25% shares.)</i></p>
4.		Ineligible country(s) is or are <i>[Israel & India]</i>
5.	2.3.6(iii)	Demonstration of authorization by manufacturer: Required form 8.3 should be followed.

B. Bidding Documents		
6.	2.2.2	The address for clarification of Bidding Documents is State Life Insurance Corporation of Pakistan SLICP Building No 9 Dr. Ziauddin Ahmad Road Karachi/ State Life Building No.11 Abdullah Haroon Road. OR clarifications can be obtained through EPADS.
7.	2.2.2	Pre-bid meeting will be held on 10th February, 2025 at 11am.
8.	2.3.9	The bids shall be submitted through E-Pads system before closing date and time. Bid security shall be submitted on EPADS before closing date and time, else bid will be rejected.
C. Bid Price, Currency, Language and Country of Origin		
9	2.3.1	The language of bid and all correspondence related thereto shall be in English.
10	2.3.4	The price quoted shall be in Pak Rupees.
11.	2.3.4	Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account.
12.	2.1.4 (ii)	Country of origin: Pakistan or as mentioned in approved list.
D. Preparation and Submission of Bids		

13.	2.1.3	<p>Qualification Criteria/Knock down criteria.</p> <p><i>Minimum requirements for a Bidder to participate in the Bidding process include but not limited to the following: -</i></p> <ul style="list-style-type: none"> i. <i>Registered with income tax and sales tax department & who are on Active Tax Payers list of FBR.</i> ii. <i>Registration certificate / Memorandum of Association / Article of Association / Partnership deed registered with sub-registrar / Affidavit of sole proprietorship.</i> iii. <i>Experience of similar nature of work of supply in last 05 years with Government / Corporate sector/Private sector.</i> iv. <i>Establishment of business from at least 05-years.</i> v. <i>Submission of technical proposal accompanied by the bid security in the shape of CDR / BANK GUARANTEE FROM ANY SCHEDULED BANK IN PAKISTAN for amounting equivalent to Rs.5,000,000/-.</i> vi. <i>Submission of duly signed and stamped Letter of Warranty.</i> vii. <i>Submission of duly signed and stamped Certificate of Brand-New Furniture and fixture.</i> viii. <i>Each paper of the tender documents has to be stamped and signed by the authorized signatory of the Contractor.</i> ix. <i>Certificate that the company will execute the work within stipulated time i.e., 30 days from the award of floor wise work.</i> x. <i>Affidavit to the effect that: -</i> <ul style="list-style-type: none"> • <i>Bidder is neither currently blacklisted from any government department nor is any litigation pending in this regard.</i>
		<ul style="list-style-type: none"> • <i>The documents/photocopies provided with Bid are authentic. In case of any fake/bogus document found at any stage, the Bidder shall be blacklisted as per Law/ Rules.</i> • <i>The provided information is correct.</i> • <i>The Bidder has no conflict of interest.</i>
14.	2.3.6 & 2.3.7	Spare parts aren't required.
15.	2.2.2	Bid shall be submitted to: E- Pad by registered vendor with E-pad.
16.	2.4.2	<p>The deadline for Bid submission is</p> <p>----- PM on -----2024</p>
17.	2.5.1	<p>Time for Bid opening is</p> <p>----- PM at -----2024</p>

18.	2.6.2	Standard form and amount of Performance Guarantee acceptable to the Procuring agency (PA): Irrevocable Unconditional Bank Guarantee from any Scheduled Bank in Pakistan for a sum equivalent to 10 % of the accepted tender Price.
19.	2.3.8	Amount of Bid security is equivalent to Rs.5,000,000/= in the form of Bank Guarantee or Pay order in Favor of the Procuring Agency. <i>Bidder shall submit original physical hardcopy to the PA prior to bid opening.</i>
20.	2.3.9	Bid validity period after opening of the Bid is: 120 days.
E. Opening and Evaluation of Bids		
22.	2.5.1	The Bid opening shall take place at the Office of: State Life Insurance Corporation of Pakistan SLICP Building No 9 dr.Ziauddin Ahmad Road karachi Pakistan At ----- PM on ----- 2024/ State Life Building No.11 Abdullah Haroon Road.
23.	2.3.5	The bids shall be quoted in Pak Rupee.
F. Bid Evaluation Criteria		
24.	2.5.8	Single Stage Two Envelope Bidding Procedure will be adopted.

Sr. No.	Description	Allocated Marks	Total Marks
1	Company Profile, Experience & International Certifications if any.		30
i.	Company Profile Establishment of business for at least Ten (10) years (From Registration date of NTN / FBR) <ul style="list-style-type: none"> No Marks will be awarded for experience less than (10) years. 05 Marks will be awarded for experience from 10 to (15) years. 10 Marks will be awarded for experience more than fifteen (15) years 	10	
ii.	Relevant Experience Projects / supplies Provided of Furniture Items in Last 05 years in Govt ./Corporate sector . <ul style="list-style-type: none"> 20 marks will be given if the number of projects / supplies provided by the bidder more than 5 (Min. project Cost PKR 200 Million of individual project) 10 marks will be given if the number of projects / supplies provided are $\leq 3 \leq 5$. No marks will be given if number of projects / supplies provided is less than 3. No Marks will be given if the copy of work order / agreement / documentary proof and completion certificate of mentioned projects are not attached.	20	
2	Technical Specifications		10
i.	Technical Specifications to be specified by the bidder (Page # 39-41) <ul style="list-style-type: none"> 10 Marks will be given If bidder certify to complies in totality with the technical specifications mentioned against each item. If the bidder deviates from the mentioned specifications, they will be evaluated & marked by the Technical Evaluation Committee & PA/Architect, Decision to be considered as final. 	10	

	The decision of the Technical Evaluation Committee will be final in this regard.		
3.	Authorization from Original Equipment Manufacturer (OEM) / Authorized Distributor of OEM/Manufacturer		
i.	<p>Original Equipment Manufacturer / Provision of Authorization letter from Original Equipment Manufacturer / Authorized Distributor of OEM.</p> <ul style="list-style-type: none"> • Full Marks will be given if the bidder is Original Manufacturer of Furniture and Fixture. (All registration & supporting documents must be attached). • 50 % Marks will be given in case of authorization from original manufacturer of Furniture and Fixture (OEM) / authorized distributor of OEM. • No Marks will be given if bidder isn't Original Manufacturer of Furniture and fixture or if authorization letter from the Original Manufacturer of Furniture and Fixture / Authorized agent of OEM is not provided. 	20	20
4.	Number of Showrooms / shops / distribution center in different cities		
	<p>5 or more Showrooms / shops / distribution center in at least 03 cities = 10 marks</p> <p>2 to 4 Showrooms/shops/distribution center = 5 marks</p> <p>Less than 2 Showrooms/ shops/ distribution center = 0 marks</p> <p>Required details are as under: -</p> <p>Complete address, ownership / rent agreement, years of office established on the same place. In case of missing information, no mark may be awarded.</p>	10	10
5.	Financial Status / Position		

	Annual Turnover (last 03 years) Average Annual Turnover of at least Rs. 1,000 million in last three (03) years. <ul style="list-style-type: none"> • Full Marks if average annual turnover more than Rs. 3,000 million. • 10 Marks if average annual turnover is less than Rs.3,000 million but greater than Rs. 1,000 million. • No marks will be given if average annual turnover is less than Rs. 1,000 million. No Marks will be given if the Average Annual Audit Reports of last three years duly certified by chartered accountant are not attached or amount shows on the audited report is less than 1000 million.	20	20
6.	Managerial Capability / Staff Details		
	More Than 300 employees = 10 Marks 200 to 299 employees = 5 Marks 100 to 199 employees = 3 Marks Less than 100 employees = 0 Marks Required details are as under: - No marks will be given if Detailed data along with Employment Affidavits of the employee(s) aren't provided.	10	10
	Total		100
The applicant must score at least total 70 marks to qualify. (>70)			

G. Award of Contract

2.6.2	The Performance Guarantee shall be: 10 % of the accepted Bid Price
2.6.2	The Performance guarantee shall be in the form of: Irrevocable Unconditional Bank Guarantee from any Scheduled Bank in Pakistan

Section-V: General Conditions of Contract

1. Definitions

1.1 In this Contract, the following terms shall be interpreted as indicated:

- (a) “The Contract” means the agreement entered into between the Procuring Agency and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) “The Contract Price” means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
- (c) “The Furniture and fixture” means all of the furniture and fixtures and accessories, and/or other materials which the Supplier is required to supply to the Procuring Agency under the Contract.
- (d) “The Services” means those services ancillary and related to the supply of the Furniture and fixture and accessories, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, maintenance & repair and other such obligations of the Supplier covered under the Contract.
- (e) “GCC” means the General Conditions of Contract contained in this section.
- (f) “SCC” means the Special Conditions of Contract.

- (g) "The Procuring Agency" means the organization purchasing the Furniture and fixture & Services, as named in SCC.
- (h) "The Procuring Agency's country" is the country named in SCC.
- (i) "The Supplier" means the Bidder or firm supplying the Furniture and fixture and Services under this Contract.
- (j) "The Project Site," where applicable, means the place or places named in SCC.
- (k) "Day" means calendar day.

2. Application

2.1. These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of the Contract.

3. Country of Origin

[where applicable]

3.1. All Furniture and fixture and Services supplied under the Contract shall have their origin in the countries and territories eligible under the rules, as further elaborated in the SCC.

3.2. For purposes of this Clause, "origin" means the place where the Furniture and fixture were mined, grown, or produced, or from where the Services are supplied. Furniture and fixture are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially recognized new product is obtained that is substantially different in basic characteristics or in purpose or utility from its components.

3.3. The origin of Furniture and fixture and Services is distinct from the nationality of the Supplier. In any case, the requirements of rule 10 of the PPRA Rules, shall be followed.

4. Standards

4.1. The Furniture and fixture supplied under this Contract shall conform to the standards mentioned in the Technical Specifications, and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Furniture and fixture' country of origin. Such standards shall be the latest issued by the concerned institution.

5. Use of Contract Documents and Information; Inspection and Audit by the procuring agency.

5.1. The Supplier shall not, without the Procuring Agency's prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information

furnished by or on behalf of the Procuring Agency in connection therewith, to any person other than a person employed by the Supplier in the performance of the Contract.

Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.

5.2. The Supplier shall not, without the Procuring Agency's prior written consent, make use of any document or information enumerated in GCC Clause 5.1 except for purposes of executing the Contract.

5.3. Any document, other than the Contract itself, enumerated in GCC Clause 5.1 shall remain the property of the Procuring Agency and shall be returned (all copies) to the Procuring Agency on completion of the Supplier's performance under the Contract if so required by the Procuring Agency.

5.4. The Supplier shall permit the Procuring Agency to inspect the Supplier's accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the procuring agency, if so required by the procuring agency.

6. Patent Rights

6.1. The Supplier shall indemnify the Procuring Agency against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Furniture and fixture or any part thereof in the Procuring Agency's country.

7. Performance Guarantee

7.1. Within fifteen (15) days of receipt of the notification of Contract award, the successful Bidder shall furnish to the Procuring Agency the Performance Guarantee in the amount specified in SCC/Bid Data Sheet & clause 2.6.2 of ITB.

7.2. The proceeds of the Performance Guarantee shall be payable to the Procuring Agency as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.

7.3. The performance guarantee shall be denominated in the Pak Rupees.

7.4. The performance guarantee will be discharged by the Procuring Agency and returned to the Supplier not later than ninety (90) days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless specified otherwise in SCC.

8. Inspections and Tests

8.1. The Procuring Agency or its representative shall have the right to inspect and/or to test the Furniture and fixture to confirm their conformity to the Contract specifications at no extra cost to the Procuring Agency. SCC and the Technical Specifications shall specify what inspections and tests the Procuring Agency requires and where they are to be conducted. The Procuring Agency shall notify the Supplier in writing, in a timely manner, of the identity of any representatives nominated for these purposes.

8.2. The inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery, and/or at the Furniture and fixture' final destination. If conducted on the premises of the Supplier or its subcontractor(s) (if so allowed by the Procuring Agency), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring Agency.

8.3. Should any inspected or tested Furniture and fixture fail to conform to the Specifications, the Procuring Agency may reject the Furniture and fixture, and the Supplier shall either replace the rejected Furniture and fixture or make alterations necessary to meet specification requirements free of cost to the Procuring Agency.

8.4. The Procuring Agency's right to inspect, test and, where necessary, reject the Furniture and fixture after the Furniture and fixture' arrival in the Procuring Agency's country / site / office shall in no way be limited or waived by reason of the Furniture and fixture having previously been inspected, tested, and passed by the Procuring Agency or its representative prior to the Furniture and fixture' shipment from the country of origin / workshop / factory.

8.5. Nothing in GCC Clause 8 shall in any way release the Supplier from any warranty or other obligations under this Contract.

9. Packing

9.1. The Supplier shall provide such packing of the Furniture and fixture as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Furniture and fixture' final destination and the absence of heavy handling facilities at all points in transit.

9.2. The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the Procuring Agency.

10. Delivery and Documents

10.1. Delivery of the Furniture and fixture and accessories shall be made by the Supplier in accordance with the terms specified in the Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are specified in SCC.

10.2. Upon delivery, the Procuring Agency shall give receiving certificate to the supplier with the statement that, "completion certificate along with satisfactory report shall be issued after due inspection as per clause-8 of GCC, which will enable the supplier to put up the bill".

11. Insurance Insurance isn't required.

*[If required and
decided by the
Procuring Agency]*

12. Transportation 12.1. The Supplier is required under the Contract to transport the Furniture and fixture to a specified place of destination within the Procuring Agency's country, and related costs shall be included in the Contract Price.

13. Incidental Services 13.1. The Supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:

- (a) satisfactory performance for specified time/ quantity onsite and/or supervision of on-site assembly and/or start-up of the supplied Furniture and fixture;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied Furniture and fixture;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Furniture and fixture;
- (d) training of the Procuring Agency's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Furniture and fixture.

13.2. Prices charged by the Supplier for incidental services shall be included in the Contract Price for the Furniture and fixture and shall not exceed:

- (i) the prevailing rates charged for other parties by the Supplier for similar services; and
- (ii) original price of furniture and fixture.

14. Spare Parts Spare Parts aren't required.

*[If required and
decided by the
Procuring Agency]*

15. Warranty

15.1. The Supplier warrants that the Furniture and fixture supplied under the Contract are new, unused, of the most recent or current models selected by the Procuring Agency, and that they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The Supplier further warrants that all Furniture and fixture supplied under this Contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the Procuring Agency's specifications) or from any act or omission of the Supplier, that may develop under normal use of the supplied Furniture and fixture in the conditions prevailing in the country of final destination.

15.2 This warranty shall remain valid for 5 years after the supply of Furniture and fixture, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract.

15.3 The Procuring Agency shall promptly notify the Supplier in writing of any claims arising under this warranty.

15.4 Upon receipt of such notice, the Supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective Furniture and fixture or parts thereof, without costs to the Procuring Agency.

15.5 If the Supplier, having been notified, fails to rectify the defect(s) within the period specified in SCC, within a reasonable period, the Procuring Agency may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Agency may have against the Supplier under the Contract/relevant provision of PPRA Rules including Blacklisting/ deduction of defect expense payment from the performance guarantee.

16 Payment 16.1. The method and conditions of payment to be made to the Supplier under this Contract shall be specified in SCC.

16.2 The Supplier's request(s) for payment shall be made to the Procuring Agency in writing, accompanied by an invoice describing, as appropriate, the Furniture and fixture delivered and Services performed, and by documents submitted pursuant to GCC Clause 10, and upon fulfillment of other obligations stipulated in the Contract.

16.3 As per PPRA Rules, payments shall be made promptly by the Procuring Agency, but in no case later than thirty (30) days after submission of an invoice or claim by the Supplier, provided the work is satisfactory.

16.4 The currency of payment is Pak Rupees.

17 Prices

17.1. Prices charged by the Supplier for Furniture and fixture delivered and Services performed under the Contract shall not vary from the prices quoted by the Supplier in its Bid.

18 Change Orders

18.1. The Procuring Agency may at any time, by a written order given to the Supplier pursuant to GCC Clause 31, make changes within the general scope of the Contract, only if required for the successful completion of the job, in any one or more of the following:

- (a) drawings, designs, or specifications, where Furniture and fixture to be furnished under the Contract are to be specifically manufactured for the Procuring Agency;
- (b) the method of shipment or packing;
- (c) the place of delivery; and/or
- (d) the Furniture/Fixture and accessories to be provided by the Supplier.

18.2 If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the delivery schedule, with mutual consent.

19 Contract Amendments

19.1. Subject to GCC Clause 18, no variation in or modification of the terms of the Contract shall be made except by the mutual consent through written amendment signed by the parties. No variation in finalized brands/ makes/models shall be allowed except in special conditions where the manufacturer has stopped producing or suspended that model or the latest model of similar series or version has been launched by the manufacturer or non-availability due to international mergers of the manufacturers or similar unavoidable constraints.

- 20. Assignment** 20.1. The Supplier shall not assign the whole of contract to anybody else. However, some parts of contract or its obligations may be assigned to sub-contractors with the prior written approval of the procuring agency.
- 21. Sub-contracts** 21.1. The Supplier shall notify the Procuring Agency in the Bid of all subcontracts to be assigned under this Contract. Such notification, in the original Bid or later, shall not relieve the Supplier from any liability or obligation under the Contract.
- 21.2. Subcontracts must comply with the provisions of GCC Clause 20.
- 22. Delays in the Supplier's Performance** 22.1. Delivery of the Furniture and fixture and performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring Agency in the Schedule of Requirements-
- 22.2. If at any time during performance of the Contract, the Supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the Furniture and fixture and performance of Services, the Supplier shall promptly notify the Procuring Agency in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the Procuring Agency shall evaluate the situation and may at its discretion extend the Supplier's time for performance, with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of Contract.
- 22.3. Except as provided under GCC Clause 25, a delay by the Supplier in the performance of its delivery obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 23, unless an extension of time is agreed upon pursuant to GCC Clause 22.2 without the imposition of liquidated damages.
- 23. Liquidated Damages** 23.1. Subject to GCC Clause 25, if the Supplier fails to deliver any or all of the Furniture and fixture or to perform the Services within the period(s) specified in the Contract, the Procuring Agency shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in SCC of the delivered price of the delayed Furniture and fixture or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in SCC. Once the

maximum is reached, the Procuring Agency may consider termination of the Contract pursuant to GCC Clause 24 along with other remedies available under PPRA rules.

- 24. Termination for Default** 24.1. The Procuring Agency, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate this Contract in whole or in part:
- (a) if the Supplier fails to deliver any or all of the Furniture and fixture within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring Agency pursuant to GCC Clause 22;
 - (b) if the Supplier fails to perform any other obligation(s) under the Contract; or
 - (c) if the Supplier, in the judgment of the Procuring Agency has engaged in corrupt practices in competing for or in executing the Contract. For the purpose of this clause, corrupt practices will be in PPRA rules and also defined above.

24.2. In the event the Procuring Agency terminates the Contract in whole or in part, pursuant to GCC Clause 24.1, the Procuring Agency may procure, upon such terms and in such manner as it deems appropriate, Furniture and fixture or Services similar to those undelivered, and the Supplier shall be liable to the Procuring Agency for any excess costs for such similar Furniture and fixture or Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.

- 25. Force Majeure** 25.1. Notwithstanding the provisions of GCC Clauses 22, 23, and 24, the Supplier shall not be liable for forfeiture of its Performance Guarantee, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

25.2. For purposes of this clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not restricted to, acts of the Procuring Agency in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes. Both, the Procuring Agency and the Supplier, may agree to exclude certain widespread conditions e.g: epidemics, pandemics, quarantine restrictions etc from the purview of "Force Majeure".

25.3. If a Force Majeure situation arises, the Supplier shall promptly notify the Procuring Agency in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Agency in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event. Any difference of opinion concerning "Force Majeure" may be decided through means given herein below.

**26. Termination
for Insolvency**

26.1. The Procuring Agency may at any time terminate the Contract by giving written notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Procuring Agency.

27. Termination for Convenience

27.1. The Procuring Agency, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Procuring Agency's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.

27.2. The Furniture and fixture that are complete and ready for shipment (if applicable) within thirty (30) days after the Supplier's receipt of notice of termination shall be accepted by the Procuring Agency on the Contract terms and prices. For the remaining Furniture and fixture, the Procuring Agency may choose:

- (a) to have any portion completed and delivered at the Contract terms and prices; and/or
- (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Furniture and fixture and Services and for materials and parts previously procured by the Supplier.

28. Resolution of Disputes

28.1. After signing the contract or issuance of purchase order, The Procuring Agency and the Supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.

28.2. If, after thirty (30) days from the commencement of such informal negotiations, the Procuring Agency and the Supplier have been unable to resolve amicably a Contract dispute, either party may require that the dispute be referred for resolution to the formal mechanisms specified in SCC. These mechanisms may include, but are not restricted to, conciliation mediated by a third party, adjudication in an agreed and/or arbitration as per PPRA Rules and in accordance with Arbitration Rules.

29. Governing Language

29.1. The Contract shall be written in the language specified in SCC.

Subject to GCC Clause 30, the version of the Contract written in the specified language shall govern its interpretation. All correspondence and other documents pertaining to the Contract which are exchanged by the parties shall be written in the same language.

30. Applicable Law 30.1. The Contract shall be interpreted in accordance with the laws of Pakistan (Pakistan) unless otherwise specified in SCC.

31. Notices 31.1. Any notice given by one party to the other pursuant to this **Contract** shall be sent to the other party in writing or by any **information** technology mean for the time being in use and acceptable **in** ordinary course of business to the other party's address specified in SCC.

31.2. A notice shall be effective when delivered or on the notice's effective date, whichever is later.

32. Taxes and Duties 32.1. Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Furniture and fixture & Services to the Procuring Agency. In case of imposition of new taxes/duties or concession thereof after the deadlines for the submission of bids the effect thereof shall be borne or availed by the procuring agency as the case may be.

Section-VI. Special Conditions of Contract

Special Conditions of Contract

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses.

1. Definitions (GCC Clause 1)

GCC 1.1 (g)—The Procuring Agency is: State Life Insurance Corporation of Pakistan SLICP

GCC 1.1 (h)—The Procuring Agency's country is: Pakistan

GCC 1.1 (i)—The Supplier is: The Bidder supplying the Furniture and fixture and Services under this Contract.

Sample Provision

GCC 1.1 (j)—The Project Site is: State Life Insurance Corporation of Pakistan SLICP Building No 9 Dr.Ziauddin Ahmad Road Karachi/ State Life Building No.11 Abdullah Haroon Road, Karachi. (

2. Country of Origin (GCC Clause 3)

Pakistan or as allowed in previous clauses.

3. Performance Guarantee (GCC Clause 7)

GCC 7.1—The amount of Performance Guarantee, as a percentage of the Contract Price, shall be: 10% of the accepted Bid Price in the form of Irrevocable Unconditional Bank Guarantee from any Scheduled Bank in Pakistan

GCC 7.2—the Performance Guarantee shall be retained for to cover the Supplier's warranty obligations or defect liability period in accordance with Clause GCC 15.2

4. Inspections and Tests (GCC Clause 8)

GCC 8.1—The provided furniture and fixture shall have to be approved by the designated PA/Architect's firm MESA. The specifications against each item, duly approved by the PA/Architect's firm MESA, shall be verified at the warehouse / workshop / factory of the Contractor before the dispatching of furniture and fixture. The furniture and fixture shall be dispatched once they have been cleared by the designated PA/Architect's firm MESA.

Factory acceptance test shall be witnessed by the personnel of the Procuring agency (PA)/Architect's firm MESA.

All costs in connection with witnessing of the factory acceptance tests by the Procuring agency (PA)/Architect's firm MESA shall be borne by the Contractor, deemed to be covered in rates quoted by Contractor in BOQ.

5. Delivery and Documents

GCC 10.3— The Contractor will be responsible for delivery of furniture/fixture and Accessories with required specifications as per schedule of requirements.

The Contractor will bear all costs associated with the delivery and placement of the items and LG&CDD will in no case be responsible or liable for those costs. The Contractor will make such arrangements to ensure safe delivery of items. Any damage sustained during transportation / delivery will be rectified by the Contractor at his cost.

The Contractor shall confirm that the items supplied under this contract are new (Branded), unused and as per specifications given in the Tender Documents. The Contractor shall further warrant that all items supplied under this contract shall have no defect arising from design materials or workmanship or from any act or omission of the Contractor that may arise under the normal use of the supplied items in the conditions prevailing in the Authority.

The contractor will ensure execution of Work in accordance with terms & conditions stipulated in the instant document and acceptance letter along with Bid Schedule. The firm / contractor will not charge the extra rate like service, travelling or carriage charges etc. which is not included in BOQ.

6. Insurance

Not Required

7. Incidental Services (GCC Clause 13)

No additional services other than mentioned in GCC are required.

8. Spare Parts

Not Required.

9. Warranty

The Supplier must give warranty of 5 years and warrant that the Furniture and fixture supplied under the Contract are new, unused, of the most recent or current models selected by the Procuring Agency, and that they incorporate all recent improvements in design and

materials unless provided otherwise in the Contract. The Supplier must further warrant that all Furniture and fixture supplied under this Contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the Procuring Agency's specifications) or from any act or omission of the Supplier, that may develop under normal use of the supplied Furniture and fixture in the conditions prevailing in the country of final destination.

10. Payment (GCC Clause 16)

GCC 16.1—The method and conditions of payment to be made to the Supplier under this Contract shall be as follows:

Payment for Furniture and fixture supplied:

Payment may be made in Pak. Rupees in the following manner:

(i) Running Bill modality (Payment will be released after delivery, Fixing and Installation of Furniture and Fixture Items up to satisfaction of PA/Architect firm MESA for each floor).

11. Prices (GCC Clause 17)

GCC 17.1—Prices shall be fixed and irrevocable.

12. Liquidated Damages (GCC Clause 23)

GCC 23.1—Applicable rate: 0.5 % of Contract Price stated in the Letter of Acceptance for each week of delay in supply of furniture and fixture subject to a maximum of 10% of Contract Price stated in the Letter of Acceptance.

13. Resolution of Disputes (GCC Clause 28)

GCC 28.2—The dispute resolution mechanism to be applied pursuant to GCC Clause 28.2 shall be as follows:

In the case of a dispute between the Procuring Agency and the Supplier, the dispute shall be settled in lines with PPRA rules/contract term and condition/tender documents or as per arbitration rules.

14. Governing Language (GCC Clause 29)

GCC 29.1—The Governing Language shall be: English

17. Applicable Law (GCC Clause 30)

GCC 30.1-The Contract shall be interpreted in accordance with the laws applicable in the jurisdiction of the province of Sindh (Pakistan):

18. Notices (GCC Clause 31)

GCC 31.1—Procuring Agency’s address for notice purposes: State Life Insurance Corporation of Pakistan SLICP Building No 9 Dr.Ziauddin Ahmad Road Karachi/ State Life Building No.11 Abdullah Haroon Road, Karachi.

—Supplier’s address for notice purposes: *[To be entered by the successful Bidder]*

Section-VII. Schedule of Requirements

7.1 Schedule of Requirements

The SLIC is in the process of renovation of its Building # 09, this renovation is floor wise and the number of Furniture and Fixture in BOQ is also floor wise. Bidder has to supply the furniture/fixture and accessories of each floor within 30 (Thirty) days on the receipt of advice/order.

The Bidder shall provide, fix / install and commission the required furniture and fixture in accordance with the terms and conditions mentioned in bidding documents as per satisfaction of consultant firm MESA / PA and the requirements of financial bid.

Description	Time for Completion
-------------	---------------------

a) Procurement of Furniture & Fixtures Accessories 30 days from In-charge's Notice to Commence	
--	--

Section-VIII: Sample Forms

Notes on the Sample Forms

The Bidder shall complete and submit with its bid the Bid Form and Price Schedules pursuant to ITB Clause 9 and in accordance with the requirements included in the bidding documents.

When requested in the Bid Data Sheet, the Bidder should provide the Bid Security, either in the form included hereafter or in another form acceptable to the Procuring agency, pursuant to ITB Clause 15.3.

The Contract Form, when it is finalized at the time of contract award, should incorporate any corrections or modifications to the accepted bid resulting from price corrections pursuant to ITB Clause 16.3 and GCC Clause 17, acceptable deviations (e.g., payment schedule pursuant to ITB Clause 25.4 (c), spare parts pursuant to ITB Clause 25.4 (d), or quantity variations pursuant to ITB Clause 29. The Price Schedule and Schedule of Requirements deemed to form part of the contract should be modified accordingly.

The Performance Security and Bank Guarantee for Advance Payment forms should not be completed by the bidders at the time of their bid preparation. Only the successful Bidder will be required to provide performance security and bank guarantee for advance payment in accordance with one of the forms indicated herein or in another form acceptable to the Procuring agency and pursuant to GCC Clause 7.3 and SCC 11, respectively.

The Manufacturer's Authorization form should be completed by the Manufacturer, as appropriate, pursuant to ITB Clause 13.3 (a).

8.1 Bid Form

*[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with the Bid, in case of Single Stage One Envelope Procedure and with the **Financial Bid**, in case of Single Stage Two Envelope Procedure]*

Date: _____

To: STATE LIFE INSURANCE CORPORATION OF PAKISTAN SLICP BUILDING NO 9 DR.ZIAUDDIN AHMAD ROAD KARACHI

Sir:

Having examined the Bidding documents including Addenda Nos. *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply and deliver _____ *[description of furniture and fixture and services]* in conformity with the said Bidding documents for the sum of _____ *[total Bid amount in words and figures]* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the furniture and fixture in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we will obtain the guarantee of a bank in a sum equivalent to 10 percent of the Contract Price for the due performance of the Contract, in the form prescribed by the Procuring Agency.

We agree to a Bid by this Bid for a period of 120 days from the date fixed to Bid opening under Clause 2.3.9 of the Instructions to Bidders, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed (*if required*), this Bid, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
_____	_____	_____
_____	_____	_____
_____	_____	_____ (if
none, state "none")		

We understand that you are not bound to accept the lowest or any Bid you may receive.

Dated this _____ day of _____ 20_____.

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

8.2. Bidder's JV Members Information Form

{To be reproduced and signed & stamped by the lead partner and all JV members on their letter Pad, to be attached with Technical Bid in addition to the JV agreement}

{The Bidder shall fill in this Form in accordance with the instructions indicated below. The following table shall be filled in for the Bidder and for each member of a Joint Venture}.

Date: *[insert date (as day, month and year) of Bid submission]*

RFB No.: *[insert number of RFB process]*

Alternative No.: *[insert identification No if this is a Bid for an alternative]*

Page _____ of _____ pages

1. Bidder's Name: <i>[insert Bidder's legal name]</i>
2. Bidder's JV Member's name: <i>[insert JV's Member legal name]</i>
3. Bidder's JV Member's country of registration: <i>[insert JV's Member country of registration]</i>
4. Bidder's JV Member's year of registration: <i>[insert JV's Member year of registration]</i>
5. Bidder's JV Member's legal address in country of registration: <i>[insert JV's Member legal address in country of registration]</i>
6. Bidder's JV Member's authorized representative information Name: <i>[insert name of JV's Member authorized representative]</i> Address: <i>[insert address of JV's Member authorized representative]</i> Telephone/Fax numbers: <i>[insert telephone/fax numbers of JV's Member authorized representative]</i> Email Address: <i>[insert email address of JV's Member authorized representative]</i>

7. Attached are copies of original documents of *[check the box(es) of the attached original documents]*

- ☐ Articles of Incorporation (or equivalent documents of constitution or association), and/or registration documents of the legal entity named above, in accordance with ITB 4.4.
- ☐ In case of a state-owned enterprise or institution, documents establishing legal and financial autonomy, operation in accordance with commercial law, and that they are not under the supervision of the Purchaser, in accordance with ITB 4.6.

8. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

8.3. Manufacturer's Authorization Form

[To be signed and stamped by the Bidder and to be attached with Technical Bid]

[See Clause 2.3.6 (iii) of the Instructions to Bidders.]

To: *[name of the Procuring Agency]*

WHEREAS *[name of the Manufacturer]*, who are established and reputable manufacturers of *[name and/or description of the furniture and fixture]* having factories at *[address of factory]* do hereby authorize *[name and address of Agent]* to submit a Bid, and subsequently negotiate and sign the Contract with you against for the above furniture and fixture manufactured by us.

We hereby extend our full guarantee and warranty for the furniture and fixture offered for supply by the above firm against this Invitation to Bids.

[Signature for and on behalf of Manufacturer]

Note: This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent and having the power of attorney to bind the Manufacturer. It should be included by the Bidder in its Bid.

8.4. Bidder Profile Form

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Technical Bid]

Sr.#	Particulars
1.	Name of the company:
2.	Registered Office:
Address:	
Office Telephone Number:	
Fax Number:	
3.	Contact Person:
Name:	
Personal Telephone Number:	
Email Address:	
4.	Local office if any:
Address:	
Office Telephone Number:	
Fax Number:	
5.	Registration Details:

a) Details of Experience (Last _____ Years)

(i)	Similar Project (Agency/Department)	Item Name
(ii)	Value of total Projects/Tenders/POs	Amount

8.5. General Information Form

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Technical Bid]

	Particulars				
Company Name					
Abbreviated Name					
National Tax No.			Sales Tax Registration No		
No. of Employees			Company's Date of		
			Formation		

*Please attach copies of NTN, & GST Registration Certificate

Registered Office Address		State/Province	
City/Town		Postal Code	
Phone		Fax	
Email Address		Website Address	

8.6. Affidavit

[To be printed on PKR 100 Stamp Paper, duly attested by oath commissioner.]

Name: _____

(Applicant)

I, the undersigned, do hereby certify that all the statements made in the Bidding document and in the supporting documents are true, correct and valid to the best of my knowledge and belief and may be verified by procuring agency (PA) if the Procuring agency (PA), at any time, deems it necessary. The undersigned hereby authorize and request the bank, person, company or corporation to furnish any additional information requested by the *[name of Procuring Agency]* of the Pakistan deemed necessary to verify this statement regarding my (our) competence and general reputation.

The undersigned understands and agrees that further qualifying information may be requested and agrees to furnish any such information at the request of the *[name of Procuring Agency]*. The undersigned further affirms on behalf of the firm that:

- (i) The firm has not been blacklisted by any Department.
- (ii) The documents/photocopies provided with Bid are authentic. In case, any fake/bogus document was found at any stage, the firm shall be blacklisted as per Law/ Rules.
- (iii) Contractor/firm is not blacklisted or subject to any pending litigation with any Government or Public Department.
- (iv) The firm has no conflict of interest with one or more parties in this Bidding process.
- (v) The firm is not associated or have been associated, directly or indirectly with a firm or any of its affiliates which have been engaged by the Procuring Agency to provide consulting services for the preparation of the design and other documents to be used.
- (vi) The firm doesn't have controlling shareholders in common with one or more parties in this Bidding process.
- (vii) The firm hasn't received or have received any direct or indirect subsidy from one or more parties in this Bidding process.
- (viii) The firm has not the same legal representative, as that of, one or more parties in this Bidding process, for purposes of this Bid.
- (ix) The firm doesn't have a relationship with one or more parties in this Bidding process, directly or through common third parties, that puts it in a position to have access to information about or influence on the Bid of another Bidder or influence the decisions of the Procuring Agency regarding this Bidding process.

[Name of the Contractor/ Bidder/ Service Provider] undertakes to treat all information provided as confidential.

Signed by an authorized Officer of the company

Title of Officer: _____

Name of Company: _____

Date: _____

8.7. Performance Guarantee Form

To,

[name and address of the Procuring Agency]

WHEREAS (Name _____ of _____ the Contractor/ _____ Supplier) _____ hereinafter called "the Contractor" has undertaken, in pursuance of "INVITATION TO BID FOR THE **"PROVISION OF _____"** procurement of the following:

1. **[Please insert details]**.

(Here in after called "the Contract").

AND WHEREAS it has been stipulated by you in the Contract that the Contractor shall furnish you with a bank guarantee by a scheduled bank for the sum specified therein as security for compliance

with the Contractor's performance obligations in accordance with the Contract;

AND WHEREAS we have agreed to give the Contractor a Guarantee;

THEREFORE WE hereby affirm that we are Guarantor and responsible to you, on behalf of the Contractor, up to a total of _____ (Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the Contractor to be in default under the Contract, and without cavil or argument, any sum or sums as specified by you, within the limits of _____ (Amount of Guarantee) as aforesaid without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until _____ day of _____, 20____, or _____ [insert number of days] after the rectification of the Defects, whichever is later.

[NAME OF GUARANTOR]

Signature _____

Name _____

Title _____

Address _____

Seal _____

Date _____

8.8. Technical Bid Form

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Technical Bid]

Date:

To: STATE LIFE INSURANCE CORPORATION OF PAKISTAN
SLICP BUILDING NO 9 DR.ZIAUDDIN AHMAD ROAD KARACHI

We, the undersigned, declare that:

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders (IB). Complete bidding document is binding upon us and we fully understand that the PPRA rules as amended up to date super cedes this bidding document, in case of any contradiction, and the same are also binding upon us;
- (b) We offer to execute the supply of Furniture, Fixture Items, Cabins and PVC cupboards in accordance with the Conditions of Contract accompanying this tender document. We propose to complete the delivery of Furniture and fixture Supply of Furniture, Fixture Items, Cabins and PVC cupboards described in the Contract within the Delivery time from the date of issuance of Letter of Acceptance / Purchase Order.
- (c) Our Bid consisting of the Technical Bid and the Financial Bid shall be valid for a period of 120 days from the date fixed for the bid opening deadline in accordance with the Bidding Documents, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (d) As security for due performance of the under takings and obligations of our bid, we submit here with a Bid security, in the amount specified in Bid data sheet, which is valid (at least) 30 days beyond validity of Bid itself.
- (e) We are not participating, as a Bidder or as a subcontractor, in more than one bid in this bidding process.
- (f) We agree to permit PA or its representative to inspect our accounts and records and other documents relating to the bid submission and to have them audited by auditors. This permission is extended for verification of any information provided in our Technical Bid which comprises all documents enclosed herewith in accordance with the instructions of Bidding Documents.

Name

In the capacity of

Signed

.....

Duly authorized to sign the Bid for and on behalf of

Date

Address.....

8.9. Contract Form

(On stamp paper worth Rs. @ 35 paisa per every one hundred rupees of the total value of the contract)

THIS CONTRACT is made at _____ on _____ day of _____ 202_, between the (here in after referred to as the "Procuring Agency") of the First Part; and M/s (*firm name*) a firm having its registered office at (*address of the firm*) (hereinafter called the "Supplier") of the Second Part (hereinafter referred to individually as "Party" and collectively as the "Parties").

WHEREAS the Purchaser on behalf of its Procuring Agency invited bids for Procurement of Furniture and fixture, in pursuance where of M/s (*firm name*) being the Manufacturer/ authorized Supplier/ authorized Agent of (*item name*) in

M/s ----- offered to supply the required item (s); and Whereas the Procuring Agency has accepted the bid for the supply of (*item name*) and services in the sum of Rs (*amount in figures and words*), the total amount of (*quantity of furniture and fixture*) shall be Rs.

(*amount in figures and words*)

NOW THIS CONTRACT WITNESSETH AS FOLLOWS:

1. In this Contract words and expressions shall have the same meanings as are respectively assigned to them hereinafter referred to as "Contract":
2. The following documents shall be deemed to form and be read and construed as integral part of this Contract, viz: -
 - a. Tender Notice
 - b. Invitation to bid
 - c. Bidding documents
 - d. any other terms and conditions deem appropriate
3. In consideration of the payments to be made by the Procuring Agency to the Supplier/ Manufacturer as hereinafter mentioned, the Supplier/ Manufacturer hereby covenants with the Procuring Agency to provide the Furniture and fixture and Services and to remedy defects therein in conformity in all respects with the provisions of this Contract.
4. The Procuring Agency hereby covenants to pay the Supplier in consideration of the provision of the Furniture and fixture and Services on completion of the satisfactory delivery of each floor and the remedying of defects therein, the Contract Price as may become payable under the provisions of this Contract at the time and in the manner prescribed by this Contract.

5. Without limiting the generality of the foregoing, [the Seller/ Supplier] represents and warrants that it has fully declared the brokerage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or including the procurement of a Contract, right interest, privilege or other obligation or benefit in whatsoever form from Government of the Pakistan, except that which has been expressly declared pursuant hereto.
6. In case of any dispute concerning the interpretation and/or application of this Contract shall be settled in line with the tender document and PPRA Rules concerning the dispute.
7. The Contract shall not constitute a partnership between the parties and that the supplier shall not in any manner represent itself as agent or authorized representative of the Procuring Agency or be considered as such included.
8. This Contract shall be governed by the applicable laws of Pakistan and the courts of Karachi shall have exclusive jurisdiction in case of any dispute.
9. In addition to the above, the supplier will confirm that he agree all the terms and conditions of the tender documents.

IN WITNESS Whereof the Parties hereto have caused this Contract to be executed at _____(the place) and shall enter into force on the day, month and year first above mentioned.

Sign/ Seal by the Supplying firm

Sign/ Seal by Procuring Agency

Witness

1.

1.

2.

2.

8.10. Financial Bid Form/Price Schedule

Total Bid value (against which a Bid shall be evaluated) in figure: _____

Total Bid value (against which a Bid shall be evaluated) in words: _____

Note:

In case of difference between unit price and total price, unit price shall prevail and the total price so calculated shall be “final”. *(Please refer ITB clause 2.5.6).*

In case of difference between amount in “words” and amount in “figures”, amount in “words” shall be considered final.

Stamp & Signature of Bidder _____

8.11. Bid Security Form

Whereas *[name of the Bidder]* (hereinafter called “the Bidder”) has submitted its Bid dated *[date of submission of Bid]* for the supply of *[name and/or description of the furniture and fixture]* (hereinafter called “the Bid”).

KNOW ALL PEOPLE by these presents that WE *[name of bank]* of *[name of country]*, having our registered office at *[address of bank]* (hereinafter called “the Bank”), are bound unto *[name of Procuring Agency]* (hereinafter called “the Procuring Agency”) in the sum of for which payment well and truly to be made to the said Procuring Agency, the Bank binds itself, its successors, and assigns by these presents. Sealed with the Common Seal of the said Bank this _____ day of _____ 20_____.

THE CONDITIONS of this obligation are:

1. If the Bidder withdraws its Bid during the period of Bid validity specified by the Bidder on the Bid Form; or
2. If the Bidder, having been notified of the acceptance of its Bid by the Procuring Agency during the period of Bid validity:
 - (a) fails or refuses to execute the Contract Form, if required; or
 - (b) fails or refuses to furnish the Performance Guarantee, in accordance with the Instructions to Bidders;

we undertake to pay to the Procuring Agency up to the above amount upon receipt of its first written demand, without the Procuring Agency having to substantiate its demand, provided that in its demand the Procuring Agency will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including thirty (30) days after the period of Bid validity, and any demand in respect thereof should reach the Bank not later than the above date.

[Signature of the bank]

8.12. Warranty Form

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Technical Bid]

To

State Life Insurance Corporation of Pakistan, SLICP
State Life Insurance Corporation of Pakistan
Building No 9 SLICP Dr. Ziauddin Ahmad Road Karachi

SUBJECT: LETTER OF WARRANTY

We have accepted all the terms and conditions of warranty under Tender Document. Apart of that our firm will provide free of cost installation and necessary training to handle of Furniture & Fixture items, where required.

Authorized Signature:

Name and Title of Signatory

Name of Supplier:

Address:

Phone Number:

Fax Number, if any:

Email:

8.13. Brand New Furniture and fixture Certification Form

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Technical Bid]

To

State Life Insurance Corporation of Pakistan,
Building No 09 State Life Insurance Corporation of Pakistan
Dr. Ziauddin Ahmad Road Karachi

SUBJECT: CERTIFICATE OF BRAND-NEW FURNITURE AND FIXTURE

It is certified that, we will provide the Brand-New Furniture & Fixture against the Tender No..... as per Specifications. Supply of Furniture & Fixture items will be non refurbished / grey or altered in anyway and is imported through proper channel via Principal Manufacturer. Our firm will provide the Genuine Serial/Service Tag Numbers against the Item at the time of delivery.

Authorized Signature:

Name and Title of Signatory

Name of Supplier:

Address:

Phone Number:

Fax Number, if any:

Email:

8.14 Integrity Pact
(INTEGRITY PACT)
DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC.
PAYABLE BY THE SUPPLIERS OF GOODS, SERVICES & WORKS IN
CONTRACTS WORTH RS. 10.00 MILLION OR MORE

Contract No. _____ Dated _____
Contract Value: _____
Contract Title: _____

..... [name of Supplier] hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Pakistan (GoP) or any administrative subdivision or agency thereof or any other entity owned or controlled by GoP through any corrupt business practice.

Without limiting the generality of the foregoing, [name of Supplier] represents and warrants that it has fully declared the brokerage, commission, fees etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoP, except that which has been expressly declared pursuant hereto.

[name of Supplier] certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with GoP and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty.

[name of Supplier] accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to GoP under any law, contract or other instrument, be voidable at the option of GoP.

Notwithstanding any rights and remedies exercised by GoP in this regard, [name of Supplier] agrees to indemnify GoP for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to GoP in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by [name of Supplier] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoP.

Name of Buyer:
Signature:
[Seal]

Name of Seller/Supplier:
Signature:
[Seal]

Section IX- Check List

[To be signed and stamped and presented on Bidder's letter head pad]

The provision of this checklist is essential prerequisite along with submission of tenders (with technical proposal).

Sr. #	Detail	Responsive	Non-responsive
1	The Original Bid security of Rs.5,000,000/= in the form of Bank Guarantee, Pay order must be submitted with technical proposal (through EPADS).		
2	Registration with income tax, SBR and sales tax department & Active Tax Payers status of FBR .		
3	Registration certificate / Memorandum of Association / Article of Association / Partnership deed registered with sub-registrar / Affidavit of sole proprietorship.		
4	Proof (Purchase Order / Letter of Acceptance & Completion Certificates) of Experience of similar nature of work of supply in last 05 years with Government department.		
5	Bid Form (as per form 8.1 of Bidding documents) on letter head of the firm, duly signed and stamped.		
6	Bidder's JV Member information as per form 8.2 (If applicable).		
7	Manufacturer's Authorization Form as per form 8.3 OR the documentary proof that the bidder is the Original Equipment Manufacturer.		
8	Bidder Profile Form (as per form 8.4 of Bidding documents) on letter head of the firm duly signed and stamped.		
9	General Information Form (as per form 8.5 of Bidding documents) on letter head of the firm duly signed and stamped.		
10	Affidavit (as per form 8.6) on judicial Stamp Paper of Rs. 100/- duly certified by Notary Public / Oath Commissioner		

11	Technical Bid Form (as per form 8.8 of Bidding documents) on letter head of the firm duly signed and stamped.		
12	Warranty Form (as per form 8.12 of Bidding documents) on letter head of the firm duly signed and stamped.		
13	Brand New Furniture and fixture Certification Form (as per form 8.13 of Bidding documents) on letter head of the firm duly signed and stamped.		
14	Each paper of the tender documents is stamped and signed by the authorized signatory of the Contractor.		
15	Certificate (on letter head of the firm duly signed and stamped) that the company will execute the work within stipulated time and deliver furniture and fixture items as Schedule of Requirements.		
16	All the Documents required in the Section F of Bid Data Sheet i.e., Detailed Bid Evaluation Criteria.		
17	Integrity Pact duly signed as per specimen stamp and signature of bidder.		

Stamp & Signature of Bidder _____

S.No	DESCRIPTION	AMOUNT RS.
1	Total cost of Ground floor Furniture	PKR -
	Total cost of Ground floor Accessories	PKR -
	Total cost of Fifth floor Furniture	PKR -
	Total cost of Fifth floor Accessories	PKR -
2	Total cost of First to Fifth floor Furniture	5th floor cost x 5= PKR -
	Total cost of First to Fifth floor Accessories	5th floor cost x 5= PKR -
3	Total cost of Sixth floor Furniture	PKR -
	Total cost of Sixth floor Accessories	PKR -
4	Total cost of Seventh floor Furniture	PKR -
	Total cost of Seventh floor Accessories	PKR -
5	Total cost of Eighth floor Furniture	PKR -
	Total cost of Eighth floor Accessories	PKR -
	Total Cost of Project	PKR -
	6+ 7+ 8th Floor Cost	PKR -



STATE LIFE INSURANCE CORPORATION
BUILDING No. 9

BOQ
GROUND FLOOR
FURNITURE WORKS

The BOQ document shall be read in conjunction with the Compliance sheet. The rates of all the items quoted should be done considering specifications and special conditions and including the following nature of the project its shape, angle, curve, bends, size etc. to be made at any depth and height with the use of all steel formwork properly supported as required and as directed by the Engineer/ Architect to the entire satisfaction of the Architect / Engineer/ Architect-in-Charge.

GROUND FLOOR - FURNITURE					
S. No.	DESCRIPTION	QTY	UNIT	RATE (RS)	AMOUNT (RS)
	<p>NOTES:</p> <p>> ALL THE FURNITURE ITEMS LISTED BELOW MAY BE PROCURED BY VENDOR BRAND I.E. GLOBAL, MASTER, INTERWOOD, DIMENSIONS OR EQUIVALENT.</p> <p>> COMPLETE PROFILE BROCHURE OF ITEM ORIGIN OF ITEM TO BE SUBMITTED BY TENDERER.</p> <p>> CONTRACTOR TO SUBMIT EACH SAMPLE TO CONSULTANTS HEAD OFFICE FOR REVIEW AFTER INSPECTION AT SITE OFFICE. SAMPLE TO BE CONSUMED FOR TESTING AND REVIEW. PHYSICAL SAMPLE IS TO BE A PART OF SUBMITAL ELSE CONDITIONAL APPROVAL CAN ONLY BE GRANTED.</p> <p>> THE FINISHED PRODUCT SHALL BE DELIVERED TO THE SITE DULY COVERED WITH BUBBLE SHEET TO AVOID ANY BREAKAGE ETC. HOWEVER IN CASE OF ANY MINOR REPAIR ARISING OUT OF TRANSPORTATION ETC. THE SAME SHALL BE REPAIRED/ REPLACED IMMEDIATELY BY THE SUPPLIER WITHOUT ANY EXTRA COST.</p> <p>> 1 YEAR COMPREHENSIVE MAINTAINANCE TO BE A PART OF TENDER WITH ALL STRUCTURAL, MECHANICAL, FINISHING WORKS TO BE INCLUDED.</p> <p>> ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p>				
1	WORKSTATIONS (Table Type 01)-Shared by 02 persons				
	<p>> FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.</p> <p>> HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION</p> <p>> SQUARE LEGS "MS POWDER COATED"(TAPERED) AT 15 DEGREE</p> <p>> LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR.</p> <p>> WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX ; PROVISION TO BE SUPPLIED FOR TWO USERS.</p> <p>> HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE.WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS.</p> <p>> TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD.</p> <p>> BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED.</p> <p>> ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT.</p> <p>> SIZE 5'-0"x4'-0" (LxW), 2'-6" HEIGHT</p>	24	No.		
2	WORKSTATIONS (Table Type 02) - Shared by 02 persons				
	<p>> FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.</p> <p>> HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION</p> <p>> SQUARE LEGS "MS POWDER COATED"(TAPERED) AT 15 DEGREE</p> <p>> LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR.</p> <p>> WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX</p> <p>> PROVISION TO BE SUPPLIED FOR TWO USERS.</p> <p>> HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE.WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS.</p> <p>> TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD.</p> <p>> BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED.</p> <p>> SIZE 4'-0"x4'-0" (LxW), 2'-6" DEEP</p>	21	No.		

3 CHIEF DESK				
<ul style="list-style-type: none"> > FINISH: POLISHED WOOD VENEER IN TWO TONES WITH MATCHING WOODEN LIPPING, DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > DESK TOP THICKNESS IS (12 MM TOP+ 12 MM (CAVITY) 12 MM BOTTOM) WITH EMBEDDED FRAMING, HAVING LIPPING OF MATCHING COLOR. > HAVING CENTRAL LEATHER PANEL WITH 1 MM INSET OF 30 " LENGTH. 22" WIDTH. > MODESTY TO BE A PART OF THE WORKSTATION: SUSPENDED IN PLACE USING SS CLIPS. > MONLITHIC LEGS CONTINUED FROM THE DESKTOP. > WORKSTATION TO BE ANCHORED ON TOP OF SIDER RETURN USING MODULAR SCREW SYSTEM. MADE OF SS FIXTURES & FITTINGS. > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP (SIDE RETURN ALIGNED) > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) > SIZE: 7'-9" X 3'-0" (2'-6" HEIGHT); SIDE RETURN (2'-0" by 5'-0") 	7	No.		
4 MEETING ROOM TABLE				
<ul style="list-style-type: none"> >FRITTED GLASS TABLE WITH 12 MM TH TAMPERED GLASS TOP (BACK PAINTED TO SPECIFIC COLOR) HAVING POWDER COATED MS EDGE: HAVING 14 SWG MS POWDER COATED BASE UNDER ENTIRE TABLE. > CENTER OF THE TABLE TO HOUSE FAUX LEATHER RUNNER EMBEDDED WITHIN THE TABLE. HAVING 8 MM TAM. GLASS BASE. 4 MM TO BE USED AS PADDING MARGIN. >MS POWDER COATED LEGS 12MM PROFILE L SECTION TO BE MADE MONOLITH WITH THE GLASS EDGING. > TECHNOLOGY BOX (02) TO BE A PART OF THIS ITEM (1 LIVE: 1 UPS: 1 HDMI EACH) THE HDMI CABLE IS TO BE SUPPLIED BY THE VENDOR FOR CONNECTION BETWEEN THE TV AND THE TECH. BOX. (APPROX LENGTH 10 LENGTH) >WITH A MS POWDER COATED RISER IN CENTER WIDTH ALIGNED FOR CABLE AND ACCESSORY INTERCONNECTION BETWEEN FLOOR AND GLASS TOP. >CABLE MANAGEMENT TRAY TO RUN HORIZONTALLY FROM THE RISER 1.2 MM TH POWDER COATED MS. > RATES TO INCLUDE ALL NECESSARY ACCESSORIES. > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE 7'-6"x3'-9" (LxW), 3'-0" HEIGHT FOR 6 PERSONS 	3	No.		
5 DGM DESK				
<ul style="list-style-type: none"> > FINISH: POLISHED WOOD VENEER IN TWO TONES WITH MATCHING WOODEN LIPPING, DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > DESK TOP THICKNESS IS (12 MM TOP+ 12 MM (CAVITY) 12 MM BOTTOM) WITH EMBEDDED FRAMING, HAVING LIPPING OF MATCHING COLOR. >HAVING CENTRAL LEATHER PANEL WITH 1 MM INSET OF 30 " LENGTH. 22" WIDTH. > MODESTY TO BE A PART OF THE WORKSTATION: SUSPENDED IN PLACE USING SS CLIPS. > MONLITHIC LEGS CONTINUED FROM THE DESKTOP. >WORKSTATION TO BE ANCHORED ON TOP OF SIDER RETURN USING MODULAR SCREW SYSTEM. MADE OF SS FIXTURES & FITTINGS. > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP (SIDE RETURN ALIGNED) >HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) >SIZE: (LxWxH) 5'-6"x 2'-6"x 2'-6" 	8	No.		
6 MEETING ROOM TABLE (Type - 02)				
<ul style="list-style-type: none"> > DUPONT CORIAN NUGWOOD OR EQUIVALENT TABLE TOP ROUND. WITH BULL NOSE EDGE. 10 MM TH. > MOUNTED ON TOP OF MS POWDER COATED FRAME HAVING 2' DIA BASE AND 5" VERTICAL MOUNT. > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. SIZE 5'-0" DIA, 2'-6" HEIGHT FOR 6 PERSONS 	2	No.		

7	OFFICE CHAIRS (STAFF)				
	<ul style="list-style-type: none"> > SHOULDER HEIGHT BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINUM BASE 350 MM. > FABRIC PADDED SEAT > LUMBAR BACK SUPPORT. > MESH FABRIC. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT. > SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MID BACK 	90	No.		
8	DGM CHAIR				
	<ul style="list-style-type: none"> > LOW BACK WITH HEAD & ARM REST BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF NYLON + BLACK FIBER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINUM BASE 350 MM. > FABRIC PADDED SEAT > LUMBAR BACK SUPPORT. > MESH FABRIC. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT. > SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT. 	8	No.		
9	CHIEF CHAIR				
	TOP NOTCH QUALITY <ul style="list-style-type: none"> > HIGH BACK WITH HEAD AND ARM REST BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF WOOD VENEER AT THE BACK AND SIDES > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIECASTED ALUMINIUM BASE 350 MM. > LEATHER PADDED SEAT AND ARM REST > LUMBAR BACK SUPPORT. > IMPORTED LEATHER > TORSION BAR BASIC TILTING MECHANISM. > LIFT APPROVED WITH SGS. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT. 	7	No.		
10	GUEST CHAIRS				
	<ul style="list-style-type: none"> > TOP NOTCH QUALITY > FIXED VISITOR CHAIR, > MOLDED FOAM > ITALIAN LEATHER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > BACK SHELL MADE OF WOOD VENEER . > HEIGHT ADJUSTABLE. > CUSTOMIZED SS. LEGS > LIFT APPROVED WITH SGS. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT. 	16	No.		
11	MEETING CHAIRS				
	<ul style="list-style-type: none"> > FIXED VISITOR CHAIR, > MOLDED FOAM > ITALIAN LEATHER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > BACK SHELL MADE OF WOOD VENEER . > HEIGHT ADJUSTABLE. > CUSTOMIZED SS. LEGS > LIFT APPROVED WITH SGS. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT. 	27	No.		

12	WAITING CHAIRS				
	> FRAME MATERIAL: SHEESHAM WOOD > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOR & FINISH. > SEAT FOAM : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOR & FINISH. > FOAM DENSITY (MASTER OR MOLTY) : 18 KG/ CUBIC CM. > BACK FOAM (MASTER OR MOLTY) : POLYURETHANE FOAM WITH SILICON FILL AT ARMS. > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING. > THE ARMCHAIR IS BASED ON MS POWDER COATED METAL LEGS. > THE LEG BASE MUST HAVE RUBBER PADDING. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 30" WIDTH, 24" DEPTH, 39" HEIGHT.	21	No.		
13	OCCASIONAL TABLE WITH CHAIRS SET				
	> FRAME MATERIAL: SHEESHAM WOOD. > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOR & FINISH. > SEAT FOAM (MOLTY OR MASTER) : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOR & FINISH. > FOAM DENSITY : 18 KG/ CUBIC CM. > BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS. > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING. > THE ARMCHAIR IS BASED ON POWDER COATED METAL LEGS > THE LEG BASE MUST HAVE RUBBER GLIDES. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. TABLE (01) > PAINTED TAMPERED 12MM GLASS TOP TABLE > MS POWDER COATED FRAME (VERTICAL) 03 LEGS 8MM TH. > MS GLASS EDGING TO BE MADE MONOLITH WITH VERTICAL LEGS. > 12 INCHES ROUND BASE HAVING RUBBER GLIDES. > CHAIR SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT + TABLE 16" DIA, 20" HEIGHT CHAIRS (02)	6	No.		
14	CONSOLE TABLE				
	1 1/2" THICK SHEESHAM WOOD CONSOLE TABLE TOP IN MARBLE DIAGNOSE WHITE OR SIMILAR FINISH TO BE APPROVED BY ARCHITECT, > SHEESHAM WOOD LEGS WITH 2" THICKNESS AND 12" DEPTH. > TABLE LEGS WITH RUBBER GLIDE. > SIZE: 4'-0" X 1'-9" X 2'-0" (LXWXH)	7	No.		
15	SINGLE SEATER SOFA				
	SUPPORTED ON SHEESHAM LEGS IN POLISH FINISH. > MDF/ WOOD FRAMEWORK, > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. UPHOLSTERED WITH TOP-QUALITY IMPORTED FABRIC > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > (LXWXH) 3'-0" X 2'-10" X 2'-10" (CHIEF ROOMS) (07) > (LXWXH) 3'-0" X 2'-10" X 2'-10" (VISITORS LOUNGE) (04)	11	No.		
16	SOFA FOR 2 (Type 1)				
	> SUPPORTED ON POWDER COATED METAL LEGS > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC. > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > (LXWXH) 5'-0" X 2'-10" X 2'-10" (CHIEF ROOMS)	7	No.		
17	OCCASIONAL TABLE 01				
	> OCCASIONAL TABLE WITH 12 MM THICK TINTED GLASS TOP, > SHEESHAM WOOD TAPERED BASE IN POLISH FINISH, FINISHES TO BE APPROVED BY ARCHITECT > SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)	7	No.		
18	FLOOR CABINETS				

<p>>PROVIDING AND FIXING IN POSITION FLOOR STANDING CABINETS; >MADE OF 18mm MDF PRESSED ON BOTH SIDES WITH LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) >DESKTOP LAMINATE OF ARCHITECT'S CHOICE OF COLOUR & FINISH. ARCHITECT'S CHOICE OF COLOUR & FINISH, ON TOP, FRONT AND SIDE WITH GROOVES FOR AESTHTICAL PURPOSE. HAVING SPACING AS PER ARCHITECTS CHOICE TO BE FILLED WITH MATCHING COLORED SS PROFILE USING EPOXY. >INCLUDING DIVIDER, SHELVES AS RECOMMENDED >IMPORTED MAGNETIC HINGES, > ALL DOORS TO HAVE SS PROFILE AS FINGER GRIP ON TOP OF MATCHING COLOR. >LOCK, AS PER APPROVED SAMPLE AND AS DIRECTED BY ARCHITECT. NOTE:</p> <p>>CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.</p> <p>OVERALL SIZE 5'-6"x1'-6" (LxW), 2'-6" DEEP FOR CAFETERIA (1) OVERALL SIZE 4'-0"x1'-6" (LxW), 2'-6" DEEP (9) OVERALL SIZE 5'-0"x1'-0" (LxW), 2'-6" DEEP (12)</p>	22	No.		
---	----	-----	--	--













19 LOUNGE CHAIR (Type - 01)				
> FRAME MATERIAL: SHEESHAM WOOD > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOR & FINISH. > SEAT FOAM (MASTER OR MOLTY) : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOR & FINISH. > FOAM DENSITY : 18 KG/ CUBIC CM. > BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS. > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING. > THE ARMCHAIR IS BASED ON STEEL LEG. > THE LEG BASE MUST HAVE RUBBER PADDING. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: (LXWXH) 3'-0" X 2'-10" X 2'-10" (ENTRANCE)	3	No.		
20 LOUNGE CHAIR (Type - 02)				
> POWDER COATED MS BASE > MDF FRAME WORK, PADDED WITH FOAM, UPHOLSTERED WITH IMPORTED FABRIC, FABRIC SELECTION TO BE APPROVED BY ARCHITECT > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > (LXWXH) 3'-0" X 2'-10" X 2'-10" (VISITORS LOUNGE)	2	No.		
21 SOFA FOR 2 (Type 1)				
> SUPPORTED ON POWDER COATED MS LEGS > MDF FRAMEWORK PADDED WITH HEIGHT QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC, APPROVED BY ARCHITECT > SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > (LXWXH) 7'-0" X 2'-9" X 2'-10" (VISITOR LOUNGE)	2	No.		
22 SOFA FOR 2 (Type 2)				
> SUPPORTED ON POWDER COATED MS LEGS > MDF FRAMEWORK PADDED WITH HEIGHT QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC, APPROVED BY ARCHITECT > SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > 7'-0" X 2'-9" X 2'-10" (LXWXH) (VISITOR LOUNGE)	2	No.		
23 SOFA FOR 2 (Type 3)				
> SUPPORTED ON POWDER COATED METAL LEGS > MDF FRAMEWORK PADDED WITH HIGH QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC APPROVED BY ARCHITECT > SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > 6'-6" X 2'-10" X 2'-10" (LXWXH) (ENTRANCE)	2	No.		
24 COFFEE TABLE (Type - 01)				
> MARBLE COFFEE TABLE WITH MARBLE LEGS, MARBLE TO BE APPROVED BY ARCHITECT > (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) > SIZE: 5'-0" X 3'-0", 1'-6" H (VISITORS LOUNGE)	1	No.		
25 COFFEE TABLE (Type - 11)				
> MARBLE TOP COFFEE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT > (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) > SIZE: 2'-9" DIA, 1'-6" H (ENTRANCE WAITING)	2	No.		








26 OCCASIONAL TABLE - 02				
>SUPPLYING OCCASIONAL TABLE WITH CORIAN TOP AND CORIAN BASE, CORIAN TO BE APPROVED BY ARCHITECT (DUPONT OR EQUIVALENT AMERICAN CORIAN) > SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)	3	No.		
27 OCCASIONAL TABLE - 03				
> SUPPLYING OCCASIONAL TABLE WITH MARBLE TOP (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) RESTING ON POWDER COATED 2" WIDE MS LEGS WITH 15" BASE DIA > SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)	2	No.		
28 RECEPTION TABLE				
> PROVIDING AND FIXING IN POSITION RECEPTION TABLE; > MADE OF 20mm OAK PLY HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; > 3/8" THICK LACQUERED DEODAR WOOD LIPPING ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE. > SIZE: 4'-4" X 2'-0" (3'-0" H) WITH 5'-6" X 18" SIDE RETURN	1	No.		
29 RECEPTION CHAIR				
> SHOULDER HEIGHT BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINUM BASE 350 MM. > FABRIC PADDED SEAT > LUMBAR BACK SUPPORT. > MESH FABRIC. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT. > SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MID BACK	1	No.		
30 DINING TABLE (Product 23a)				
> GRANITE / ARTIFICIAL GRANITE TOP. > M.S. FRAME, POWDER COATED, DISTRIBUTED SUPPORT. > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 2'-6" X 1'-6" X 3'-0" (LXWXH) (15) > SIZE: 2'-6" X 2'-6" X 3'-0" (LXWXH) (9)	22	No.		
31 DINING CHAIRS (Product 23b)				
> FRAME MATERIAL: WOOD > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOR & FINISH. > SEAT FOAM : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOR & FINISH. > FOAM DENSITY : 18 KG/ CUBIC CM. > BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS. > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING. > THE ARMCHAIR IS BASED ON STEEL LEG. > THE LEG BASE MUST HAVE RUBBER PADDING. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 30" WIDTH, 24" DEPTH, 39" HEIGHT.	31	No.		

32	PICTURE FRAME				
	PICTURE FRAME WITH OIL / ACRYLIC ON CANVAS WITH APPROVED FRAME MADE OF WOOD / FIBRE, ALONG WITH ALL NECESSARY ACCESSORIES FOR HANGING AND SUSPENSION. > (Avg size 17 SQFT)	10	No.		
33	RUG				
	SUPPLYING OF BEST QUALITY WOOLEN RUG OF MAKE. (EWC, ABBAS CARPETS OR EQUIVALENT) > (Avg size 27 SQFT)	10	No.		
34	PLANTER				
	P/F OF CUSTOMIZED PLANTER MADE OF CONCRETE WITH SMOOTH FINISH AND DECO PAINT OF APPROVED COLOR AND DESIGN. NOTE: THE CONTRACTOR SHALL MAKE AND APPROVE THE SAMPLE BEFORE EXECUTION. AVERAGE SIZE: 1'-3"x1'X3"x 1'-3" (LxWxH)	28	No.		
35	PROVIDING AND SUPPLYING COAT HANGER MADE UP OF SHEESHAM WOOD FRAME, HANGER AND LEGS IN PREMIUM POLISH FINISH SEMI GLAZED, APPROVED UPON PHYSICAL INSPECTION BY ARCHITECT. SIZE: 2'6" x 4' (WxH)	4	No.		
36	SUBMITTALS, INSPECTIONS, OPERATION, DRAWINGS ETC.				
	<u>SUBMITTALS, SAMPLES, INSPECTIONS, ETC.</u>				
	SUBMITTALS, SAMPLES, INSPECTIONS, OPERATION AND MAINTENANCE MANUALS AND THE LIKE AS REQUIRED BY SPECIFICATION.	1	JOB		
37	SHOP DRAWINGS				
	PREPARATION AND SUBMISSION OF HARD AND SOFT (.dwg) COPIES OF SHOP DRAWINGS OF EVERY FURNITURE ITEM WHICH WILL BE FABRICATED / INSTALLED ON SITE.	1	JOB		
38	PANTRY CABINET				
	PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LACQUERED DEODAR WOOD LIPPING/ UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD. COMPLETE WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE. FRONT FACE TO BE MEASURED FOR PAYMENT. NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.				
A	OVER ALL SIZE 15'-3" x 2'-4"x 8'-8" (LXWXH) (CORIAN COUNTER TOP & BACK SPLASH) SW PANTRY	1	No.		
B	OVER ALL SIZE 12'-9" x 8'-1"x 8'-8" (LXWXH) (CORIAN COUNTER TOP & BACK SPLASH) LW KITCHEN WITH ISLAND	1	No.		
39	CABINET				

	<p>> PROVIDING AND FIXING IN POSITION FLOOR STANDING CABINETS</p> <p>> MADE OF 18MM MDF PRESSED ON BOTH SIDES WITH LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT)</p> <p>> DESKTOP LAMINATE OF ARCHITECT'S CHOICE OF COLOUR & FINISH. ARCHITECT'S CHOICE OF COLOUR & FINISH, ON TOP, FRONT AND SIDE WITH GROOVES FOR AESTHTICAL PURPOSE. HAVING SPACING AS PER ARCHITECTS CHOICE TO BE FILLED WITH MATCHING COLORED SS PROFILE USING EPOXY.</p> <p>> INCLUDING DIVIDER, SHELVES AS RECOMMENDED</p> <p>>ALL CABINET TO HAVE SS LEGS WITH GLIDERS.</p> <p>> PROVISION OF ELECTRICAL LIGHT DETAILS AND COVES AS PER ARCHITECTS RECOMMENDATION WITH EACH DIVISION.</p> <p>> IMPORTED MAGNETIC HINGES</p> <p>>INCASE OF KITCHEN OR DRY PANTRY CABINETS PULL OUT AND TELESCOPIC DRAWER SHALL BE A PART OF THIS ITEM.</p> <p>> CONTRACTOR SHALL ENSURE PROVISION OF CONTROL SWITCH WITH BREAKER. IN CASE OF DRY CABINET TWO BREAKERS SHALL BE SUPPLIED ONE FOR LIGHTING OTHER FOR ACCESSORIES.</p> <p>> HINGED GLASS DOORS AS PER DRAWING.</p> <p>>IN CASE OF ELECTRICAL CABINET THE CONTRACTOR WILL ENSURE MS FRAME WITH EARTHING FOR THE ENTIRE CARCASS OF THE CABINET WITH TAMPERED 12 mm GLASS (BLACK OR SUITABLE COLOR) WITH METAL FRAME OF 1/2 INCHES AS PER DRAWINGS, HAVING IN BUILT PULL HANDLES. HAVING LOCK AND KEY FOR EACH CABINET. THE SIZING OF THE DOORS AND THE COLOURS SHALL BE APPROVED BY THE ARCHITECT BEFORE CONSTRUCTION. > ALL DOORS TO HAVE SS PROFILE AS FINGER GRIP ON TOP OF MATCHING COLOR.</p> <p>>LOCK, AS PER APPROVED SAMPLE AND AS DIRECTED BY ARCHITECT. NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.</p>				
A	OVERALL SIZE 5'-0"x1'-0" (LxW), 2'-6" (H)	1	No.		
B	OVERALL SIZE 4'-0"x1'-6" (LxW), 2'-6" DEEP	3	No.		
C	OVER ALL SIZE 11'-8" x 2'-2"x 9'-0" (LXWXH) Filling Cabinet 01	1	No.		
D	OVER ALL SIZE 11'-8" x 1'-7"x 3'-0" (LXWXH) Filling Cabinet 02	1	No.		
C	ELECTRICAL CABINET (13'-6" x 2'-0" x 9'6")	1	No.		
FURNITURE COST GROUND FLOOR					

ORDER LIST (ACCESSORIES)
PROJECT NAME: SL BUILDING NO. 09
GROUND FLOOR

Room Name	Brand	Product Photo	Product Name	Details	Dimensions	Quantity	Rate	Amount
LW D.G.M	Envicrete or Equivalent		Potted Plant	Potted plant with planters made out of PU or Equivalent light weight material. Filled with ever green plants. Having drip try.	8'4" x 1'10" x 1'1"	3		
		SUB TOTAL						
SW Chief Office 1-7	Oil on Canvas		Modern Painting	Modern Painting as a pair of having same tones or shapes. The painting size is to be read as a canvas.	6" x 0'1" x 5'0"	1		
		SUB TOTAL						
Meeting Room 1-3			Stone Vase & Ashtray	Stone Ware having an artificial plant of appropriate foliage (Peace Lilies with flower and bud) Combined size as mentioned	1'4" x 1'1" x 1'5"	7		
	Envicrete or Equivalent		Modern green plant potted plants	Fiber Glass planter with Olive Tree or Fig Tree artificial plant.	2'11" x 2'8" x 5'9"	14		
			Desktop Table Accessory	Desktop Accessory hi quality imported stone ware with Metal Accents. Placed on 2 mock books (a4 in size) Mock Books to be a part of the accessory item.	8" x 12" x 5"	7		
			floor lamp	Floor lamp with wooden legs; having a floored light push button; with decorative fabric shade and warm light lamp.	1'7" x 1'9" x 4'10"	7		
			Modern character ornaments glass bottle	Micro climate artificial plant Ornament.	0'8" x 0'7" x 0'6"	7		
			Desktop Table Accessory	This desktop vase features an aged metal finish (square type) and is adorned with ornamental grass. It also includes an intense holder.	5" x 3" x 9"	3		
	Envicrete or Equivalent		Modern green plant potted plants	Fiber Glass planter with Olive Tree or Fig Tree artificial plant.	2'11" x 2'8" x 5'9"	14		
		SUB TOTAL						
SW Meeting Room			chandelier	Cream style fancy chandelier	0'11" x 0'11" x 2'5"	1		
		SUB TOTAL						
			Triangle throw pillow	Tiran bale throw pillow with washable fabric; filled with duck feather cushioning.	1'8" x 1'0" x 1'5"	4		
			Wabi-sabi wind small flower pot ornament	Fiber Glass/ Stone Ware decorative shallow planter pot with ornamental Cotton Bales. Combined dimensions	1'6" x 1'7" x 1'1"	3		

Waiting Lounge			Modern crafts	Ceramic Based Modern Craft Decoration	1'4"x0'4"x1'0"	2		
			floor lamp	Modern Floor lamp with MS powder coated base having a glass jar with light bulb. Hi quality accent piece.	1'2"x1'2"x5'10"	1		
			Pillows/cushions	Throw Pillows/ cushions filled with duck feather. Having washable fabric.	1'5"x0'9"x0'11"	3		
			table lamp	Table Lamp with ornamental light bulb. Complete in all aspects.	0'9"x0'9"x1'4"	2		
			European Venus de Milo sculpture figure	Ceramic Ware Sculpture "Herculean Greek inspired torso."	1'11"x1'3"x3'7"	1		
	Envicrete or Equivalent		Plant	Fiber Glass planter with Olive Tree or Fig Tree artificial plant.	3'1"x3'5"x4'12"	4		
			Decorative item	Decorative Ornament made of fiber glass with excellent coating and finish	0'6"x0'6"x0'6"	3		
			Cream style artificial flower ornaments	ceramic was with ornamental flower	2'x1'7"x1'10"	4		
			Decoration piece	wabi sabi style stone ware of glass fiber craft pieces	0'5"x0'5"x0'8"	2		
	Interweave		Wabi-sabi chandelier	Ornamental Glass pendant chandelier with punched type.	2'3"x1'3"x4'4"	4		
			Decorative painting	Oil on Canvas modern painting with a sub division as approved by the architect.	6'10"x0'1"x3'5"	1		
			ceramic vase	Fiber or Ceramic based tall ornamental vase. Having smooth finish	0'10"x0'10"x2'6"	1		
			Artwork	Decorative Modern Ink Painting with Yastumo paper having alcohol based in with 2 mm glass as protection.	6'9"x0'3"x3'9"	1		
SUB TOTAL								
Entrance Lobby			green wall Plantscapers green wall	Green Wall artificial made of dense foliage having fiber back green wall mesh. Having Dense customized green wall planter	8'6"x0'8"x8'5"	1		
			Vase	Side Table Ornamental Vase with artificial ornamental plant.	2'6"x2'12"x4'8"	1		
	SUB TOTAL							
GRAND TOTAL								

STATE LIFE INSURANCE CORPORATION
BUILDING No. 9

BOQ
5th FLOOR
FURNITURE WORKS

The BOQ document shall be read in conjunction with the Compliance sheet. The rates of all the items quoted should be done considering specifications and special conditions and including the following nature of the project its shape, angle, curve, bends, size etc. to be made at any depth and height with the use of all steel formwork properly supported as required and as directed by the Engineer/ Architect to the entire satisfaction of the Architect / Engineer/ Architect-in-Charge.

5th FLOOR - FURNITURE					
S. No.	DESCRIPTION	QTY	UNIT	RATE (RS)	AMOUNT (RS)
	<p>NOTES:</p> <p>> ALL THE FURNITURE ITEMS LISTED BELOW MAY BE PROCURED BY VENDOR BRAND I.E. GLOBAL, MASTER, INTERWOOD, DIMENSIONS OR EQUIVALENT.</p> <p>> COMPLETE PROFILE BROCHURE OF ITEM ORIGIN OF ITEM TO BE SUBMITTED BY TENDERER.</p> <p>> CONTRACTOR TO SUBMIT EACH SAMPLE TO CONSULTANTS HEAD OFFICE FOR REVIEW AFTER INSPECTION AT SITE OFFICE. SAMPLE TO BE CONSUMED FOR TESTING AND REVIEW. PHYSICAL SAMPLE IS TO BE A PART OF SUBMITAL ELSE CONDITIONAL APPROVAL CAN ONLY BE GRANTED.</p> <p>> THE FINISHED PRODUCT SHALL BE DELIVERED TO THE SITE DULY COVERED WITH BUBBLE SHEET TO AVOID ANY BREAKAGE ETC. HOWEVER IN CASE OF ANY MINOR REPAIR ARISING OUT OF TRANSPORTATION ETC. THE SAME SHALL BE REPAIRED/ REPLACED IMMEDIATELY BY THE SUPPLIER WITHOUT ANY EXTRA COST.</p> <p>> 1 YEAR COMPREHENSIVE MAINTAINANCE TO BE A PART OF TENDER WITH ALL STRUCTURAL, MECHANICAL, FINISHING WORKS TO BE INCLUDED.</p> <p>> ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p>				
1	<p>WORKSTATIONS (Table Type 01)-Shared by 02 persons</p> <p>> FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.</p> <p>>HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION</p> <p>> SQUARE LEGS "MS POWDER COATED"(TAPPERED) AT 15 DEGREE</p> <p>> LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR.</p> <p>> WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX ; PROVISION TO BE SUPPLIED FOR TWO USERS.</p> <p>>HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE.WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS.</p> <p>> TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD.</p> <p>> BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED.</p> <p>> ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT.</p> <p>> SIZE 5'-0"x4'-0" (LxW), 2'-6" HEIGHT</p>	24	No.		

2	WORKSTATIONS (Table Type 02) - Shared by 02 persons				
	<p>> FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.</p> <p>>HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION</p> <p>> SQUARE LEGS "MS POWDER COATED"(TAPERED) AT 15 DEGREE</p> <p>> LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR.</p> <p>> WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX</p> <p>>PROVISION TO BE SUPPLIED FOR TWO USERS.</p> <p>>HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE.WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS.</p> <p>> TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD.</p> <p>> BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED.</p> <p>> SIZE 4'-0"x4'-0" (LxW), 2'-6" DEEP</p>	21	No.		
3	CHIEF DESK				
	<p>FINISH: POLISHED WOOD VENEER IN TWO TONES WITH MATCHING WOODEN LIPPING, DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> DESK TOP THICKNESS IS (12 MM TOP+ 12 MM (CAVITY) 12 MM BOTTOM) WITH EMBEDDED FRAMING, HAVING LIPPING OF MATCHING COLOR.</p> <p>>HAVING CENTRAL LEATHER PANEL WITH 1 MM INSET OF 30 " LENGTH. 22" WIDTH.</p> <p>> MODESTY TO BE A PART OF THE WORKSTATION: SUSPENDED IN PLACE USING SS CLIPS.</p> <p>> MONLITHIC LEGS CONTINUED FROM THE DESKTOP.</p> <p>>WORKSTATION TO BE ANCHORED ON TOP OF SIDER RETURN USING MODULAR SCREW SYSTEM. MADE OF SS FIXTURES & FITTINGS.</p> <p>> WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP (SIDE RETURN ALIGNED)</p> <p>>HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6)</p> <p>> SIZE: 7'-9" X 3'-0" (2'-6" HEIGHT); SIDE RETURN (2'-0" by 5'-0")</p>	7	No.		
4	MEETING ROOM TABLE				
	<p>> FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.↳ALUMINUM CASTED METAL BASE WITH WHITE POWDER COAT></p> <p>TECHNOLOGY BOX (02) TO BE A PART OF THIS ITEM (1 LIVE: 1 UPS: 1 HDMI EACH) THE HDMI CABLE IS TO BE SUPPLIED BY THE VENDOR FOR CONNECTION BETWEEN THE TV AND THE TECH. BOX. (APPROX LENGTH 10 LENGTH)↳WITH A MS POWDER COATED RISER IN CENTER WIDTH ALIGNED FOR CABLE AND ACCESSORY INTERCONNECTION BETWEEN FLOOR AND LAMINATE TOP. ↳CABLE MANAGEMENT TRAY TO RUN HORIZONTALLY FROM THE RISER 1.2 MM TH POWDER COATED MS.↳</p> <p>RATES TO INCLUDE ALL NECESSARY ACCESSORIES. ↳ ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>>CABLE MANAGEMENT TRAY TO RUN HORIZONTALLY FROM THE RISER 1.2 MM TH POWDER COATED MS.</p> <p>> RATES TO INCLUDE ALL NECESSARY ACCESSORIES.</p> <p>> ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>> SIZE 7'-6"x3'-9" (LxW), 3'-0" HEIGHT FOR 6 PERSONS</p>	3	No.		
5	DGM DESK				
	<p>> FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> DESK TOP THICKNESS IS (12 MM TOP+ 12 MM (CAVITY) 12 MM BOTTOM) WITH EMBEDDED FRAMING, HAVING LIPPING OF MATCHING COLOR.</p> <p>>HAVING CENTRAL LEATHER PANEL WITH 1 MM INSET OF 30 " LENGTH. 22" WIDTH.</p> <p>> MODESTY TO BE A PART OF THE WORKSTATION: SUSPENDED IN PLACE USING SS CLIPS.</p> <p>> MONLITHIC LEGS CONTINUED FROM THE DESKTOP.</p> <p>>WORKSTATION TO BE ANCHORED ON TOP OF SIDER RETURN USING MODULAR SCREW SYSTEM. MADE OF SS FIXTURES & FITTINGS.</p> <p>> WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP (SIDE RETURN ALIGNED)</p> <p>>HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6)</p> <p>>SIZE: (LxWxH) 5'-6"x 2'-6"x 2'-6"</p>	8	No.		
6	MEETING ROOM TABLE (Type - 02)				
	<p>> FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR ></p> <p>MOUNTED ON TOP OF MS POWDER COATED FRAME HAVING 2' DIA BASE AND 5" VERTICAL MOUNT.</p> <p>> ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>SIZE 5'-0" DIA, 2'-6" HEIGHT FOR 6 PERSONS</p>	2	No.		
7	OFFICE CHAIRS (STAFF)				











	<ul style="list-style-type: none"> > SHOULDER HEIGHT BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINUM BASE 350 MM. > FABRIC PADDED SEAT > LUMBAR BACK SUPPORT. > MESH FABRIC. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT. > SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MID BACK 	90	No.		
8	DGM CHAIR				
	<ul style="list-style-type: none"> > LOW BACK WITH HEAD & ARM REST BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF NYLON + BLACK FIBER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINUM BASE 350 MM. > FABRIC PADDED SEAT > LUMBAR BACK SUPPORT. > MESH FABRIC. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT. > SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT. 	8	No.		
9	CHIEF CHAIR				
	<p>TOP NOTCH QUALITY</p> <ul style="list-style-type: none"> > HIGH BACK WITH HEAD AND ARM REST BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF WOOD VENEER AT THE BACK AND SIDES > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIECASTED ALUMINIUM BASE 350 MM. > LEATHER PADDED SEAT AND ARM REST > LUMBAR BACK SUPPORT. > IMPORTED LEATHER > TORSION BAR BASIC TILTING MECHANISM. > LIFT APPROVED WITH SGS. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT. 	7	No.		
10	GUEST CHAIRS				
	<ul style="list-style-type: none"> > TOP NOTCH QUALITY > FIXED VISITOR CHAIR, > MOLDED FOAM > ITALIAN LEATHER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > BACK SHELL MADE OF WOOD VENEER . > HEIGHT ADJUSTABLE. > CUSTOMIZED SS. LEGS > LIFT APPROVED WITH SGS. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT. 	16	No.		
11	MEETING CHAIRS				
	<ul style="list-style-type: none"> > FIXED VISITOR CHAIR, > MOLDED FOAM > ITALIAN LEATHER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > BACK SHELL MADE OF WOOD VENEER . > HEIGHT ADJUSTABLE. > CUSTOMIZED SS. LEGS > LIFT APPROVED WITH SGS. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT. 	27	No.		
12	WAITING CHAIRS				
	<ul style="list-style-type: none"> > FRAME MATERIAL: SHEESHAM WOOD > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOR & FINISH. > SEAT FOAM : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOR & FINISH. > FOAM DENSITY (MASTER OR MOLTY) : 18 KG/ CUBIC CM. > BACK FOAM (MASTER OR MOLTY) : POLYURETHANE FOAM WITH SILICON FILL AT ARMS. > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING. > THE ARMCHAIR IS BASED ON MS POWDER COATED METAL LEGS. > THE LEG BASE MUST HAVE RUBBER PADDING. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 30" WIDTH, 24" DEPTH, 39" HEIGHT. 	21	No.		
13	OCCASIONAL TABLE WITH CHAIRS SET				


















	<p>> FRAME MATERIAL: SHESHAM WOOD.</p> <p>> SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOR & FINISH.</p> <p>> SEAT FOAM (MOLTY OR MASTER) : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOR & FINISH.</p> <p>> FOAM DENSITY : 18 KG/ CUBIC CM.</p> <p>> BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS.</p> <p>> BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING.</p> <p>> THE ARMCHAIR IS BASED ON POWDER COATED METAL LEGS</p> <p>> THE LEG BASE MUST HAVE RUBBER GLIDES.</p> <p>> ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>TABLE (01)</p> <p>>PAINTED TAMPERED 12MM GLASS TOP TABLE</p> <p>>MS POWDER COATED FRAME (VERTICAL) 03 LEGS 8MM TH.</p> <p>>MS GLASS EDGING TO BE MADE MONOLITH WITH VERTICAL LEGS.</p> <p>>12 INCHES ROUND BASE HAVING RUBBER GLIDES.</p> <p>> CHAIR SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT + TABLE 16" DIA, 20" HEIGHT CHAIRS (02)</p>	6	No.		
14	CONSOLE TABLE				
	<p>1 1/2" THICK SHEESHAM WOOD CONSOLE TABLE</p> <p>TOP IN MARBLE DIAGNOSE WHITE OR SIMILAR FINISH TO BE APPROVED BY ARCHITECT. >SHEESHAM WOOD LEGS WITH 2" THICKNESS AND 12" DEPTH.</p> <p>>TABLE LEGS WITH RUBBER GLIDE.</p> <p>> SIZE: 4'-0" X 1'-9" X 2'-0" (LXWXH)</p>	7	No.		
15	SINGLE SEATER SOFA				
	<p>SUPPORTED ON SHEESHAM LEGS IN POLISH FINISH.</p> <p>> MDF/ WOOD FRAMEWORK,</p> <p>> SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. UPHOLSTERED WITH TOP-QUALITY IMPORTED FABRIC</p> <p>> SPRING: IMPORTED SPRING FOR STRONG SUPPORT.</p> <p>> ALL FABRICS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>> (LXWXH) 3'-0" X 2'-10" X 2'-10" (CHIEF ROOMS) (07)</p> <p>> (LXWXH) 3'-0" X 2'-10" X 2'-10" (VISITORS LOUNGE) (04)</p>	11	No.		
16	SOFA FOR 2 (Type 1)				
	<p>>SUPPORTED ON POWDER COATED METAL LEGS</p> <p>> UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC.</p> <p>> SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.</p> <p>> SPRING: IMPORTED SPRING FOR STRONG SUPPORT.</p> <p>> ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>> (LXWXH) 5'-0" X 2'-10" X 2'-10" (CHIEF ROOMS)</p>	7	No.		
17	OCCASIONAL TABLE 01				
	<p>>OCCASIONAL TABLE WITH 12 MM THICK TINTED GLASS TOP,</p> <p>>SHEESHAM WOOD TAPERED BASE IN POLISH FINISH, FINISHES TO BE APPROVED BY ARCHITECT</p> <p>> SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)</p>	7	No.		
18	FLOOR CABINETS				
	<p>>PROVIDING AND FIXING IN POSITION FLOOR STANDING CABINETS;</p> <p>>MADE OF 18mm MDF PRESSED ON BOTH SIDES WITH LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT)</p> <p>>DESKTOP LAMINATE OF ARCHITECT'S CHOICE OF COLOUR & FINISH. ARCHITECT'S CHOICE OF COLOUR & FINISH, ON TOP, FRONT AND SIDE WITH GROOVES FOR AESTHETICAL PURPOSE. HAVING SPACING AS PER ARCHITECTS CHOICE TO BE FILLED WITH MATCHING COLORED SS PROFILE USING EPOXY.</p> <p>>INCLUDING DIVIDER, SHELVES AS RECOMMENDED</p> <p>>IMPORTED MAGNETIC HINGES.</p> <p>> ALL DOORS TO HAVE SS PROFILE AS FINGER GRIP ON TOP OF MATCHING COLOR.</p> <p>>LOCK, AS PER APPROVED SAMPLE AND AS DIRECTED BY ARCHITECT. NOTE:</p> <p>>IN CASE OF ELECTRICAL CABINET THE CONTRACTOR WILL ENSURE MS FRAME WITH EARTHING FOR THE ENTIRE CARCASS OF THE CABINET WITH TAMPERED 12 mm GLASS (BLACK OR SUITABLE COLOR) WITH METAL FRAME OF 1/2 INCHES AS PER DRAWINGS. HAVING LOCK AND KEY FOR EACH CABINET. THE SIZING OF THE DOORS AND THE COLOURS SHALL BE APPROVED BY THE ARCHITECT BEFORE CONSTRUCTION.</p> <p>>CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.</p> <p>OVERALL SIZE 5'-6"x1'-6" (LxW), 2'-6" DEEP FOR CAFETERIA (1) OVERALL SIZE 4'-0"x1'-6" (LxW), 2'-6" DEEP (9) OVERALL SIZE 5'-0"x1'-0" (LxW), 2'-6" DEEP (12); ELECTRICAL CABINET (13'-6" x 2'-0" x 9'6") (01)</p>	23	No.		
19	LOUNGE CHAIR (Type - 01)				
	<p>> FRAME MATERIAL: SHEESHAM WOOD</p> <p>> SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOR & FINISH.</p> <p>> SEAT FOAM (MASTER OR MOLTY) : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOR & FINISH.</p> <p>> FOAM DENSITY : 18 KG/ CUBIC CM.</p> <p>> BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS.</p> <p>> BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING.</p> <p>> THE ARMCHAIR IS BASED ON STELL LEG.</p> <p>> THE LEG BASE MUST HAVE RUBBER PADDING.</p> <p>> ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>> SIZE: (LXWXH) 3'-0" X 2'-10" X 2'-10" (ENTRANCE)</p>	3	No.		
20	LOUNGE CHAIR (Type - 02)				

	<p>>POWDER COATED MS BASE</p> <p>> MDF FRAME WORK, PADDED WITH FOAM, UPHOLSTERED WITH IMPORTED FABRIC, FABRIC SELECTION TO BE APPROVED BY ARCHITECT</p> <p>> SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.</p> <p>> SPRING: IMPORTED SPRING FOR STRONG SUPPORT.</p> <p>> ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>> (LXWXH) 3'-0" X 2'-10" X 2'-10" (VISITORS LOUNGE)</p>	2	No.		
21	SOFA FOR 2 (Type 1)				
	<p>> SUPPORTED ON POWDER COATED MS LEGS</p> <p>> MDF FRAMEWORK PADDED WITH HIGH QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC, APPROVED BY ARCHITECT</p> <p>> SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.</p> <p>> SPRING: IMPORTED SPRING FOR STRONG SUPPORT.</p> <p>> ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>> 7'-0" X 2'-9" X 2'-10" (LXWXH) (VISITOR LOUNGE)</p>	2	No.		
22	SOFA FOR 2 (Type 2)				
	<p>> SUPPORTED ON POWDER COATED MS LEGS</p> <p>> MDF FRAMEWORK PADDED WITH HEIGHT QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC, APPROVED BY ARCHITECT</p> <p>> SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.</p> <p>> SPRING: IMPORTED SPRING FOR STRONG SUPPORT.</p> <p>> ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>> (LXWXH) 7'-0" X 2'-9" X 2'-10" (VISITOR LOUNGE)</p>	2	No.		
23	SOFA FOR 2 (Type 3)				
	<p>> SUPPORTED ON POWDER COATED METAL LEGS</p> <p>> MDF FRAMEWORK PADDED WITH HIGH QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC APPROVED BY ARCHITECT</p> <p>> SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.</p> <p>> SPRING: IMPORTED SPRING FOR STRONG SUPPORT.</p> <p>> ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>> (LXWXH) 6'-6" X 2'-10" X 2'-10" (ENTRANCE)</p>	2	No.		
24	COFFEE TABLE (Type - 01)				
	<p>> MARBLE COFFEE TABLE WITH MARBLE LEGS, MARBLE TO BE APPROVED BY ARCHITECT</p> <p>> (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)</p> <p>> SIZE: 5'-0"X3'-0", 1'-6" H (VISITORS LOUNGE)</p>	1	No.		
25	COFFEE TABLE (Type - 11)				
	<p>> MARBLE TOP COFFEE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT</p> <p>> (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)</p> <p>> SIZE: 2'-9" DIA, 1'-6" H (ENTRANCE WAITING)</p>	2	No.		
26	OCCASIONAL TABLE - 02				
	<p>>SUPPLYING OCCASIONAL TABLE WITH CORIAN TOP AND CORIAN BASE, CORIAN TO BE APPROVED BY ARCHITECT (DUPONT OR EQUIVALENT AMERICAN CORIAN)</p> <p>> SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)</p>	3	No.		
27	OCCASIONAL TABLE - 03				
	<p>> SUPPLYING OCCASIONAL TABLE WITH MARBLE TOP (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) RESTING ON POWDER COATED 2" WIDE MS LEGS WITH 15" BASE DIA</p> <p>> SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)</p>	2	No.		
28	RECEPTION TABLE				
	<p>> PROVIDING AND FIXING IN POSITION RECEPTION TABLE;</p> <p>> MADE OF 20mm OAK PLY HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES;</p> <p>> 3/8" THICK LACQUERED DEODAR WOOD LIPPING ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER.</p> <p>NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.</p> <p>> SIZE: 4'-4" X 2'-0" (3'-0" h) WITH 5'-6" X 18" SIDE RETURN</p>	1	No.		
29	RECEPTION CHAIR				
	<p>> SHOULDER HEIGHT BACK REVOLVING CHAIR.</p> <p>> CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOR & FINISH.</p> <p>> MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).</p> <p>> DIE CASTED ALUMINUM BASE 350 MM.</p> <p>> FABRIC PADDED SEAT</p> <p>> LUMBAR BACK SUPPORT.</p> <p>> MESH FABRIC.</p> <p>> TORSION BAR BASIC TILTING MECHANISM.</p> <p>> THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.</p> <p>> ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT.</p> <p>> SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MID BACK</p>	1	No.		
30	DINING TABLE (Product 23a)				

	> GRANITE / ARTIFICIAL GRANITE TOP. > M.S. FRAME, POWDER COATED, DISTRIBUTED SUPPORT. > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 2'-6" X 1'-6" X 3'-0" (LXWXH) (15) > SIZE: 2'-6" X 2'-6" X 3'-0" (LXWXH) (9)	22	No.		
31	DINING CHAIRS (Product 23b) > FRAME MATERIAL: WOOD > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOR & FINISH. > SEAT FOAM : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOR & FINISH. > FOAM DENSITY : 18 KG/ CUBIC CM. > BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS. > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING. > THE ARMCHAIR IS BASED ON STELL LEG. > THE LEG BASE MUST HAVE RUBBER PADDING. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. >> SIZE: 30" WIDTH, 24" DEPTH, 39" HEIGHT.	31	No.		
32	PICTURE FRAME				
	PICTURE FRAME WITH OIL / ACRYLIC ON CANVAS WITH APPROVED FRAME MADE OF WOOD / FIBRE, ALONG WITH ALL NECESSARY ACCESSORIES FOR HANGING AND SUSPENSION. > (Avg size 17 SQFT)	10	No.		
33	RUG				
	SUPPLYING OF BEST QUALITY WOOLEN RUG OF MAKE. (EWC, ABBAS CARPETS OR EQUIVALENT) > (Avg size 27 SQFT)	10	No.		
34	PLANTER				
	P/F OF CUSTOMIZED PLANTER MADE OF CONCRETE WITH SMOOTH FINISH AND DECO PAINT OF APPROVED COLOR AND DESIGN. NOTE: THE CONTRACTOR SHALL MAKE AND APPROVE THE SAMPLE BEFORE EXECUTION. AVERAGE SIZE: 1'-3"x1'X3"x 1'-3" (LxWxH)	28	No.		
35	PROVIDING AND SUPPLYING COAT HANGER MADE UP OF SHEESHAM WOOD FRAME, HANGER AND LEGS IN PREMIUM POLISH FINISH SEMI GLAZED, APPROVED UPON PHYSICAL INSPECTION BY ARCHITECT. SIZE: 2'6" x 4' (WxH)	8	No.		
36	SUBMITTALS, INSPECTIONS, OPERATION, DRAWINGS ETC.				
	SUBMITTALS, SAMPLES, INSPECTIONS, ETC.				
	SUBMITTALS, SAMPLES, INSPECTIONS, OPERATION AND MAINTENANCE MANUALS AND THE LIKE AS REQUIRED BY SPECIFICATION.	1	JOB		
37	SHOP DRAWINGS				
	PREPARATION AND SUBMISSION OF HARD AND SOFT (.dwg) COPIES OF SHOP DRAWINGS OF EVERY FURNITURE ITEM WHICH WILL BE FABRICATED / INSTALLED ON SITE.	1	JOB		
38	PANTRY CABINET				
	PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LACQUERED DEODAR WOOD LIPPING/ UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD. COMPLETE WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE. FRONT FACE TO BE MEASURED FOR PAYMENT. NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.				
A	OVER ALL SIZE 15'-3" x 2'-4"x 8'-8" (LXWXH) (CORIAN COUNTER TOP & BACK SPLASH) SW PANTRY	1	No.		
B	OVER ALL SIZE 12'-9" x 8'-1"x 8'-8" (LXWXH) (CORIAN COUNTER TOP & BACK SPLASH) LW KITCHEN WITH ISLAND	1	No.		
FURNITURE COST 5th FLOOR					

ORDER LIST (ACCESSORIES)
PROJECT NAME: SL BUILDING NO. 09
5TH FLOOR

Room Name	Brand	Product Photo	Product Name	Details	Dimensions	Quantity	Rate	Amount
LW D.G.M	Envicrete or Equivalent		Potted Plant	Potted plant with planters made out of PU or Equivalent light weight material. Filled with ever green plants. Having drip dry.	8'4"x1'10"x1'1"	3		
		Sub Total						
SW Chief Office 1-7	Oil on Canvas		Modern Painting	Modern Painting as a pair of having same tones or shapes. The painting size is to be read as a canvas.	6"x1'1"x5'0"	1		
		Sub Total						
Meeting Room 1-3			Stone Vase & Ashtray	Stone Ware having an artificial plant of appropriate foliage (Peace Lilies with flower and bud) Combined size as mentioned	1'4"x1'1"x1'5"	7		
	Envicrete or Equivalent		Modern green plant potted plants	Fiber Glass planter with Olive Tree or Fig Tree artificial plant.	2'11"x2'8"x5'9"	14		
			Desktop Table Accessory	Desktop Accessory hi quality imported stone ware with Metal Accents. Placed on 2 mock books, (A4 in size) Mock Books to be a part of the accessory item.	8"x12"x5"	7		
			floor lamp	Floor lamp with wooden legs having a floored light push button, with decorative fabric shade and warm light lamp.	1'7"x1'9"x4'10"	7		
			Modern character ornaments glass bottle	Micro climate artificial plant Ornament.	0'8"x0'7"x0'6"	7		
			Desktop Table Accessory	This desktop vase features an aged metal finish (square type) and is adorned with ornamental grass. It also includes an intense holder.	5"x3"x9"	3		
	Envicrete or Equivalent		Modern green plant potted plants	Fiber Glass planter with Olive Tree or Fig Tree artificial plant.	2'11"x2'8"x5'9"	14		
SW Meeting Room			chandelier	Cream style fancy chandelier	0'11"x0'11"x2'5"	1		
	SUB TOTAL							

Waiting Lounge			Triangle throw pillow	Tiran bale throw pillow with washable fabric, filled with duck feather cushioning.	1'8"x1'0"x1'5"	4		
			Wabi-sabi wind small flower pot ornament	Fiber Glass/ Stone Ware decorative shallow planter pot with ornamental Cotton Bales. Combined dimensions	1'6"x1'7"x11"	3		
			Modern crafts	Ceramic Based Modern Craft Decoration	1'4"x0'4"x1'0"	2		
			floor lamp	Modern Floor lamp with MS powder coated base having a glass jar with light bulb. Hi quality accent piece.	1'2"x1'2"x0'10"	1		
			Pillows/cushions	Throw Pillows/ cushions filled with duck feather. Having washable fabric.	1'5"x0'9"x0'11"	3		
			table lamp	Table Lamp with ornamental light bulb. Complete in all aspects.	0'9"x0'9"x1'4"	2		
			European Venus de Milo sculpture figure	Ceramic Ware Sculpture "Herculean Greek inspired torso."	1'11"x1'3"x3'7"	1		
	Enicrete or Equivalent		Plant	Fiber Glass planter with Olive Tree or Fig Tree artificial plant.	3'1"x3'5"x4'12"	4		
			Decorative item	Decorative Ornament made of fiber glass with excellent coating and finish	0'6"x0'6"x0'6"	3		
			Cream style artificial flower ornaments	ceramic was with ornamental flower	2'x1'7"x1'10"	4		
			Decoration piece	wabi sabi style stone ware of glass fiber craft pieces	0'5"x0'5"x0'8"	2		
	Interweave		Wabi-sabi chandelier	Ornamental Glass pendant chandelier with punched type.	2'3"x1'3"x4'4"	4		
			Decorative painting	Oil on Canvas modern painting with a sub division as approved by the architect.	6'10"x0'1"x3'5"	1		
			ceramic vase	Fiber or Ceramic based tall ornamental vase. Having smooth finish	0'10"x0'10"x2'6"	1		
			Artwork	Decorative Modern Ink Painting with Yastumo paper having alcohol based in with 2 mm glass as protection..	6'9"x0'3"x3'9"	1		
SUB TOTAL								
Entrance Lobby			green wall Plantscapers green wall	Green Wall artificial made of dense foliage having fiber back green wall mesh. Having Dense customized green wall planter	8'6"x0'8"x8'5"	1		
			Vase	Side Table Ornamental Vase with artificial ornamental plant.	2'6"x2'12"x4'8"	1		
	SUB TOTAL							
GRAND TOTAL								

STATE LIFE INSURANCE CORPORATION
BUILDING No. 9

BOQ
6th FLOOR
FURNITURE WORKS

The BOQ document shall be read in conjunction with the Compliance sheet. The rates of all the items quoted should be done considering specifications and special conditions and including the following nature of the project its shape, angle, curve, bends, size etc. to be made at any depth and height with the use of all steel formwork properly supported as required and as directed by the Engineer/ Architect to the entire satisfaction of the Architect / Engineer/ Architect-in-Charge.

6th FLOOR - FURNITURE					
S. No.	DESCRIPTION	QTY	UNIT	RATE (RS)	AMOUNT (RS)
	<p>NOTES:</p> <ul style="list-style-type: none"> > ALL THE FURNITURE ITEMS LISTED BELOW MAY BE PROCURED BY BRAND I.E. GLOBAL, MASTER, INTERWOOD, DIMENSIONS OR EQUIVALENT. > COMPLETE PROFILE BROCHURE OF ITEM ORIGIN OF ITEM TO BE SUBMITTED BY TENDERER. > CONTRACTOR TO SUBMIT EACH SAMPLE TO CONSULTANTS HEAD OFFICE FOR REVIEW AFTER INSPECTION AT SITE OFFICE. SAMPLE TO BE CONSUMED FOR TESTING AND REVIEW. PHYSICAL SAMPLE IS TO BE A PART OF SUBMITAL ELSE CONDITIONAL APPROVAL CAN ONLY BE GRANTED. > THE FINISHED PRODUCT SHALL BE DELIVERED TO THE SITE DULY COVERED WITH BUBBLE SHEET TO AVOID ANY BREAKAGE ETC. HOWEVER IN CASE OF ANY MINOR REPAIR ARISING OUT OF TRANSPORTATION ETC. THE SAME SHALL BE REPAIRED/ REPLACED IMMEDIATELY BY THE SUPPLIER WITHOUT ANY EXTRA COST. > 1 YEAR COMPREHENSIVE MAINTAINANCE TO BE A PART OF TENDER WITH ALL STRUCTURAL, MECHANICAL, FINISHING WORKS TO BE INCLUDED. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. 				
1	<p>WORKSTATIONS (Table Type 01)-Shared by 02 persons</p> <ul style="list-style-type: none"> > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR. > HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION > SQUARE LEGS "MS POWDER COATED"(TAPERED) AT 15 DEGREE > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR. > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX ; PROVISION TO BE SUPPLIED FOR TWO USERS. > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS. > TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD. > BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED. > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT. > SIZE 5'-0"x4'-0" (LxW), 2'-6" HEIGHT 	24	No.		
2	<p>WORKSTATIONS (Table Type 02) - Shared by 02 persons</p> <ul style="list-style-type: none"> > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR. > HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION > SQUARE LEGS "MS POWDER COATED"(TAPERED) AT 15 DEGREE > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR. > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX > PROVISION TO BE SUPPLIED FOR TWO USERS. > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS. > TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD. > BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED. > SIZE 4'-0"x4'-0" (LxW), 2'-6" DEEP 	21	No.		

3	CHIEF DESK				
	<p>FINISH: POLISHED WOOD VENEER IN TWO TONES WITH MATCHING WOODEN LIPPING, DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> DESK TOP THICKNESS IS (12 MM TOP+ 12 MM (CAVITY) 12 MM BOTTOM) WITH EMBEDDED FRAMING, HAVING LIPPING OF MATCHING COLOR.</p> <p>>HAVING CENTRAL LEATHER PANEL WITH 1 MM INSET OF 30 " LENGTH. 22" WIDTH.</p> <p>> MODESTY TO BE A PART OF THE WORKSTATION: SUSPENDED IN PLACE USING SS CLIPS.</p> <p>> MONLITHIC LEGS CONTINUED FROM THE DESKTOP.</p> <p>>WORKSTATION TO BE ANCHORED ON TOP OF SIDER RETURN USING MODULAR SCREW SYSTEM. MADE OF SS FIXTURES & FITTINGS.</p> <p>> WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP (SIDE RETURN ALIGNED)</p> <p>>HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6)</p> <p>> SIZE: 7'-9" X 3'-0" (2'-6" HEIGHT); SIDE RETURN (2'-0" by 5'-0")</p>	7	No.		
4	MEETING ROOM TABLE				
	<p>> FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR. >ALUMINUM CASTED METAL BASE WITH WHITE POWDER COAT> TECHNOLOGY BOX (02) TO BE A PART OF THIS ITEM (1 LIVE: 1 UPS: 1 HDMI EACH) THE HDMI CABLE IS TO BE SUPPLIED BY THE VENDOR FOR CONNECTION BETWEEN THE TV AND THE TECH. BOX. (APPROX LENGTH 10 LENGTH)>WITH A MS POWDER COATED RISER IN CENTER WIDTH ALIGNED FOR CABLE AND ACCESSORY INTERCONNECTION BETWEEN FLOOR AND LAMINATE TOP. >CABLE MANAGEMENT TRAY TO RUN HORIZONTALLY FROM THE RISER 1.2 MM TH POWDER COATED MS.> RATES TO INCLUDE ALL NECESSARY ACCESSORIES. > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>>CABLE MANAGEMENT TRAY TO RUN HORIZONTALLY FROM THE RISER 1.2 MM TH POWDER COATED MS.</p> <p>> RATES TO INCLUDE ALL NECESSARY ACCESSORIES.</p> <p>> ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>> SIZE 7'-6"x3'-9" (LxW), 3'-0" HEIGHT FOR 6 PERSONS</p>	3	No.		
5	DGM DESK				
	<p>> FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> DESK TOP THICKNESS IS (12 MM TOP+ 12 MM (CAVITY) 12 MM BOTTOM) WITH EMBEDDED FRAMING, HAVING LIPPING OF MATCHING COLOR.</p> <p>>HAVING CENTRAL LEATHER PANEL WITH 1 MM INSET OF 30 " LENGTH. 22" WIDTH.</p> <p>> MODESTY TO BE A PART OF THE WORKSTATION: SUSPENDED IN PLACE USING SS CLIPS.</p> <p>> MONLITHIC LEGS CONTINUED FROM THE DESKTOP.</p> <p>>WORKSTATION TO BE ANCHORED ON TOP OF SIDER RETURN USING MODULAR SCREW SYSTEM. MADE OF SS FIXTURES & FITTINGS.</p> <p>> WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP (SIDE RETURN ALIGNED)</p> <p>>HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6)</p> <p>>SIZE: 5'-6"X 2'-6"X 2'-6" (LXWXH) SIDE RETURN 4'-0" X 1'-6" X 2'-0" (LXWXH)</p>	8	No.		

6	MEETING ROOM TABLE (Type - 02)				
	<ul style="list-style-type: none"> > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR > MOUNTED ON TOP OF MS POWDER COATED FRAME HAVING 2' DIA BASE AND 5" VERTICAL MOUNT. > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. <p>SIZE 5'-0" DIA, 2'-6" HEIGHT FOR 6 PERSONS</p>	2	No.		
7	OFFICE CHAIRS (STAFF)				
	<ul style="list-style-type: none"> > SHOULDER HEIGHT BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINUM BASE 350 MM. > FABRIC PADDED SEAT > LUMBAR BACK SUPPORT. > MESH FABRIC. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT. > SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MID BACK 	90	No.		
8	DGM CHAIR				
	<ul style="list-style-type: none"> > LOW BACK WITH HEAD & ARM REST BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF NYLON + BLACK FIBER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINUM BASE 350 MM. > FABRIC PADDED SEAT > LUMBAR BACK SUPPORT. > MESH FABRIC. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT. > SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT. 	8	No.		
9	CHIEF CHAIR				
	<p>TOP NOTCH QUALITY</p> <ul style="list-style-type: none"> > HIGH BACK WITH HEAD AND ARM REST BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF WOOD VENEER AT THE BACK AND SIDES > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIECASTED ALUMINIUM BASE 350 MM. > LEATHER PADDED SEAT AND ARM REST > LUMBAR BACK SUPPORT. > IMPORTED LEATHER > TORSION BAR BASIC TILTING MECHANISM. > LIFT APPROVED WITH SGS. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT. 	7	No.		

10	GUEST CHAIRS				
	<ul style="list-style-type: none"> > TOP NOTCH QUALITY > FIXED VISITOR CHAIR, > MOLDED FOAM > ITALIAN LEATHER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > BACK SHELL MADE OF WOOD VENEER . > HEIGHT ADJUSTABLE. > CUSTOMIZED SS. LEGS > LIFT APPROVED WITH SGS. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT. 	16	No.		
11	MEETING CHAIRS				
	<ul style="list-style-type: none"> > SHOULDER HEIGHT BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINUM BASE 350 MM. > FABRIC PADDED SEAT > LUMBAR BACK SUPPORT. > MESH FABRIC. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT. > SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MID BACK 	27	No.		
12	WAITING CHAIRS				
	<ul style="list-style-type: none"> > FRAME MATERIAL: SHEESHAM WOOD > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOR & FINISH. > SEAT FOAM : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOR & FINISH. > FOAM DENSITY (MASTER OR MOLTY) : 18 KG/ CUBIC CM. > BACK FOAM (MASTER OR MOLTY) : POLYURETHANE FOAM WITH SILICON FILL AT ARMS. > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING. > THE ARMCHAIR IS BASED ON MS POWDER COATED METAL LEGS. > THE LEG BASE MUST HAVE RUBBER PADDING. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 30" WIDTH, 24" DEPTH, 39" HEIGHT. 	21	No.		

13	OCCASIONAL TABLE WITH CHAIRS SET				
	> FRAME MATERIAL: SHEESHAM WOOD. > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOR & FINISH. > SEAT FOAM (MOLTY OR MASTER) : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOR & FINISH. > FOAM DENSITY : 18 KG/ CUBIC CM. > BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS. > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING. > THE ARMCHAIR IS BASED ON POWDER COATED METAL LEGS > THE LEG BASE MUST HAVE RUBBER GLIDES. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. TABLE (01) >PAINTED TAMPERED 12MM GLASS TOP TABLE >MS POWDER COATED FRAME (VERTICAL) 03 LEGS 8MM TH. >MS GLASS EDGING TO BE MADE MONOLITH WITH VERTICAL LEGS. >12 INCHES ROUND BASE HAVING RUBBER GLIDES. > CHAIR SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT + TABLE 16" DIA, 20" HEIGHT CHAIRS (02)	6	No.		
14	CONSOLE TABLE				
	1 1/2" THICK SHEESHAM WOOD CONSOLE TABLE TOP IN MARBLE DIAGNOSE WHITE OR SIMILAR FINISH TO BE APPROVED BY ARCHITECT, >SHEESHAM WOOD LEGS WITH 2" THICKNESS AND 12" DEPTH. >TABLE LEGS WITH RUBBER GLIDE. > SIZE: 4'-0" X 1'-9" X 2'-0" (LXWXH)	7	No.		
15	SINGLE SEATER SOFA				
	SUPPORTED ON SHEESHAM LEGS IN POLISH FINISH. > MDF/ WOOD FRAMEWORK, > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. UPHOLSTERED WITH TOP-QUALITY IMPORTED FABRIC > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > (LXWXH) 3'-0" X 2'-10" X 2'-10" (CHIEF ROOMS) (07) > (LXWXH) 3'-0" X 2'-10" X 2'-10" (VISITORS LOUNGE) (04)	11	No.		
16	SOFA FOR 2 (Type 1)				
	>SUPPORTED ON POWDER COATED METAL LEGS > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC. > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > (LXWXH) 5'-0" X 2'-10" X 2'-10" (CHIEF ROOMS)	7	No.		
17	OCCASIONAL TABLE 01				
	>OCCASIONAL TABLE WITH 12 MM THICK TINTED GLASS TOP, >SHEESHAM WOOD TAPERED BASE IN POLISH FINISH, FINISHES TO BE APPROVED BY ARCHITECT > SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)	7	No.		
















18	FLOOR CABINETS				
	>PROVIDING AND FIXING IN POSITION FLOOR STANDING CABINETS; >HAVING MS FRAME AND SS LEGS WITH GLIDERS. >MADE OF 18mm MDF PRESSED ON BOTH SIDES WITH LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) >DESKTOP LAMINATE OF ARCHITECT'S CHOICE OF COLOUR & FINISH. ARCHITECT'S CHOICE OF COLOUR & FINISH, ON TOP, FRONT AND SIDE WITH GROOVES FOR AESTHETICAL PURPOSE. HAVING SPACING AS PER ARCHITECTS CHOICE TO BE FILLED WITH MATCHING COLORED SS PROFILE USING EPOXY. >IN CASE OF ELECTRICAL CABINET THE CONTRACTOR WILL ENSURE MS FRAME WITH EARTHING FOR THE ENTIRE CARCASS OF THE CABINET WITH TAMPERED 12 mm GLASS (BLACK OR SUITABLE COLOR) WITH METAL FRAME OF 1/2 INCHES AS PER DRAWINGS. HAVING LOCK AND KEY FOR EACH CABINET. THE SIZING OF THE DOORS AND THE COLOURS SHALL BE APPROVED BY THE ARCHITECT BEFORE CONSTRUCTION. >INCLUDING DIVIDER, SHELVES AS RECOMMENDED >IMPORTED MAGNETIC HINGES, > ALL DOORS TO HAVE SS PROFILE AS FINGER GRIP ON TOP OF MATCHING COLOR. >LOCK, AS PER APPROVED SAMPLE AND AS DIRECTED BY ARCHITECT. NOTE: >CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.				
	A SIZE (5'-0" x 1'-0" x 2'-6") WORKSTATIONS	12	No.		
	B SIZE (4'-0" x 1'-6" x 2'-6") WORKSTATIONS	9	No.		
	C SIZE (4'-0" x 1'-6" x 6'-1") STORAGE CABINET TYPE 01	5	No.		
	D SIZE (2'-11" x 1'-6" x 6'-1") STORAGE CABINET TYPE 02	20	No.		
	E SIZE (3'-6" x 1'-6" x 6'-1") STORE ROOM TYPE 03	5	No.		
	F SIZE (6'-2" x 2'-2" x 9'-6") LOUNGE	1	No.		
	C >ELECTRICAL CABINET (13'-6" x 2'-0" x 9'6")	1	No.		
19	LOUNGE CHAIR (Type - 01)				
	> FRAME MATERIAL: SHEESHAM WOOD > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOR & FINISH. > SEAT FOAM (MASTER OR MOLTY) : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOR & FINISH. > FOAM DENSITY : 18 KG/ CUBIC CM. > BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS. > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING. > THE ARMCHAIR IS BASED ON STEEL LEG. > THE LEG BASE MUST HAVE RUBBER PADDING. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: (LXWXH) 3'-0" X 2'-10" X 2'-10" (ENTRANCE)	3	No.		
20	LOUNGE CHAIR (Type - 02)				
	>POWDERCOATED MS BASE > MDF FRAME WORK, PADDED WITH FOAM > UPHOLSTERED WITH IMPORTED FABRIC > FABRIC SELECTION TO BE APPROVED BY ARCHITECT > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT > ALL FABRICS ANDFINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > 3'-0" X 2'-10" X 2'-10" (LXWXH) (VISITORS LOUNGE)	2	No.		













21	SOFA FOR 2 (TYPE 1) > SUPPORTED ON POWDER COATED MS LEGS > MDF FRAMEWORK PADDED WITH HIGHT QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC, APPROVED BY ARCHITECT > SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > 7'-0" X 2'-9" X 2'-10" (LXWXH) (VISITOR LOUNGE)	2	No.		
22	SOFA FOR 2 (Type 2) > SUPPORTED ON POWDER COATED MS LEGS ↳ MDF FRAMEWORK PADDED WITH HIGHT QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC, APPROVED BY ARCHITECT ↳ SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. ↳ SPRING: IMPORTED SPRING FOR STRONG SUPPORT. >ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > 7'-0" X 2'-9" X 2'-10" (LXWXH) (VISITOR LOUNGE)	2	No.		
23	SOFA FOR 2 (Type 3) > SUPPORTED ON POWDER COATED MS LEGS ↳ MDF FRAMEWORK PADDED WITH HIGHT QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC, APPROVED BY ARCHITECT ↳ SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. ↳ SPRING: IMPORTED SPRING FOR STRONG SUPPORT. >ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT ↳ 6'-6" X 2'-10" X 2'-10" (LXWXH) (ENTRANCE)	2	No.		
24	COFFEE TABLE (Type - 01) > MARBLE COFFEE TABLE WITH MARBLE LEGS, MARBLE TO BE APPROVED BY ARCHITECT > (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) > SIZE: 5'-0"X3'-0", 1'-6" H (VISITORS LOUNGE)	1	No.		
25	COFFEE TABLE (Type - 11) > MARBLE TOP COFFEE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT > (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) > SIZE: 2'-9" DIA, 1'-6" H (ENTRANCE WAITING)	2	No.		
26	OCCASIONAL TABLE - 02 >SUPPLYING OCCASIONAL TABLE WITH CORIAN TOP AND CORIAN BASE, CORIAN TO BE APPROVED BY ARCHITECT (DUPONT OR EQUIVALENT AMERICAN CORIAN) > SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)	3	No.		

27	OCCASIONAL TABLE - 03 > SUPPLYING OCCASIONAL TABLE WITH MARBLE TOP (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) RESTING ON POWDER COATED 2" WIDE MS LEGS WITH 15" BASE DIA > SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)	2	No.		
28	RECEPTION TABLE > PROVIDING AND FIXING IN POSITION RECEPTION TABLE; > MADE OF 20mm OAK PLY HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; > 3/8" THICK LACQUERED DEODAR WOOD LIPPING ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE. > SIZE: 4'-4" X 2'-0" (3'-0" h) WITH 5'-6" X 18" SIDE RETURN	1	No.		
29	RECEPTION CHAIR > SHOULDER HEIGHT BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINUM BASE 350 MM. > FABRIC PADDED SEAT > LUMBAR BACK SUPPORT. > MESH FABRIC. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT. > SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MID BACK	1	No.		
30	DINING TABLE (Product 23a) > GRANITE / ARTIFICIAL GRANITE TOP. > M.S. FRAME, POWDER COATED, DISTRIBUTED SUPPORT. > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 2'-6" X 1'-6" X 3'-0" (LXWXH) (15) > SIZE: 2'-6" X 2'-6" X 3'-0" (LXWXH) (9)	22	No.		
31	DINING CHAIRS (Product 23b) > FRAME MATERIAL: WOOD > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOR & FINISH. > SEAT FOAM : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOR & FINISH. > FOAM DENSITY : 18 KG/ CUBIC CM. > BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS. > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING. > THE ARMCHAIR IS BASED ON STEEL LEG. > THE LEG BASE MUST HAVE RUBBER PADDING. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > > SIZE: 30" WIDTH, 24" DEPTH, 39" HEIGHT.	31	No.		

32	PICTURE FRAME PICTURE FRAME WITH OIL / ACRYLIC ON CANVAS WITH APPROVED FRAME MADE OF WOOD / FIBRE, ALONG WITH ALL NECESSARY ACCESSORIES FOR HANGING AND SUSPENSION. > (Avg size 17 SQFT)	10	No.		
33	RUG SUPPLYING OF BEST QUALITY WOOLEN RUG OF MAKE. (EWC, ABBAS CARPETS OR EQUIVALENT) > (Avg size 27 SQFT)	10	No.		
34	PLANTER P/F OF CUSTOMIZED PLANTER MADE OF CONCRETE WITH SMOOTH FINISH AND DECO PAINT OF APPROVED COLOR AND DESIGN. NOTE: THE CONTRACTOR SHALL MAKE AND APPROVE THE SAMPLE BEFORE EXECUTION. AVERAGE SIZE: 1'-3"x1'X3"x 1'-3" (LxWxH)	28	No.		
35	PROVIDING AND SUPPLYING COAT HANGER MADE UP OF SHEESHAM WOOD FRAME, HANGER AND LEGS IN PREMIUM POLISH FINISH SEMI GLAZED, APPROVED UPON PHYSICAL INSPECTION BY ARCHITECT. SIZE: 2'6" x 4' (WxH)	8	No.		
36	SUBMITTALS, INSPECTIONS, OPERATION, DRAWINGS ETC. <u>SUBMITTALS, SAMPLES, INSPECTIONS, ETC.</u>				
	SUBMITTALS, SAMPLES, INSPECTIONS, OPERATION AND MAINTENANCE MANUALS AND THE LIKE AS REQUIRED BY SPECIFICATION.	1	JOB		
37	SHOP DRAWINGS PREPARATION AND SUBMISSION OF HARD AND SOFT (.dwg) COPIES OF SHOP DRAWINGS OF EVERY FURNITURE ITEM WHICH WILL BE FABRICATED / INSTALLED ON SITE.	1	JOB		
38	PANTRY CABINET PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LACQUERED DEODAR WOOD LIPPING/ UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD.COMPLEATE WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE. FRONT FACE TO BE MEASURED FOR PAYMENT. NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.				
A	OVER ALL SIZE 15'-3" x 2'-4"x 8'-8" (LXWXH) (CORIAN COUNTER TOP & BACK SPLASH) SW PANTRY	1	No,		
B	OVER ALL SIZE 12'-9" x 8'-1"x 8'-8" (LXWXH) (CORIAN COUNTER TOP & BACK SPLASH) LW KITCHEN WITH ISLAND	1	No.		
FURNITURE COST OF 6th FLOOR					

ORDER LIST (ACCESSORIES)
PROJECT NAME: SL BUILDING NO. 09
6TH FLOOR

Room Name	Brand	Product Photo	Product Name	Details	Dimensions	Quantity	Rate	Amount
LW D.G.M	Envicrete or Equivalent		Potted Plant	Potted plant with planters made out of PU or Equivalent light weight material. Filled with ever green plants. Having drip dry.	8'4"x1'10"x1'1"	3		
		SUB TOTAL						
SW Chief Office 1-7	Oil on Canvas		Modern Painting	Modern abstract Painting as a pair of having same tones or shapes. The painting size is to be read as a canvas.	6"x1'1"x5'0"	1		
		SUB TOTAL						
Meeting Room 1-3			Stone Vase & Ashtray	Stone Ware having an artificial plant of appropriate foliage (Peace Lilies with flower and bud) Combined size as mentioned	1'4"x1'1"x 1'5"	7		
	Envicrete or Equivalent		Modern green plant potted plants	Fiber Glass planter with Olive Tree or Fig Tree artificial plant.	2'11"x2'8"x5'9"	14		
			Desktop Table Accessory	Desktop Accessory hi quality imported stone ware with Metal Accents. Placed on 2 mock books (a4 in size) Mock Books to be a part of the accessory item.	8"x12"x5"	7		
			floor lamp	Floor lamp with wooden legs; having a floored light push button; with decorative fabric shade and warm light lamp.	1'7"x1'9"x4'10"	7		
			Modern character ornaments glass bottle	Micro climate artificial plant Ornament.	0'8"x0'7"x0'6"	7		
			Desktop Table Accessory	This desktop vase features an aged metal finish (square type) and is adorned with ornamental grass. It also includes an intense holder.	5"x3"x9"	3		
	Envicrete or Equivalent		Modern green plant potted plants	Fiber Glass planter with Olive Tree or Fig Tree artificial plant.	2'11"x2'8"x5'9"	14		
SW Meeting Room			chandelier	Accessory pendant light	0'11"x0'11"x2'5"	1		
		SUB TOTAL						
			Triangle throw pillow	Tiran bale throw pillow with washable fabric; filled with cotton cushioning.	1'8"x1'0"x1'5"	4		
			Wabi-sabi wind small flower pot ornament	Fiber Glass/ Stone Ware decorative shallow planter pot with ornamental Cotton Bales. Combined dimensions	1'6"x1'7"x11"	3		
			Modern crafts	Ceramic Based Modern Craft Decoration	1'4"x0'4"x1'0"	2		
			floor lamp	Modern Floor lamp with MS powder coated base having a glass jar with light bulb. Hi quality accent piece.	1'2"x1'2"x5'10"	1		
			Pillows/cushions	Throw Pillows/ cushions filled with duck feather. Having washable fabric.	1'5"x0'9"x0'11"	3		

Waiting Lounge			table lamp	Table Lamp with ornamental light bulb. Complete in all aspects.	0'9"X0'9"X1'4"	2		
			European Venus de Milo sculpture figure	Ceramic Ware Sculpture "Herculean Greek inspired torso."	1'11"X1'3"X3'7"	1		
	Envicrete or Equivalent		Plant	Fiber Glass planter with Olive Tree or Fig Tree artificial plant.	3'1"X3'5"X4'12"	4		
			Decorative item	Decorative Ornament made of fiber glass with excellent coating and finish	0'6"X0'6"X0'6"	3		
			Cream style artificial flower ornaments	ceramic vase with ornamental flower	2'X1'7"X1'10"	4		
			Decoration piece	wabi sabi style stone ware of glass fiber craft pieces	0'5"X0'5"X0'8"	2		
	Interweave		Wabi-sabi chandelier	Ornamental Glass pendant chandelier with punched type.	2'3"X1'3"X4'4"	4		
			Decorative painting	Oil on Canvas modern painting with a sub division as approved by the architect.	6'10"X0'1"X3'5"	1		
			ceramic vase	Fiber or Ceramic based tall ornamental vase. Having smooth finish	0'10"X0'10"X2'6"	1		
			Artwork	Decorative Modern Ink Painting with Yastumo paper having alcohol based in with 2 mm glass as protection..	6'9"X0'3"X3'9"	1		
SUB TOTAL								
Entrance Lobby			green wall Plantscapers green wall	Green Wall artificial made of dense foliage having fiber back green wall mesh. Having Dense customized green wall planter	8'6"X0'8"X8'5"	1		
			Vase	Side Table Ornamental Vase with artificial ornamental plant.	2'6"X2'12"X4'8"	1		
SUB TOTAL								
GRAND TOTAL								

STATE LIFE INSURANCE CORPORATION
BUILDING No. 9

BOQ
7th FLOOR
FURNITURE WORKS

The BOQ document shall be read in conjunction with the Compliance sheet. The BOQ document shall be read in conjunction with the Compliance sheet. The rates of all the items quoted should be done considering specifications and special conditions and including the following nature of the project its shape, angle, curve, bends, size etc. to be made at any depth and height with the use of all steel formwork properly supported as required and as directed by the Engineer/ Architect to the entire satisfaction of the Architect / Engineer/ Architect-in-Charge.

7th FLOOR - FURNITURE

S. No.	DESCRIPTION	QTY	UNIT	RATE (RS)	AMOUNT (RS)
	<p>NOTES:</p> <ul style="list-style-type: none"> > ALL THE FURNITURE ITEMS LISTED BELOW MAY BE PROCURED BY BRAND I.E. GLOBAL, MASTER, INTERWOOD, DIMENSIONS OR EQUIVALENT. > COMPLETE PROFILE BROCHURE OF ITEM ORIGIN OF ITEM TO BE SUBMITTED BY TENDERER. > CONTRACTOR TO SUBMIT EACH SAMPLE TO CONSULTANTS HEAD OFFICE FOR REVIEW AFTER INSPECTION AT SITE OFFICE. SAMPLE TO BE CONSUMED FOR TESTING AND REVIEW. PHYSICAL SAMPLE IS TO BE A PART OF SUBMITAL ELSE CONDITIONAL APPROVAL CAN ONLY BE GRANTED. > THE FINISHED PRODUCT SHALL BE DELIVERED TO THE SITE DULY COVERED WITH BUBBLE SHEET TO AVOID ANY BREAKAGE ETC. HOWEVER IN CASE OF ANY MINOR REPAIR ARISING OUT OF TRANSPORTATION ETC. THE SAME SHALL BE REPAIRED/ REPLACED IMMEDIATELY BY THE SUPPLIER WITHOUT ANY EXTRA COST. > 1 YEAR COMPREHENSIVE MAINTAINANCE TO BE A PART OF TENDER WITH ALL STRUCTURAL, MECHANICAL, FINISHING WORKS TO BE INCLUDED. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. 				
1	CEO DESK				
	<ul style="list-style-type: none"> > DESK TOP THICKNESS IS 30 MM. > MDF VENEER WOODEN SURFACES: MADE OF MDF 30 MM. THICKNESS, COATED ON BOTH SIDES (TWO TONES) WITH WOOD VENEER THICKNESS. 0.6 MM. AND EDGING STRIP WITH SOLID WOOD THICKNESS. 1 MM. ROUNDED WITH A RADIUS OF 2 MM > WITH CABLE MANAGEMENT AND BIOMETRIC LOCKING MECHANISM, INCLUDED IN SIDE RETURN FOR SECURITY. > TABLE PEDESTALS TO BE MADE OF CURVED STEAM BENT WOOD WITH HIGH STRENGTH DECO POLISH. > THE BASE OF THE TABLE WILL HAVE FLUTED WOODEN DETAIL OF MATCHING COLOUR AND LIGHT PELMET (MADE OF SS INSET) TO BE A PART OF FULL MODESTY FROM TOP TO BOTTOM ATTACHED TO THE TABLE. > 100MM X 40MM TEAK WOOD FOOTREST WITH POLISHING AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT. > 3 X 3 FEET SQUARE PLEXI GLASS (10 MM) CLEAR TO BE INCLUSIVE IN COST TO AS CHAIR GLIDE. > INCLUDING POLISHING WHEREVER REQUIRED AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE 9'-0"X3'-0" (LXW), 2'-6" HEIGHT > SIDE RETURN 5'-0" X 2'-0" (LXW), 2'-0" HEIGHT 	1	No.		
2	CEO CHAIR				
	<ul style="list-style-type: none"> > AUTHENTIC GENUINE LEATHER (ITALIAN), WITH INTERNAL HIGH-DENSITY S-SHAPED SPRINGS, WEBBING, AND DENSE FOAM PADDING INSIDE. > TOP QUALITY > HIGH BACK WITH HEAD REST BACK REVOLVING CHAIR. > MULTIFUNCTIONAL BASE WITH TILT AND LOCK FUNCTIONS FOR REASONABLE AND CONVENIENT SERVICE. > ALUMINUM FIVE-STAR LEGS WITH CASTERS PROVIDE STABLE SUPPORT. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIECASTED ALUMINIUM BASE 400 MM. > LUMBAR BACK SUPPORT. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT > DIMENSIONS 810 X 810 X 1200 MM 	1	No.		

3	CEO VISITING CHAIRS				
	> AUTHENTIC GENUINE LEATHER (ITALIAN), WITH INTERNAL HIGH-DENSITY S-SHAPED SPRINGS, WEBBING, AND DENSE FOAM PADDING INSIDE. > TOP QUALITY > MEDIUM BACK STATIONARY CHAIR. > ALUMINUM BASE. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM) HEIGHT ADJUSTMENT ONLY. > DIECASTED ALUMINIUM BASE 300 MM. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT > DIMENSIONS 600 X 560 X 800 MM	2	No.		
4	END TABLE - 01				
	> TINTED GLASS TOP OCCASIONAL TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH , GLASS TO BE APPROVED BY ARCHITECT > SIZE: 16" DIA, 20" HEIGHT	1	No.		
5	MODERN ARM CHAIR - 01				
	> SUPPORTED ON SHEESHAM LEGS IN POLISH FINISH. > MDF/ WOOD FRAMEWORK, > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. UPHOLSTERED WITH TOP-QUALITY IMPORTED FABRIC > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 30" WIDTH, 24" DEPTH, 36" HEIGHT.	2	No.		
6	COFFEE TABLE - 01				
	> MARBLE TOP COFFEE TABLE WITH SHEESHAM WOOD BASE IN POLISH FINISH > MARBLE TO BE APPROVED BY ARCHITECT > (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) > SIZE: 5'-0" x 3'-6" x 1'-6" (LxWxH)	1	No.		
7	THREE SEATER SOFA - 01				
	> SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC. > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART > SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: (LXWXH) 8'-0" X 3'-3" X 2'-6"	1	No.		
8	CONSOLE				
	> 1 1/2" THICK POWDER COATED MS LEGS > TOP IN MARBLE DIAGNOSE WHITE OR SIMILAR FINISH TO BE APPROVED BY ARCHITECT > TABLE LEGS WITH RUBBER GLIDE. > SIZE: 4'-6" X 1'-6" X 3'-0" (LXWXH)	1	No.		

9	END TABLE - 02				
	> OCCASIONAL TABLE WITH SHEESHAM TOP IN POLISH FINISH > OAK WOOD TAPERED BASE IN POLISH FINISH UPHOLSTERES IN LEATHER > FINISHES TO BE APPROVED BY ARCHITECT > SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)	2			
10	SIDE TABLE - 03				
	> MARBLE TOP SIDE TABLE WITH SHEESHAM WOOD BASE IN POLISH FINISH > MARBLE TO BE APPROVED BY ARCHITECT > (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) > SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)	1	No.		
11	TWO SEATER LEATHER SOFA - 02				
	> SUPPORTED ON POWDER COATED METAL LEGS > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC. > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART > SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 6'-6" x 3'-3" x 2'-9" (LxWxH)	1	No.		
12	BOOKSHELF (Product 12 A)				
	> OAK PLY SHLEIVING UNIT WITH OAK VENEER PASTED ON CABINET SHUTTERS FINISHED IN POLISH FINISH > CABINET SHUTTERS TO BE MADE WITH 8MM TINTED TEMPERED GLASS IN DECO PAINTED MS FRAME > ALL CABINETS SHUTTERS TO HAVE PUSH MECHANISM HARDWARE > EXPOSED BACK WALL TO BE MADE OF MARBLE > (RIO BLUE, BLYUE ONYX, SILVER TRAVETINE, BLUEBERRY OR EQUIVALENT) > EXPOSED SHELVES TO BE MADE IN MILD STEEL WITH POWDER COATED FINISH > ALL MARBLES AND FINISHES TO BE APROVED BY ARCITECT > SIZE: (LxWxH) 11'-6" x 1'-3" x 9'-6"	2			
13	BOOKSHELF (Product 12 B)				
	> OAK PLY SHLEIVING UNIT WITH OAK VENEER PASTED FINISHED IN POLISH FINISH > FRAME TO BE MADE IN MS WITH POWDER COATED FINISH > SIZE: (LxWxH) 7'-10" x 1'-3" x 9'-6"	2	No.		
14	TV CONSOLE				
	> SUPPLYING AND FABRICATION OF TV CONSOLE UNIT USING OAK PLY WITH WOOD VENEER POLISHED FINISH WITH LED PELMIT BACK WALL, DRAWERS AND SHELVES AS PER DRAWINGS. > TV CONSOLE SHAL CONSIST OF BASIC FRAMING MADE OF SHESHAM WITH OAK VENEER (POLISHED) WOOD ON TOP. > MS FRAME HAVING A SPACING OF 2 FEET BY 2 FEET MADE OF 1" SQUARE PIPE WITH AN OFFSET OF 1" FROM THE WALL MADE OF 12 SWG METAL SECTIONS AS THE FRAMING TO HOST MARBLE ON. > BACKLIT MARBLE (RIO BLUE OR EQUIVALENT) TO BE USED AND SOURCED FROM SINGLE QUARY HAVING SEAMLESS GRAINS AND PATTERNS FOR INTEGRATION HAVING MITERED EDGE (MARBLE TO BE 1" TH.) MITER 8MM. > BACKLIT LIGHT SHOULD BE A PROFILE TYPE SERVICABLE (DETACHABLE). WARM IN COLOR. > INCLUSIVE OF TV MOUNT 150 DEGREE BOTH SIDES ADJUSTABLE WITH CABLE MANAGEMENT. > CONSOLE TO BE A PART OF THIS ITEM (EDGE TO EDGE ALONG WITH THE LENGTH OF ENTIRE TV WALL HAVING DRAWERS > EVERY DRAWER TO BE ISO COMPLIANT. > OAK PLY WITH OAK VENEER TOP AND INSIDE TO BE POLISH FINISHED. > CONSOLE TO HAVE PULL OUT AND HINGED DRAWERS. EACH DRAWER AND BOX UNIT TO HAVE A SATIN EDGE AND LIPPING. > SIZE: 24'-6" X 1'-6" X 1'-0" (LXWXH)	1	No.		

15 EXECUTIVE CONFERENCE TABLE				
<ul style="list-style-type: none"> > OAK WOOD TOP WITH WOOD ROUND MOULDING FOR TABLE EDGES AND SUPPORTED ON DECO PAINTED MS PLATFORM MADE OF 10 SWG MS SHEET METAL. > HAVING 10" WIDE 1/2" THICK LEATHER APRON IN THE MIDDLE. > LENGTH OF THE LEATHER TO BE 80% OF THE TOTAL LENGTH. 1/4" THICK GROOVE ON THE EDGES BETWEEN LEATHER AND WOODEN TOP. > THE TOP APRON MUST HAVE PROVISION FOR CABLE MANAGEMENT AND POP-UP MULTI SOCKET BOARD (03 NO. HAVING 1 UPS 2 LIVE; 1 HDMI: 1 USB CHARGING EACH) > HAVING SPINE OR APPROPRIATE RISER FOR CABLES FROM THE FLOOR AT MULTIPLE POINTS. > ALL INTERNAL SURFACE COVERED WITH 0.8MM WOOD VENEER > ALL EXTERNAL SURFACES COVERED WITH 1.0MM WOOD VENEER OF APPROVED COLOUR. > RATES TO INCLUDE ALL NECESSARY ACCESSORIES. > INCLUDING POLISHING WHEREVER REQUIRED AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: (LxWxH) 19'-0" x 5'-0" x 2'-6" FOR 16 PERSONS 	1	No.		
16 MEETING ROOM CHAIR				
<ul style="list-style-type: none"> > AUTHENTIC GENUINE LEATHER (ITALIAN), WITH INTERNAL HIGH-DENSITY S-SHAPED SPRINGS, WEBBING, AND DENSE FOAM PADDING INSIDE. > TOP QUALITY > HIGH BACK WITH HEAD REST BACK REVOLVING CHAIR. > MULTIFUNCTIONAL BASE WITH TILT AND LOCK FUNCTIONS FOR REASONABLE AND CONVENIENT SERVICE. > ALUMINUM FIVE-STAR LEGS WITH CASTERS PROVIDE STABLE SUPPORT. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINUM BASE 400 MM. > LUMBAR BACK SUPPORT. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT > DIMENSIONS 810 X 810 X 1040 MM 	16			

17 TV CONSOLE (Product 16)				
<ul style="list-style-type: none"> > SUPPLYING AND FABRICATION OF TV CONSOLE UNIT USING OAK PLY WITH WOOD VENEER POLISHED FINISH WITH LED PELMIT BACK WALL, DRAWERS AS PER DRAWINGS. TV CONSOLE SHAL CONSIST OF BASIC FRAMING MADE OF SHESHAM WITH OAK VENEER (POLISHED) MARBLE TOP. > MS FRAME HAVING A SPACING OF 2 FEET BY 2 FEET MADE OF 1" SQUARE PIPE WITH AN OFFSET OF 1" FROM THE WALL MADE OF 12 SWG METAL SECTIONS AS THE FRAMING TO HOST MARBLE ON. > BACKLIT MARBLE (RIO BLUE OR EQUIVALENT) TO BE USED AND SOURCED FROM SINGLE QUARY HAVING SEAMLESS GRAINS AND PATTERNS FOR INTEGRATION HAVING MITERED EDGE (MARBLE TO BE 1" TH.) MITER 8MM. > BACKLIT LIGHT SHOULD BE A PROFILE TYPE SERVICABLE (DETACHABLE). WARM IN COLOR. > INCLUSIVE OF TV MOUNT 150 DEGREE BOTH SIDES ADJUSTABLE WITH CABLE MANAGEMENT. CONSOLE TO BE A PART OF THIS ITEM (EDGE TO EDGE ALONG WITH THE LENGTH OF ENTIRE TV WALL HAVING DRAWERS > EVERY DRAWER TO BE ISO COMPLIANT. > OAK PLY WITH OAK VENEER TOP AND INSIDE TO BE POLISH FINISHED. > CONSOLE TO HAVE PULL OUT AND HINGED DRAWERS. EACH DRAWER AND BOX UNIT TO HAVE A SATIN EDGE AND LIPPING. > SIZE: 16'-0" x 1'-6" x 1'-0" (LxWxH) 	1	No.		
18 CREAM STYLE SINGLE SOFA - 02				
<ul style="list-style-type: none"> > POWDERCOATED MS BASE > MDF FAME WORK, PADDED WITH FOAM, UPHOLSTERED WITH IMPORTED FABRIC, FABRIC SELECTION TO BE APPROVED BY ARCHITECT > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS ANDFINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. >SIZES : (LxWxH) 3'-0" x 2'-10" x 2'-10" 	2	No.		
19 END TABLE - 04				
<ul style="list-style-type: none"> > SHEESHAM WOOD TOP IN POLISH FINISH WITH SHEESHAM WOOD CONICAL BASE WITH BRASS DETAILS LEGS IN POLISH FINISH > SIZE: 1'-7" x 1'-7" x 2'-0" (LxWxH) 	1	No.		
20 COFFEE TABLE - 02				
<ul style="list-style-type: none"> > 12 TINTED GLASS TOP MOUNTED ON SHEESHAM WOOD LEGS (6" DIA) IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT SIZE: 5'-0" x 3'-6" x 1'-6" (LxWxH) 	1	No.		
21 CURVED MULTIPURPOSE SOFA -03				
<ul style="list-style-type: none"> > MDF FAME WORK, PADDED WITH FOAM, UPHOLSTERED WITH IMPORTED FABRIC > FABRIC SELECTION TO BE APPROVED BY ARCHITECT > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS ANDFINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. >TO BE MADE IN 2 EQUAL MODULAR PIECES AND ASSEMBLED WITH INTERLOCKING SYSTEM > SIZE: (LxWxH) 14'-6" x 7'-6" x 2'-10" 	1	No.		
22 OFFICE DESK				
<ul style="list-style-type: none"> > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR. >HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION > SQUARE LEGS "MS POWDER COATED"(TAPERED) AT 15 DEGREE > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR. > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER; PROVISION TO BE SUPPLIED FOR TWO USERS. > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE.WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS. > TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD. > BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED. > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT. > SIZE: 5'-6" X 2'-3" (2'-6" HEIGHT); SIDE RETURN (1'-3" by 3'-6") 	4	No.		

23	OFFICE CHAIR				
	<ul style="list-style-type: none"> > SHOULDER HEIGHT BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINUM BASE 350 MM. > FABRIC PADDED SEAT > LUMBAR BACK SUPPORT. > MESH FABRIC. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT. > SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MIDBACK 	32	No.		
24	HIGH EXECUTIVE OFFICE DESK				
	<ul style="list-style-type: none"> > DESK TOP THICKNESS IS 30 MM. > MDF VENEER WOODEN SURFACES: DARK COFFEE TEAK, PAIRED WITH METEOR GRAY COLOR: MADE OF MDF 30 MM. THICKNESS, COATED ON BOTH SIDES (TWO TONES) WITH WOOD VENEER THICKNESS. 0.6 MM. AND EDGING STRIP WITH SOLID WOOD THICKNESS. 1 MM. ROUNDED WITH A RADIUS OF 2 MM >WITH CABLE MANAGEMENT AND KEYPAD 3 DIGIT LOCKING MECHANISM, INCLUDED IN SIDE RETURN FOR SECURITY. >TABLE PEDESTALS TO BE MADE OF CURVED STEAM BENT WOOD WITH HIGH STRENGTH DECO POLISH. > THE BASE OF THE TABLE WILL HAVE FLUTED GLASS DETAIL WITH ANODIZED ALUMINUM FRAME OF MATCHING COLOUR AND LIGHT PELMET (MADE OF SS INSET) TO BE A PART OF FULL MODESTY FROM TOP TO BOTTOM ATTACHED TO THE TABLE. > 100MM X 40MM TEAK WOOD FOOTREST WITH POLISHING AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT. > 3 X 3 FEET SQUARE PLEXI GLASS (10 MM) CLEAR TO BE INCLUSIVE IN COST TO AS CHAIR GLIDE. > INCLUDING POLISHING WHEREVER REQUIRED AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. <p>EXECUTIVE DIRECTOR (1, 2, 3, 4, 5), CHAIRMAN'S OFFICE,, VISITING DIRECTOR , BOARD SECRETARIAT</p> <p>> DESK TO SIZE: 7'-10"X 5'-6"X 2'-6" (LXWXH)</p>	8	No.		
25	HIGH EXECUTIVE OFFICE CHAIRS.				
	<ul style="list-style-type: none"> > AUTHENTIC GENUINE LEATHER (ITALIAN), WITH INTERNAL HIGH-DENSITY S-SHAPED SPRINGS, WEBBING, AND DENSE FOAM PADDING INSIDE. > TOP QUALITY > HIGH BACK WITH HEAD REST BACK REVOLVING CHAIR. > MULTIFUNCTIONAL BASE WITH TILT AND LOCK FUNCTIONS FOR REASONABLE AND CONVENIENT SERVICE. > ALUMINUM FIVE-STAR LEGS WITH CASTERS PROVIDE STABLE SUPPORT. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINUM BASE 400 MM. > LUMBAR BACK SUPPORT. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT > DIMENSIONS 810 X 810 X 1200 MM 	8			

26	HIGH EXECUTIVE VISITING CHAIRS				
	> AUTHENTIC GENUINE LEATHER (ITALIAN), WITH INTERNAL HIGH-DENSITY S-SHAPED SPRINGS, WEBBING, AND DENSE FOAM PADDING INSIDE. > TOP QUALITY > MEDIUM BACK STATIONARY CHAIR. > ALUMINUM BASE. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM) HEIGHT ADJUSTMENT ONLY. > DIECASTED ALUMINIUM BASE 300 MM. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT > DIMENSIONS 600 X 560 X 800 MM	8	No.		
27	MODERN BOOK CHAIR				
	> AUTHENTIC GENUINE LEATHER (ITALIAN), WITH INTERNAL HIGH-DENSITY S-SHAPED SPRINGS, WEBBING, AND DENSE FOAM PADDING INSIDE. > TOP QUALITY > MEDIUM BACK STATIONARY CHAIR. > ALUMINUM BASE. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM) HEIGHT ADJUSTMENT ONLY. > DIECASTED ALUMINIUM BASE 300 MM. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT > DIMENSIONS 600 X 560 X 800 MM	18	No.		
28	END TABLE - 05				
	> OCCASIONAL TABLE WITH 12 MM THICK TINTED GLASS TOP > SHEESHAM WOOD TAPERED BASE IN POLISH FINISH, FINISHES TO BE APPROVED BY ARCHITECT > SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)	8	No.		
29	TWO SEATER SOFA - 04				
	> SUPPORTED ON POWDER COATED METAL LEGS > MDF FRAMEWORK PADDED WITH HIGH QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC APPROVED BY ARCHITECT > SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: (LXWXH) 6'-6" X 2'-10" X 2'-10"	5	No.		

30	END TABLE - 06				
	> MARBLE TOP SIDE TABLE WITH SHEESHAM WOOD FLUTED BASE IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT > RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT > SIZE: 1'-6" DIA" x 2'-0" H	4	No.		
31	COFFEE TABLE - 03				
	> MARBLE TOP COFFEE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT > (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) > SIZE: 3'-3" DIA, 1'-6" H > SIZE 2: 2'-9" DIA, 1'4" H	2	No.		
32	ARM CHAIR - 03				
	> FRAME MATERIAL: WOOD > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOR & FINISH. > SEAT FOAM : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOR & FINISH. > FOAM DENSITY : 18 KG/ CUBIC CM. > BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS. > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING. > THE ARMCHAIR IS BASED ON STEEL LEG. > THE LEG BASE MUST HAVE RUBBER PADDING. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > 3'-0" X 2'-10" X 2'-10" (LXWXH)	2	No.		

33 BOOKSHELF				
<ul style="list-style-type: none"> > OAK PLY SHLEIVING UNIT WITH OAK VENEER PASTED ON CABINET SHUTTERS FINISHED IN POLISH FINISH > CABINET SHUTTERS TO BE MADE WITH 8MM TINTED TEMPERED GLASS IN DECO PAINTED MS FRAME > ALL CABINETS SHUTTERS TO HAVE PUSH MECHANISM HARDWARE EXPOSED BACK WALL TO BE MADE OF MARBLE >PROFILE LIGHTING WARM IN COLOUR SHALL BE A PART OF THE ITEM. > (RIO BLUE, BLYUE ONYX, SILVER TRAVETINE, BLUEBERRY OR EQUIVALENT) > EXPOSED SHELVES TO BE MADE IN MILD STEEL WITH POWDER COATED FINISH > ALL MARBLES AND FINISHES TO BE APROVED BY ARCITECT > EXECUTIVE DIRECTOR 4, 5 > SIZE: (LxWxH) 12'-6" x 1'-3" x 9'-6". > EXECUTIVE DIRECTOR 2 > SIZE: (LxWxH) 10'-0" x 1'-3" x 9'-6". > EXECUTIVE DIRECTOR 3 > SIZE: (LxWxH) 16'-4" x 1'-3" x 9'-6". > EXECUTIVE DIRECTOR 1 > SIZE: (LxWxH) 10'-0" x 1'-3" x 9'-6". 	5	No.		
34 TV CONSOLE				
<ul style="list-style-type: none"> > SUPPLYING AND FABRICATION OF TV CONSOLE UNIT USING OAK PLY WITH WOOD VENEER POLISHED FINISH WITH LED PELMIT BACK WALL, DRAWERS AND SHELVES AS PER DRAWINGS. TV CONSOLE SHALL CONSIST OF BASIC FRAMING MADE OF SHESHAM WITH OAK VENEER (POLISHED) WOOD ON TOP. > MS FRAME HAVING A SPACING OF 2 FEET BY 2 FEET MADE OF 1" SQUARE PIPE WITH AN OFFSET OF 1" FROM THE WALL MADE OF 12 SWG METAL SECTIONS AS THE FRAMING TO HOST MARBLE ON. > BACKLIT MARBLE (RIO BLUE OR EQUIVALENT) TO BE USED AND SOURCED FROM SINGLE QUARY HAVING SEAMLESS GRAINS AND PATTERNS FOR INTEGRATION HAVING MITERED EDGE (MARBLE TO BE 1" TH.) MITER 8MM. > BACKLIT LIGHT SHOULD BE A PROFILE TYPE SERVICABLE (DETACHABLE). WARM IN COLOR. > INCLUSIVE OF TV MOUNT 150 DEGREE BOTH SIDES ADJUSTABLE WITH CABLE MANAGEMENT. CONSOLE TO BE A PART OF THIS ITEM (EDGE TO EDGE ALONG WITH THE LENGTH OF ENTIRE TV WALL HAVING DRAWERS > EVERY DRAWER TO BE ISO COMPLIANT. >PROFILE LIGHTING WARM IN COLOUR AS SHOWN IN THE DRAWING. > OAK PLY WITH OAK VENEER TOP AND INSIDE TO BE POLISH FINISHED. > CONSOLE TO HAVE PULL OUT AND HINGED DRAWERS. EACH DRAWER AND BOX UNIT TO HAVE A SATIN EDGE AND LIPPING. FULL HEIGHT SHUTTERS TO HAVE FLUTED PANELS > SIZE: > ED 4, 5 (LxWxH)16'-0" X1'-6" X 1'-0" > ED 2 (LxWxH) 16'-6" X 1'-6" X 1'-0" > ED 1 (LxWxH) 15'-6" X 1'-6" X 1'-0" > ED 3 (LxWxH) 12'-7" X 1'-6" X 1'-0" 	5	No.		
35 WORKSTATIONS TABLE				
<ul style="list-style-type: none"> > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR. > HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION > SQUARE LEGS "MS POWDER COATED"(TAPPERED) AT 15 DEGREE > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR. > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER; PROVISION TO BE SUPPLIED FOR TWO USERS. > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE.WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS. > TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD. > BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED. > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT. > SIZE 5'-0"x4'-0" (LxW), 2'-6" HEIGHT 	10	No.		

36	THREE SEATER SOFA - 05				
	> SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC. > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 9'-0" x 3'-3" x 2'-10" (LxWxH)	1	No.		
37	TWO SEATER SOFA - 06				
	> SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC. > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 6'-6" x 3'-0" x 2'-10" (LxWxH)	1	No.		
38	COFFEE TABLE - 04				
	> MARBLE PLINTH COFFEE TABLE WITH 1" SHEESHAM WOOD BASE IN POLISH FINISH > MARBLE TO BE APPROVED BY ARCHITECT > (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) > SHEESHAM WOOD PLINTH COFFEE TABLE IN POLISH FINISH > SIZE: 4'-6" x 4'-6" x 1'-0" (LxWxH) > SIZE: 4'-6" x 2'-0" x 1'-0" (LxwxH)	1	No.		
39	SIDE TABLE - 07				
	> SHEESHAM WOOD TOP IN POLISH FINISH WITH SHEESHAM WOOD BASE WITH SHELF SPACE IN POLISH FINISH > SIZE: 1'-9" x 1'-9" x 2'-0" (LxWxH)	1	No.		
40	SINGLE SOFA - 04				
	> SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC. > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 3'-0" x 2'-9" x 2'-10" (LxWxH)	1	No.		

41	DESK TABLE (Product 39)				
	<ul style="list-style-type: none"> > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR. > HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION > SQUARE LEGS "MS POWDER COATED"(TAPPERED) AT 15 DEGREE > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR. > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER; PROVISION TO BE SUPPLIED FOR TWO USERS. > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS. > TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD. > BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED. > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT. > Size 4'-0" x 2'-0" x 2'-6" (LxWxH) 	8	No.		
42	TWO SEATER SOFA - 07				
	<ul style="list-style-type: none"> > SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC. > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER' MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 6'-0" x 2'-9" x 2'-9" (LxWxH) 	3	No.		
43	CABINET				
	<ul style="list-style-type: none"> > PROVIDING AND FIXING IN POSITION FLOOR STANDING CABINETS > MADE OF 18MM MDF PRESSED ON BOTH SIDES WITH LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) > DESKTOP LAMINATE OF ARCHITECT'S CHOICE OF COLOUR & FINISH. ARCHITECT'S CHOICE OF COLOUR & FINISH, ON TOP, FRONT AND SIDE WITH GROOVES FOR AESTHETICAL PURPOSE. HAVING SPACING AS PER ARCHITECTS CHOICE TO BE FILLED WITH MATCHING COLORED SS PROFILE USING EPOXY. > INCLUDING DIVIDER, SHELVES AS RECOMMENDED > IMPORTED MAGNETIC HINGES > HINGED GLASS DOORS AS PER DRAWING. > IN CASE OF ELECTRICAL CABINET THE CONTRACTOR WILL ENSURE MS FRAME WITH EARTHING FOR THE ENTIRE CARCASS OF THE CABINET WITH TAMPERED 12 mm GLASS (BLACK OR SUITABLE COLOR) WITH METAL FRAME OF 1/2 INCHES AS PER DRAWINGS, HAVING IN BUILT PULL HANDLES, HAVING LOCK AND KEY FOR EACH CABINET. THE SIZING OF THE DOORS AND THE COLOURS SHALL BE APPROVED BY THE ARCHITECT BEFORE CONSTRUCTION. > ALL DOORS TO HAVE SS PROFILE AS FINGER GRIP ON TOP OF MATCHING COLOR. > LOCK, AS PER APPROVED SAMPLE AND AS DIRECTED BY ARCHITECT. NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE. 				
A	> SIZE 8'-8"x 2'-2"x3'-0" (LxWxH) (ADJACENT TO WORKSTATION)	4	No.		
B	> SIZE 4'-0"x1'-1"x 2'-6" (LxWxH) DEEP (ADJACENT TO WORKSTATION)	5	No.		
C	>SIZE 8'1" x 1'7" x 3'-0" (LxWxH) HANGING CABINET TYPE 01	1	No.		
D	>SIZE 4'0" x 1'1" x 3'-6" (LxWxH) HANGING CABINET TYPE 02	1	No.		
C	>ELECTRICAL CABINET (13'-6" x 2'-0" x 9'6")	1	No.		





44	SIDE CHAIR - 05				
	> SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC. > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 21" WIDTH, 18" DEPTH, 33" HEIGHT.	6	No.		
45	SIDE TABLE - 08				
	> SHEESHAM WOOD TOP IN POLISH FINISH WITH SHEESHAM WOOD LEGS AS PER DESIGN > SIZE: 1'-9" DIA 2'-0" (H)	4	No.		
46	COFFEE TABLE - 05				
	> SHEESHAM WOOD TOP IN POLISH FINISH WITH SHEESHAM WOOD LEGS AS PER DESIGN > SIZE: 33" DIA X 20" (H)				
47	TWO SEATER SOFA - 08				
	> SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC. > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 7'-0" x 2'-10" x 2'-10" (LxWxH)	1	No.		
48	SIDE TABLE - 07				
	> MARBLE TOP IN POLISH FINISH WITH CONICAL SHEESHAM WOOD BASE AND BRASS DETAIL. AS PER DESIGN > MARBLE TO BE APPROVED BY ARCHITECT > (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) > SIZE: 1'-9" DIA x 2'-0" (H)	3	No.		
49	THREE SEATER SOFA (Product 47)				
	> SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC. > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 9'-0" x 3'-3" x 2'-10" (LxWxH)	1	No.		
























50	ARM CHAIR - 06				
	> SUPPORTED ON SHEESHAM LEGS IN POLISH FINISH. > MDF/ WOOD FRAMEWORK, > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. UPHOLSTERED WITH TOP-QUALITY IMPORTED FABRIC > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 30" WIDTH, 24" DEPTH, 36" HEIGHT.	1	No.		
51	COFFEE TABLE - 06				
	> MARBLE TOP COFFEE TABLE FRAMED IN COPPER FINISH METAL WITH SHEESHAM WOOD BASE IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT > (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) > SIZE: 5'-0" X 3'-0" X 1'-8" (LXWXH)	2	No.		
52	ARM CHAIR - 02				
	> SUPPORTED ON SHEESHAM LEGS IN POLISH FINISH. > MDF/ WOOD FRAMEWORK, > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. UPHOLSTERED WITH TOP-QUALITY IMPORTED FABRIC > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT > SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT	6	No.		
53	COFFEE TABLE - 03				
	> NESTING MARBLE TOP COFFEE TABLE WITH MARBLE LEGS AS SHOWN IN REFERENCE , MARBLE TO BE APPROVED BY ARCHITECT > (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) > SIZE: 1'-9" DIA, 1'-6" H > SIZE 2: 1'-9" DIA, 1'-4" H > SIZE 2: 1'-9" DIA, 1'-2" H	1	No.		



















54	CONFERENCE TABLE				
	<ul style="list-style-type: none"> > OAK WOOD TOP WITH WOOD ROUND MOULDING FOR TABLE EDGES AND SUPPORTED ON DECO PAINTED MS PLATFORM MADE OF 10 SWG MS SHEET METAL. > HAVING 10" WIDE 1/2" THICK MARBLE APRON IN THE MIDDLE. > LENGTH OF THE LEATHER TO BE 80% OF THE TOTAL LENGTH. 1/4" THICK GROOVE ON THE EDGES BETWEEN LEATHER AND WOODEN TOP. > THE TOP APRON MUST HAVE PROVISION FOR CABLE MANAGEMENT AND POP-UP MULTI SOCKET BOARD (03 NO. HAVING 1 UPS 2 LIVE; 1 HDMI; 1 USB CHARGING EACH) > HAVING SPINE OR APPROPRIATE RISER FOR CABLES FROM THE FLOOR AT MULTIPLE POINTS. > ALL INTERNAL SURFACE COVERED WITH 0.8MM WOOD VENEER > ALL EXTERNAL SURFACES COVERED WITH 1.0MM WOOD VENEER OF APPROVED COLOUR. > RATES TO INCLUDE ALL NECESSARY ACCESSORIES. > INCLUDING POLISHING WHEREVER REQUIRED AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: (LxWxH) 33'-0" x 10'-0" x 2'-6" 	1	No.		
55	MEETING ROOM CHAIR				
	<ul style="list-style-type: none"> > TOP NOTCH QUALITY > HIGH BACK WITH HEAD AND ARM REST BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF WOODEN PLY > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIECASTED ALUMINIUM BASE 350 MM. > LEATHEROID PADDED SEAT AND ARM REST > LUMBAR BACK SUPPORT. > IMPORTED LEATHER > TORSION BAR BASIC TILTING MECHANISM. > LIFT APPROVED WITH SGS. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT 	32	No.		
56	PICTURE FRAME				
	<ul style="list-style-type: none"> > PICTURE FRAME WITH OIL / ACRYLIC ON CANVAS WITH APPROVED FRAME MADE OF WOOD / FIBRE, ALONG WITH ALL NECESSARY ACCESSORIES FOR HANGING AND SUSPENSION. > (Avg size 17 SQFT) 	10	No.		
57	RUG				
	<ul style="list-style-type: none"> > SUPPLYING OF BEST QUALITY WOOLEN RUG OF MAKE. (EWC, ABBAS CARPETS OR EQUIVALENT) > (Avg size 27 SQFT) 	10	No.		
























58	PLANTER				
	P/F OF CUSTOMIZED PLANTER MADE OF CONCRETE WITH SMOOTH FINISH AND DECO PAINT OF APPROVED COLOR AND DESIGN. NOTE: THE CONTRACTOR SHALL MAKE AND APPROVE THE SAMPLE BEFORE EXECUTION. > AVERAGE SIZE: 1'-3"x1'X3"x 1'-3" (LxWxH)	28	No.		
59	PROVIDING AND SUPPLYING COAT HANGER MADE UP OF SHEESHAM WOOD FRAME, HANGER AND LEGS IN PREMIUM POLISH FINISH SEMI GLAZED, APPROVED UPON PHYSICAL INSPECTION BY ARCHITECT. SIZE: 2'6" x 4' (WxH)	12	No.		
60	SUBMITTALS, INSPECTIONS, OPERATION, DRAWINGS ETC.				
	SUBMITTALS, SAMPLES, INSPECTIONS, ETC.				
	SUBMITTALS, SAMPLES, INSPECTIONS, OPERATION AND MAINTENANCE MANUALS AND THE LIKE AS REQUIRED BY SPECIFICATION.	1	JOB		
61	SHOP DRAWINGS				
	PREPARATION AND SUBMISSION OF HARD AND SOFT (.dwg) COPIES OF SHOP DRAWINGS OF EVERY FURNITURE ITEM WHICH WILL BE FABRICATED / INSTALLED ON SITE.	1	JOB		
62	PANTRY CABINET				
	PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LACQUERED DEODAR WOOD LIPPING/ UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD, COMPLETE WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE. FRONT FACE TO BE MEASURED FOR PAYMENT. NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.				
A	OVER ALL SIZE 7'-6" x 2'-0"x 9'-0" (LXWXH) (CORIAN COUNTER TOP & BACK SPLASH) VISITORS LOUNGE	1	No.		
B	OVER ALL SIZE 7'-2" x 1'-10"x 2'-9" (LXWXH) (CORIAN COUNTER TOP & BACK SPLASH) CEO	1	No.		
C	OVER ALL SIZE 15'-8" x 2'-1"x 10'-0" (LXWXH) (LARGE WING KITCHEN)	1	No.		
D	OVER ALL SIZE 14'-6" x 6'-0"x 8'-0" (LXWXH) (SMALL WING KITCHEN)	1	No.		
E	OVER ALL SIZE 14'-6" x 2'-0"x 8'-0" (LXWXH) (SMALL WING EXECUTIVE LOUNGE (CORIAN COUNTER TOP & BACK SPLASH))	1	No.		
FURNITURE COST OF 7th FLOOR					



























Room Name	Brand	Product Photo	Product Name	Details	Dimensions	Quantity	Rate	Amount
CEO ROOM			Pencil holder	Black plastic pencil holder	0'3"x0'4"	1		
			Planter	Charcoal tone mini planter with saucer	0'3"x0'2"	2		
			Rug	minimalist, modern textured grey rectangular carpet	10'11" x 8'8"	1		
			ceramic decoration piece	Minimal black and white ceramic vases	0'5"x0'11"	1		
			Wabi-Sabi Vase Ornament	Modern porcelain vases with contrasting shades	0'8"x8"	1		
			Faux books	Modern simple fake book decoration	0'9" x 0'7" x 0'5"	3		
			Table lamp	Metal marble table lamp with canvas shade	1'4" x 0'9" x 2'1"	1		
			Chandelier	A contemporary white pendant light with a clean white shade	2'7" x 2'7" x 4'1"	1		
			Television	Wall mounted LED TV	8'x5'	1		
			Plant	bonsai tree model in a stylish pot, crafted from ceramic	2'6"x1'6"x3'0"	1		
			Bookshelf	A modern bookcase adorned with various books and decorative objects	11'6"x1'6"x9'6"	1		
			Bookshelf	A sleek wooden shelf displaying books and decorative items	7'10"x1'6"x8'10"	1		
			Decoration piece	Black decorative dish made out of stone	0'7"x0'2"	1		
			Plant	ceramic pot with a potted plant featuring vibrant green leaves	3'8"x3'8"x5'0"	1		
			Decorative paintings	Two modern, golden framed abstract art prints featuring vibrant blue and green swirls	8'0"x1'0"x4'0"	1		
			Ceramic vase	Minimal ceramic bubble swirl vase	0'4"x0'7"	1		




























			Magazine	Architectural Magazine	1'6"x1'6"x0'2"	1		
			Desktop Table Accessory	Desktop Accessory Hi quality imported stone ware with Metal Accents. Placed on 2 mock books just in case black books to be a part of the accessory item.	8"x12"x5"	1		
			scented candle	Decorative ceramic cotton wick jar scented candle	0'4"x0'6"	1		
			Ceramic vase	Light weight rustic ceramic vase	0'6"x1'3"	1		
			Glass vase	Transparent lightweight glass vase with eucalyptus leaves for the coffee table	1'3" x 1'0" x 1'8"	1		
			Decorative painting	Framed decorative minimal modern painting	1'4"x0'9"	1		
			Decorative Painting	High end modern framed oil painting	3'11" x 0'2" x 4'11"	1		
			New Chinese Observation Deck	rectangular white top table made out of marble and wood	4'3" x 1'4" x 5'3"	1		
			Side Table	A minimalist black side table made of wood, topped with a vibrant flower vase.	1'8"x1'8"x2'5"	1		
			Planters	Shallow concrete planters filled with ferns	1'4"x5"	3		
			Rug	Modern rug with a muted color gradient and a slightly irregular, textured weave.	10'11" x 8'8"	1		
			ceramic bowl	Kiln white glazed shallow bowl	2'0" x 2'0" x 0'7"	1		
	Sub Total							
ED 1 Bath			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x1'2"	1		
			Scent diffuser	Cream finish basic scent diffuser	2.4" Dia 8"	1		
			Soap dispenser	Modern resin soap pump showcasing a cream ribbed finish and a matte black top pump	2.5" Dia x 8"	1		
	Sub Total							
CEO Secretariat			Table clock	Analogue Birchwood table top clock	0'4"x0'2"x0'4"	1		
			Globe	A compact, globe featuring a detailed world map	0'10" (Dia) x 1'0"	1		
			Desk lamp	Modern simple desk lamp made out of metal	0'6"x0'4"x1'2"	1		
			scented candle	Decorative ceramic cotton wick jar scented candle	0'4"x0'6"	1		
			Flowerpot	Fiberglass black round pier flowerpot with lush leaves	3'0"x2'10"x3'3"	1		
	Sub Total							
			Decoration piece	Gold metal geometric sculpture having 4 gold metal interlocking rings attached to a black/gray metal base.	1'4"x4'6"	1		
	-		Sculpture	Metal sculpture with a stone base.	6'x4"x1'2"	1		
	-		Decoration piece	12 point stellated golden icosahedron structure	6'x6"x6"	1		



ED Office 4	-		Faux books	Modern simple fake book decoration	0'9" x 0'7" x 0'5"	8		
	-		Metal decoration piece	Tall square pressure vase coated with chrome	11"x3"x3"	2		
	-		Magazine	Architectural Magazine/digest/fusion magazine	1'6"x1'6"x0'2"	1		
	-		Pot Planter	Pot planter made out of cement highlighting fresh rich foliage	1'8"x1'5"x3'5"	1		
	-		Decoration piece	Decoration piece with a metal base to be kept on the TV console	2'x3"x1'10"	1		
	-		Study lamp	Study lamp featuring a metal base and a slender circular shade	1'4"x6"x2'1"	1		
			rug	Modern muted tone textured rug	8'2"x7'6"	1		
			Vase	Transparent glass vase with eucalyptus leaves	4"x4'8"	1		
	Sub Total							
ED Office 1			Floor lamp	black and white lamp featuring a sleek design and a prominent white ball atop its structure.	4'x1'4"x6'6"	1		
			Jewelry ornaments	Metallic 2 piece ornament set comprising of a pyramid enclosed in a frame wire cube and a candle	5'x3"x5"	1		
			Decoration piece	Decoration piece with a metal base to be kept on the TV console	2'x3"x1'10"	1		
			Pot Planter	Pot planter made out of cement highlighting fresh rich foliage	1'8"x1'5"x3'5"	1		
			Decoration piece	12 point stellated golden icosahedron structure	6'x6"x6"	1		
			Vase	Transparent glass vase with eucalyptus leaves	4"x4'8"	1		
			Flowerpot	Fiberglass black round pier flowerpot with lush leaves	3'0"x2'10"x3'3"	1		
			Decorative vase	wabi sabi style black painted ceramic vase paired with books or magazines	1'x7"x1"	1		
			Study lamp	Study lamp featuring a metal base and a slender circular shade	1'4"x6"x2'1"	1		
			Magazine	Architectural Magazine/digest/fusion magazine	1'6"x1'6"x0'2"	1		
			Pot Planter	Pot planter made out of cement highlighting fresh rich foliage	1'8"x1'5"x3'5"	1		
			Decoration piece	Gold metal geometric sculpture having 4 gold metal interlocking rings attached to a black/gray metal base.	1'4"x4'x6"	1		
			Sculpture	Metal sculpture with a stone base.	6'x4"x1'2"	1		
			Faux books	Modern simple fake book decoration	-----	9		
			rug	Modern muted tone textured rug	8'2"x7'6"	1.0		
	Sub Total							



























ED Office 2		Pot Planter	Pot planter made out of cement highlighting fresh rich foliage	1'8"x1'5"x3'5"	1.0		
		Study lamp	Study lamp featuring a metal base and a slender circular shade	1'4"x6"x21"	1		
		Decorative vase	wabi sabi style black painted ceramic vase paired with books or magazines	1'x7"x1"	1		
		Flowerpot	Fiberglass black round pier flowerpot with lush leaves	3'0"x2'10"x3'3"	1.0		
		rug	Modern muted tone textured rug	8'2"x7'6"	1.0		
		Faux books	Modern simple fake book decoration	0'9" x 0'7" x 0'5"	9		
		Decoration piece	12 point stellated golden icosahedron structure	6'x6'x6"	1		
		Vase	Transparent glass vase with eucalyptus leaves	4'x4'8"	1.0		
		Decoration piece	Decoration piece with a metal base to be kept on the TV console	1'4"x4'x6"	1		
		Jewelry ornaments	Metallic 2 piece ornament set comprising of a pyramid enclosed in a frame wire cube and a candle	5'x3'x5"	1		
		Floor lamp	black and white lamp featuring a sleek design and a prominent white ball atop its structure.	4x1'4"x6'6"	1		
		Assorted books	-----	-----	1.0		
Sub Total							
ED Bath 5		Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x1'2"	1		
		Scent diffuser	Cream finish basic scent diffuser	2.4" Dia 8"	1		
		Soap dispenser	Modern resin soap pump showcasing a cream ribbed finish and a matte black top pump	2.5" Dia x 8"	1		
Sub Total							
ED Office 3		rug	Modern muted tone textured rug	8'2"x7'6"	1		
		Decoration piece	12 point stellated golden icosahedron structure	6'x6'x6"	1		
		Vase	Transparent glass vase with eucalyptus leaves	4'x4'8"	1		
		Decoration piece	Decoration piece with a metal base to be kept on the TV console	2x3'x1'10"	1		
		Metal decoration piece	Tall square pressure vase coated with chrome	11"x3'x3"	2		
		Magazine	Architectural Magazine/digest/fusion magazine	1'6"x1'6"x0'2"	1		
		Study lamp	Study lamp featuring a metal base and a slender circular shade	1'4"x6"x21"	1		
		Faux books	Modern simple fake book decoration	0'9" x 0'7" x 0'5"	3		
		Sculpture	Metal sculpture with a stone base.	6'x4'x1'2"	1		
		Decoration piece	Gold metal geometric sculpture having 4 gold metal interlocking rings attached to a black/gray metal base.	1'4"x4'x6"	1		
		Pot Planter	Pot planter made out of cement highlighting fresh rich foliage	1'8"x1'5"x3'5"	1		
Sub Total							























ED Office 5		Vase	Transparent glass vase with eucalyptus leaves	2'x3"x1'10"	1		
		Study lamp	Study lamp featuring a metal base and a slender circular shade	1'4"x6"x2'1"	1		
		Magazine	Architectural Magazine/signet/fusion magazine	1'6"x1'6"x0'2"	1		
		Metal decoration piece	Tall square pressure vase coated with chrome	1'1"x3"x3"	2		
		Decoration piece	12 point stellated golden icosahedron structure	6"x6"x6"	1		
		Pot planter	Fiberglass lightweight white head flowerpot	2'9"x2'5"x5'4"	1.0		
		Pot Planter	Pot planter made out of cement highlighting fresh rich foliage	1'8"x1'5"x3'5"	1.0		
		Decoration piece	Decorative piece with a metal base to be kept on the TV console	2'x3"x1'10"	1		
		Faux books	Modern simple fake book decoration	0'9" x 0'7" x 0'5"	9		
Sub Total							
ED4 Bath		Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x1'2"	1		
		Scent diffuser	Cream finish basic scent diffuser	2.4" Dia 8"	1		
		Soap dispenser	Modern resin soap pump showcasing a cream ribbed finish and a matte black top pump	2.5" Dia x 8"	1		
Sub Total							
ED 3 Bath		Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x1'2"	1		
		Scent diffuser	Cream finish basic scent diffuser	2.4" Dia 8"	1		
		Soap dispenser	Modern resin soap pump showcasing a cream ribbed finish and a matte black top pump	2.5" Dia x 8"	1		
Sub Total							
ED Bath 2		Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x1'2"	1		
		Scent diffuser	Cream finish basic scent diffuser	2.4" Dia 8"	1		
		Soap dispenser	Modern resin soap pump showcasing a cream ribbed finish and a matte black top pump	2.5" Dia x 8"	1		
Sub Total							
		Decoration piece	Decorative marble object having a unique appearance due to the natural variations.	2.7'x3"	1		
		Rug	Modern muted tone textured rug	8'2"x7'6"	1		
		Set of books	Set of 3 books stacked on top of one another	7"x4"	4		
		Scent diffuser	Elegant glass scent diffuser for coffee table	2" (Dia) x 5"	1		
		Decoration item	Wabi sabi ceramic Table décor piece	4" dia. X3"	1		
		potted plant	black fiberglass lightweight plant pot	2'11,2'8"x5'9"	1		
















SW Executive Lounge		Decoration item	Ceramic table decoration piece with a plant	3.5" Dia	1		
		Plant	Steel planter with legs	5" Dia	1		
		Plant	Large planter made out of cement holding fern plant	2'6"x3'6"	1		
		Decoration item	White decorative item made out of marble, standing on a metal base	2.5"x4"	1		
		set of paintings	3 black and white abstract framed paintings	4'5"x3' (Each painting)	1		
		decorative bowl	Black roughly textured and organic stone bowl	2" Dia	1		
		Vase	White ceramic vase holding a plant	4"x6"	1		
		Sculpture	Sculpture forged from durable aluminum in a bold red finish, supported on black base.	4"x10"x21"	1		
		vase	Clear glass vase holding a plant	2.5"x4"	1		
		Faux books	Modern simple fake book decoration	0'9" x 0'7" x 0'5"	1		
		Metal sculpture	minimal sitting man metal Sculpture with a textured black finish	9"x8"x1'6"	1		
		Figurine	Black textured figurine on top of a faux book	10"x6"x1'6"	1		
		potted plant	Grey ceramic cylindrical pot with a green plant	2'7"x2'7"x4'2"	1		
Sub Total							
Waiting area		Scent diffuser	Elegant glass scent diffuser for coffee table	2" (Dia) x 5"	1		
		Pot Planter	Pot planter made out of cement highlighting fresh rich foliage	1'8"x1'5"x3'5"	1		
		Rug	Modern muted tone textured rug	8'2"x7'6"	1		
		vase	Clear glass vase holding a plant	2.5"x4"	1		
		Set of 2 books	-----	-----	1		
		Decoration item	Ceramic decoration piece with a plant	3.5" Dia	1		
		Plant	Large planter made out of cement holding fern plant	2'6"x3'6"	1		
		Vase	White ceramic vase holding a plant	2.5"x4"	1		
		Faux books	Modern simple fake book decoration	0'9" x 0'7" x 0'5"	2		
		Floor lamp	Female sculpture made out of stone standing atop a wooden black base and holding a glowing ball in on of the raised hands	1'2"x1'2"x6'8"	1		
		Plant	Grey ceramic cylindrical pot with a green plant	2'7"x2'7"x4'2"	1		
		vase	Modern abstract black and white stripes ceramic vase	1'8"x1'8"x2'8"	1		
		pair of decoration pieces	Wabi sabi style pair of ceramic decoration pieces featuring a curve shape and a human face figure	9"x6"x8"	1		
Sub Total							

Visiting Director		Plant Stand	Golden metal plant stand with a plant	2'4"x2'8"x4'6"	1		
		rug	Modern muted tone textured rug	8'5"x10'	1		
		Decorative jar	White decorative ceramic jar with golden lid for coffee table	2" dia.	2		
		Plant	Black cylindrical plant pot with leaves	1.5" dia.	1		
		Decorative items	Black Wood Vase with Light Brown Wood Tops,	2" Dia , 1.5" Dia	1		
		Plant	Black ceramic mini planter for table	1.5" dia.	1		
		Magazine	Architectural Magazine/digest/fusion magazine	1'6"x1'6"x0'2"	1		
		Plant	Fiberglass black plant pot	2'10"x2'10"x6"	1		
		Pair of decorative item	pair of decoration piece made out of white marble	1'x1'x1.5'	1		
		set of 2 books	-----	-----	5		
		Decoration piece	12 point stellated golden icosahedron structure	6'x6"x6"	1		
		Decorative tray	White ceramic shallow decorative tray	8" Dia x 3"	1		
		Sculpture	Black matte finish sculpture of a sitting human figure	3" Dia x 6"	1		
		Pair of decorative item	pair of decoration piece made out of white marble	1'x1'x1.5'	1		
		vase	Black ceramic vase with rough texture finish	3" Dia x 5"	1		
		Sculpture	Sculpture forged from durable aluminum in a bold red finish, supported on black base.	4'x10'x21"	1		
		Birds Figurine	Birds figurine atop a metal base	1'x6"x1'	1		
		round tray	Decorative round tray made out of marble	4" dia.	1		
		Glass vase	round glass vase with a small plant	2.5" Dia	1		
		Ceramic vessel	Sculptural ceramic vessel with a rough texture	5" Dia x 4"	1		
		Glass Candle holder	colored glass candle holder encapsulating the candle , with a glass base	3" Dia 4.5"	1		
		Decoration piece	Golden decorative item made out of crystal	4'x4'x4"	1		
		Decorative painting	Monochrome abstract modern art with black thin frame	6'6"x3'11"	1		
		Decoration piece	Metallic decoration piece featuring bronze rings	6'x3'x8"	1		
		Vase	Ceramic white vase with gold color on the upper part	4" Dia x 6"	1		
		Study lamp	Study lamp featuring a metal base and a slender circular shade	1'4'x6'x2'1"	1		
		Planter	Small black planter with black matte finish	2" dia.	1		
	Sub Total						

VD Bath			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
			Soap dispenser	Modern resin soap pump showcasing a cream ribbed finish and a matte black top pump	2.5" Dia x 8"	1		
			Accessory light	Wabi sabi style accessory light having a rough textured surface onto which the lamp is mounted	6"x4"x1"	2		
			mini planter	mini indoor planter with a saucer made out of ceramic	4" Dia	1		
			Scent diffuser	Cream finish basic scent diffuser	2.4" Dia 8"	1		
	Sub Total							
Chairman Bath			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
			Scent diffuser	Cream finish basic scent diffuser	2.4" Dia 8"	1		
			mini planter	mini indoor planter with a saucer made out of ceramic	4" Dia	1		
			Soap dispenser	Modern resin soap pump showcasing a cream ribbed finish and a matte black top pump	2.5" Dia x 8"	1		
			Accessory light	A contemporary wall light with a polished metal pole and a circular disc attached to it	13"x6"x9"	2		
	Sub Total							
Board room			Potted plant	cream finish potted plant with fern leaves	37"x25"x25"	1		
			Painting	Abstract oil painting on canvas	4'x4'	1		
			Painting	Abstract oil painting on canvas	4'x4'	1		
	Sub Total							
BR Bathroom 1			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
			Soap dispenser	wall mounted basic soap dispenser	2.5" Dia x 8"	1		
	Sub Total							
BR Bathroom 2			Soap dispenser	wall mounted basic soap dispenser	2.5" Dia x 8"	1		
			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
	Sub Total							
Women's Bathroom 2			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
			Soap dispenser	wall mounted basic soap dispenser	2.5" Dia x 8"	1		
	Sub Total							
Men's bathroom			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	2		
			Soap dispenser	wall mounted basic soap dispenser	2.5" Dia x 8"	2		
	Sub Total							
Women's Bathroom 1			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
			Soap dispenser	wall mounted basic soap dispenser	2.5" Dia x 8"	1		
	Sub Total							

Executive Meeting Room			Planter	Squarish black and golden planter with marble pattern	2'6"x2'6"x6"	1		
			Planter	Dark grey fiberglass planter with a golden strip running around the top circumference	3'x2'8"x4'6"	1		
Sub Total								
Retiring room			Flowerpot	Modern plant flowerpot made of grey fiberglass	27"x29"x6"	1		
			Decorative item	Decorative item for coffee table featuring a metallic bear holding a glass ball in hands	3.5'x3.5'x6"	1		
			Vase	White ceramic vase holding a plant	2.5'x4"	1		
			Plant	Rustic planter with flowers	3'9"x6'5"x11"	1		
			potted plant	black fiberglass lightweight plant pot	2'11,2'8"x5'9"	1		
			Rug	Grey circular rug with weaves in a concentric circular manner	8'6"x8'6"	1		
Sub Total								
Men's Bathroom			Soap dispenser	Modern resin soap pump showcasing a cream ribbed finish and a matte black top pump	2.5" Dia x 8"	1		
			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
Sub Total								
Women's Bath			Soap dispenser	Modern resin soap pump showcasing a cream ribbed finish and a matte black top pump	2.5" Dia x 8"	1		
			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
Sub Total								
CEO bath			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
			Scent diffuser	Cream finish basic scent diffuser	2.4" Dia 8"	1		
			Soap dispenser	Modern resin soap pump showcasing a cream ribbed finish and a matte black top pump	2.5" Dia x 8"	1		
			mini planter	mini indoor planter with a saucer made out of ceramic	4" Dia	1		
Sub Total								
Elevator Lobby			Plant	large modern marble planter with clearly visible marble grains	2'10"x3'4"	2		
Sub Total								
Staff			Plant	Ceramic vase with flowers	1'9"x1'7"x1'9"	1		
			File holder	Metal file holder having 4 divisions	1'9"x1'7"x1'9"	2		
			plant	Fiber glass planter with shrub having a delicate, slightly sparse foliage.	3'0"x4'5"x5'10"	1		
			Plant	Black ceramic mini planter for table	1.5" dia.	6		
Sub Total								
			File boxes	Typical file storage box	1'2"x6"	11		
			Desk organizers	Canvas textured desk organizer with a genuine leather handle	—————	14		
			Pot Planter	Pot planter made out of cement highlighting fresh rich foliage	1'8"x1'5"x3'5"	1		
			Floor lamp	Modern floor lamp with a sleek black base and a beige shade	1'5"x2'1"x6"	1		
			Decoration piece	12 point stellated golden icosahedron structure	6'x6"x6"	1		

Chairman's room			Faux books	Modern simple fake book decoration	0'9" x 0'7" x 0'5"	5		
			Vase	White ceramic vase holding a plant	2.5'x4"	1		
			Decorative item	Decorative item for coffee table featuring a metallic bear holding a glass ball in hands	3.0'x3.0'x0"	1		
			Table Accessory	High quality imported stone ware with Metal Accents. Placed on 2 mock books (44 in size) Mock Books to be a part of the accessory item.	8'x12'x5"	1		
			Set of books	_____	_____	4		
	Sub Total							
Chairman Secretariat			Plant	Black ceramic mini planter for table	1.5" dia.	4		
	Sub Total							
			Study lamp	Study lamp featuring a metal base and a slender circular shade	1'4"x6"x2'1"	1		
			plant	Fiber glass planter with shrub having a delicate, slightly sparse foliage.	3'0"x4'5"x5'10"	1		
			Plant pot	Black ceramic matte finish plant pot	2'10"x2'8"x5"	2		
			Floor lamp	Wabi sabi style floor lamp having a single wooden leg and a beige shade	1'9"x1'8"x0"	1		
			Vase	White ceramic vase holding a plant	2.5'x4"	1		
			Faux books	Modern simple fake book decoration	0'9" x 0'7" x 0'5"	2		
			Decorative vase	Pair of golden and black vases made of stainless steel	2.5'x4"	1		
			Table lamp	Mushroom like modern table lamp with a wooden base and white upper part	1'1"x1'1"x1'2"	2		
			Metal decoration piece	Tall square pressure vase coated with chrome	1'1"x3'x3"	2		
			Study lamp	Study lamp featuring a metal base and a slender circular shade	1'4"x6"x2'1"	1		
			set of 3 books	_____	_____	3		
			rug	Modern muted tone textured rug	8'5"x10'	1		
			Decorative items	Black Wood Vase with Light Brown Wood Tops.	2" Dia , 1.5" Dia	1		
			Pair of decorative item	pair of decoration piece made out of white marble	1'x1'x1.0'	1		
			set of 2 books	_____	_____	5		
			Decoration piece	12 point stellated golden icosahedron structure	6'x6'x6'	1		

Board secretariat		Decorative tray	White ceramic shallow decorative tray	8" Dia x 3"	1		
		Sculpture	Black matte finish sculpture of a sitting human figure	3" Dia x 6"	1		
		Pair of decorative item	pair of decoration piece made out of white marble	1'x1'x1.5'	1		
		vase	Black ceramic vase with rough texture finish	3" Dia x 5"	1		
		Sculpture	Sculpture forged from durable aluminum in a bold red finish, supported on black base.	4"x10"x21"	1		
		Birds Figurine	Birds figurine atop a metal base	1'x6"x1'	1		
		round tray	Decorative round tray made out of marble	4" dia.	1		
		Glass vase	round glass vase with a small plant	2.5" Dia	1		
		Ceramic vessel	Sculptural ceramic vessel with a rough texture	5" Dia x 4"	1		
		Glass Candle holder	colored glass candle holder encapsulating the candle , with a glass base	3" Dia 4.5"	1		
		Decoration piece	Golden decorative item made out of crystal	4"x4"x4"	1		
		Decoration piece	Metallic decoration piece featuring bronze rings	6"x3"x8"	1		
		Vase	Ceramic white vase with gold color on the upper part	4" Dia x 6"	1		
		Planter	Small black planter with black matte finish	2" dia.	1		
Sub Total							
Small wing Foyer		Plant pot	Black ceramic matte finish plant pot	2'10"x2'8"x5'	1		
	Sub Total						

BR Bathroom 3			Soap dispenser	Modern resin soap pump showcasing a cream ribbed finish and a matte black top pump	2.5" Dia x 8"	1		
			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
	Sub Total							
Open staff area			Planter	grey and black fiberglass planter	9"9"x9"x5"	1		
			Planter	white mini planter to be kept on desks	1'8"x1'9"x1'2"	1		
	Sub Total							
Women's bathroom			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
			Soap dispenser	wall mounted basic soap dispenser	2.5" Dia x 8"	1		
	Sub Total							
GRAND TOTAL								

STATE LIFE INSURANCE CORPORATION
BUILDING No. 9

BOQ
8th FLOOR
FURNITURE WORKS

The BOQ document shall be read in conjunction with the Compliance sheet. The rates of all the items quoted should be done considering specifications and special conditions and including the following nature of the project its shape, angle, curve, bends, size etc. to be made at any depth and height with the use of all steel formwork properly supported as required and as directed by the Engineer/ Architect to the entire satisfaction of the Architect / Engineer/ Architect-in-Charge.

8th FLOOR - FURNITURE					
S. No.	DESCRIPTION	QTY	UNIT	RATE (RS)	AMOUNT (RS)
	<p>NOTES:</p> <p>> ALL THE FURNITURE ITEMS LISTED BELOW MAY BE PROCURED BY BRAND I.E. GLOBAL, MASTER, INTERWOOD, DIMENSIONS OR EQUIVALENT.</p> <p>> COMPLETE PROFILE BROCHURE OF ITEM ORIGIN OF ITEM TO BE SUBMITTED BY TENDERER.</p> <p>> CONTRACTOR TO SUBMIT EACH SAMPLE TO CONSULTANTS HEAD OFFICE FOR REVIEW AFTER INSPECTION AT SITE OFFICE. SAMPLE TO BE CONSUMED FOR TESTING AND REVIEW. PHYSICAL SAMPLE IS TO BE A PART OF SUBMITAL ELSE CONDITIONAL APPROVAL CAN ONLY BE GRANTED.</p> <p>> THE FINISHED PRODUCT SHALL BE DELIVERED TO THE SITE DULY COVERED WITH BUBBLE SHEET TO AVOID ANY BREAKAGE ETC. HOWEVER IN CASE OF ANY MINOR REPAIR ARISING OUT OF TRANSPORTATION ETC. THE SAME SHALL BE REPAIRED/ REPLACED IMMEDIATELY BY THE SUPPLIER WITHOUT ANY EXTRA COST.</p> <p>> 1 YEAR COMPREHENSIVE MAINTAINANCE TO BE A PART OF TENDER WITH ALL STRUCTURAL, MECHANICAL, FINISHING WORKS TO BE INCLUDED.</p> <p>> ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p>				
1	<p>MEETING CHAIR - 01</p> <p>> STATIONARY MEETING CHAIR.</p> <p>> MOLDED FOAM</p> <p>> ITALIAN LEATHER OF ARCHITECT'S CHOICE OF COLOR & FINISH.</p> <p>> BACK SHELL MADE OF WOOD VENEER.</p> <p>> HEIGHT ADJUSTABLE.</p> <p>> CUSTOMIZED SS. LEGS</p> <p>> LIFT APPROVED WITH SGS.</p> <p>> ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>> SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT.</p>	6	No.		
2	<p>OFFICE CHAIRS - 02</p> <p>> SHOULDER HEIGHT BACK REVOLVING CHAIR.</p> <p>> CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).</p> <p>> DIE CASTED ALUMINUM BASE 350 MM.</p> <p>> FABRIC PADDED SEAT</p> <p>> LUMBAR BACK SUPPORT.</p> <p>> MESH FABRIC.</p> <p>> TORSION BAR BASIC TILTING MECHANISM.</p> <p>> THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.</p> <p>> ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT</p> <p>> SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MIDBACK</p>	30	No.		
3	<p>AUDITORIUM SEATS</p> <p>> FIXED AUDITORIUM CHAIR.</p> <p>> CHAIR FRAME MADE OF MS + MDF UPHOLSTERED IN ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> DIE CASTED ALUMINUM BASE 350 MM</p> <p>> FABRIC PADDED SEAT</p> <p>> LUMBAR BACK SUPPORT.</p> <p>> TORSION BAR BASIC TILTING MECHANISM.</p> <p>> ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION BY ARCHITECT.</p> <p>> SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT.</p>	158	No.		

4	CURVED SOFA				
	> MDF FRAME WORK, PADDED WITH FOAM, UPHOLSTERED WITH IMPORTED FABRIC > FABRIC SELECTION TO BE APPROVED BY ARCHITECT > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > TO BE MADE IN 3 EQUAL MODULAR PIECES AND ASSEMBLED WITH INTERLOCKING SYSTEM > SIZE: 14'-0" X 3'-0" X 2'-9" (LXWXH)	2	No.		
5	3 SEATER SOFA				
	> SUPPORTED ON POWDER COATED MS LEGS > MDF FRAMEWORK PADDED WITH HIGHT QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC, APPROVED BY ARCHITECT > SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 8'-0" X 2'-9" X 2'-10" (LXWXH) (VISITOR LOUNGE)	1	No.		
6	2 SEATER SOFA - 02				
	> SUPPORTED ON POWDER COATED MS LEGS > MDF FRAMEWORK PADDED WITH HIGHT QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC, APPROVED BY ARCHITECT > SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE (LXWXH) 6'-6" X 2'-9" X 2'-10" (VISITOR LOUNGE)	1	No.		
7	2 SEATER SOFA (Product 04C)				
	> SUPPORTED ON POWDER COATED METAL LEGS > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC. > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 5'-6" X 2'-10" X 2'-10" (LXWXH) (CHIEF ROOMS)	2	No.		
8	WAITING CHAIRS				
	> FIXED VISITOR CHAIR > MOLDED FOAM > ITALIAN LEATHER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > BACK SHELL MADE OF WOOD VENEER . > HEIGHT ADJUSTABLE. > CUSTOMIZED SS. LEGS > LIFT APPROVED WITH SGS. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT.	4	No.		

9 CHAIRS - 02				
<ul style="list-style-type: none"> > SHEESHAM LEGS IN POLISH FINISH > MDF FRAME WORK, PADDED WITH FOAM, UPHOLSTERED WITH IMPORTED FABRIC, FABRIC SELECTION TO BE APPROVED BY ARCHITECT > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 3'-0" X 2'-10" X 2'-10" (LXWXH) (VISITORS LOUNGE) 	2	No.		
10 SINGLE SEAT SOFA (Product 07)				
<ul style="list-style-type: none"> > SUPPORTED ON SHEESHAM LEGS IN POLISH FINISH. > MDF/ WOOD FRAMEWORK. > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. UPHOLSTERED WITH TOP-QUALITY IMPORTED FABRIC > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 3'-0" X 2'-10" X 2'-10" (LXWXH) (CHIEF ROOMS) 	2	No.		
11 ACCENT CHAIR				
<ul style="list-style-type: none"> > POWDERCOATED MS BASE > MDF FRAME WORK, PADDED WITH FOAM > UPHOLSTERED WITH IMPORTED FABRIC > FABRIC SELECTION TO BE APPROVED BY ARCHITECT > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART > SEAT AND BACK. > SPRING: IMPORTED SPRING FOR STRONG SUPPORT. > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 1'-10" X 1'-7" X 3'-0" X 2'-10" (VISITORS LOUNGE) 	3	No.		
12 OFFICE CHAIRS - 03 (Product 09)				
<ul style="list-style-type: none"> > FIXED VISITOR CHAIR > MOLDED FOAM > ITALIAN LEATHER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > BACK SHELL MADE OF WOOD VENEER > HEIGHT ADJUSTABLE. > CUSTOMIZED SS. LEGS > LIFT APPROVED WITH SGS. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT. 	11	No.		
13 OFFICE CHAIR - 03 (Product 10)				
<ul style="list-style-type: none"> > FIXED VISITOR CHAIR > MOLDED FOAM > ITALIAN LEATHER OF ARCHITECT'S CHOICE OF COLOR & FINISH. > BACK SHELL MADE OF WOOD VENEER. > HEIGHT ADJUSTABLE. > CUSTOMIZED SS. LEGS > LIFT APPROVED WITH SGS. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT. 	6	No.		

14	OFFICE CHAIR - 01 (Product 11)				
	<p>CHAIRS (02)</p> <p>> FRAME MATERIAL: SHESHAM WOOD.</p> <p>> SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> SEAT FOAM (MOLTY OR MASTER) : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> FOAM DENSITY : 18 KG/ CUBIC CM.</p> <p>> BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS.</p> <p>> BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING.</p> <p>> THE ARMCHAIR IS BASED ON POWDER COATED METAL LEGS</p> <p>> THE LEG BASE MUST HAVE RUBBER GLIDES.</p> <p>> ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.</p> <p>TABLE (01)</p> <p>> PAINTED TAMPERED 12MM GLASS TOP TABLE</p> <p>> MS POWDER COATED FRAME (VERTICAL) 03 LEGS 8MM TH.</p> <p>> MS GLASS EDGING TO BE MADE MONOLITH WITH VERTICAL LEGS.</p> <p>> 12 INCHES ROUND BASE HAVING RUBBER GLIDES.</p> <p>> SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT.</p> <p>> CHAIR SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT + TABLE 16" DIA, 20" HEIGHT</p>	10	No.		
15	CONSOLE TABLE				
	<p>> 1 1/2" THICK SHEESHAM WOOD CONSOLE TABLE TOP IN MARBLE DIAGNOSE WHITE OR SIMILAR FINISH TO BE APPROVED BY ARCHITECT</p> <p>> SHEESHAM WOOD LEGS WITH 2" THICKNESS AND 12" DEPTH.</p> <p>> TABLE LEGS WITH RUBBER GLIDE.</p> <p>> SIZE: 4'-0" X 1'-9" X 2'-0" (LXWXH)</p>	2	No.		
16	LUXURY COFFEE TABLE				
	<p>> MARBLE PLINTH COFFEE TABLE WITH 2" BASE</p> <p>> MDF FRAME WITH MARBLE PASTED</p> <p>> MARBLE TO BE APPROVED BY ARCHITECT</p> <p>> (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)</p> <p>> SIZE: 5'-0"X 3'-0", 1'-3" H (VISITORS LOUNGE)</p>	1	No.		
17	NESTING COFFEE TABLES				
	<p>> MARBLE TOP COFFEE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH</p> <p>>MARBLE TO BE APPROVED BY ARCHITECT</p> <p>>(RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)</p> <p>> SIZE: 3'-3" DIA, 1'-6" H (VISITOR'S LOUNGE)</p> <p>> SIZE 2: 2'-8" DIA, 1'4" H</p>	1	No.		
18	ROUND TABLE (Product 15)				
	<p>> MARBLE TOP COFFEE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH</p> <p>> MARBLE TO BE APPROVED BY ARCHITECT</p> <p>> (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)</p> <p>> SIZE: 4'-6" DIA, 1'-4" H (VISITOR'S LOUNGE)</p> <p>> SIZE 2: 3'-3" DIA, 1'4" H</p>	2	No.		
19	CHIEF DESK				
	<p>> FINISH: POLISHED WOOD VENEER IN TWO TONES WITH MATCHING WOODEN LIPPING, DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.</p> <p>> DESK TOP THICKNESS IS (12 MM TOP+ 12 MM (CAVITY) 12 MM BOTTOM) WITH EMBEDDED FRAMING, HAVING LIPPING OF MATCHING COLOR.</p> <p>>HAVING CENTRAL LEATHER PANEL WITH 1 MM INSET OF 30 " LENGTH, 22" WIDTH.</p> <p>> MODESTY TO BE A PART OF THE WORKSTATION: SUSPENDED IN PLACE USING SS CLIPS.</p> <p>> MONLITHIC LEGS CONTINUED FROM THE DESKTOP.</p> <p>>WORKSTATION TO BE ANCHORED ON TOP OF SIDER RETURN USING MODULAR SCREW SYSTEM. MADE OF SS FIXTURES & FITTINGS.</p> <p>> WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP (SIDE RETURN ALIGNED)</p> <p>>HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6)</p> <p>SIZE: 5'-6"X 2'-6"X 2'-6" (LXWXH) SIDE RETURN (LXWXH) 4'-0" X 1'-6" X 2'-0"</p>	2	No.		

20 CHIEF CHAIRS				
> HIGH BACK WITH HEAD AND ARM REST BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF WOODEN PLY > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIECASTED ALUMINIUM BASE 350 MM. > LEATHEROID PADDED SEAT AND ARM REST > LUMBAR BACK SUPPORT. > IMPORTED LEATHER > TORSION BAR BASIC TILTING MECHANISM. > LIFT APPROVED WITH SGS. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT. TOP NOTCH QUALITY	2	No.		
21 DGM CHAIRS				
> LOW BACK WITH HEAD & ARM REST BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF NYLON + BLACK FIBER OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINIUM BASE 350 MM. > FABRIC PADDED SEAT > LUMBAR BACK SUPPORT. > MESH FABRIC. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT. > SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT.	3	No.		
22 LIBRARY DESK (Type 1)				
> FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > DESK TOP THICKNESS IS 25MM. HAVING LIPPING OF MATCHING COLOR. > SQUARE LEGS 'MS POWDER COATED'(TAPPERED) AT 15 DEGREE > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR. > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER. PROVISION TO BE SUPPLIED FOR TWO USERS. > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS > SIZE: 4' x 2'-0" (FOR STUDY)	3	No.		
23 LIBRARY DESK (Type 2)				
> FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > DESK TOP THICKNESS IS 25MM. HAVING LIPPING OF MATCHING COLOR. > SQUARE LEGS 'MS POWDER COATED'(TAPPERED) AT 15 DEGREE > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR. > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER. PROVISION TO BE SUPPLIED FOR TWO USERS. > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS > SIZE: 4' x 4'-0" (FOR STUDY)	2	No.		















24	WORKSTATIONS (to be shared by 2 persons)				
	> FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > DESK TOP THICKNESS IS 25MM. HAVING LIPPING OF MATCHING COLOR. > HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION > SQUARE LEGS 75S POWDER COATED(TAPERED) AT 15 DEGREE. > LEG WALL THICKNESS IS 20MM POWDER COATED TO SPECIFIC COLOUR. > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER. PROVISION TO BE SUPPLIED FOR TWO USERS. > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS. > TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD. > BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED. > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT. > SIZE: 5'-0"x4'-0" (LxW), 2'-6" DEEP	15	No.		
25	LIBRARIAN DESK				
	> FINISH: POLISHED WOOD VENEER IN TWO TONES WITH MATCHING WOODEN LIPPING. DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > DESK TOP THICKNESS IS (12 MM TOP+ 12 MM (CAVITY) 12 MM BOTTOM) WITH EMBEDDED FRAMING. HAVING LIPPING OF MATCHING COLOR. > HAVING CENTRAL LEATHER PANEL WITH 1 MM INSET OF 30 " LENGTH. 22" WIDTH. > MODESTY TO BE A PART OF THE WORKSTATION. SUSPENDED IN PLACE USING SS CLIPS. > MONOLITHIC LEGS CONTINUED FROM THE DESKTOP. > WORKSTATION TO BE ANCHORED ON TOP OF SIDER RETURN USING MODULAR SCREW SYSTEM. MADE OF SS FIXTURES & FITTINGS. > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP (SIDE RETURN ALIGNED) > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) > SIZE: (LXWXH) 5'-6"x 2'-6"x 2'-6" SIDE RETURN (LXWXH) 4'-0" X 1'-6" X 2'-0"	1	No.		
26	RECEPTION TABLE				
	> PROVIDING AND FIXING IN POSITION RECEPTION TABLE: > MADE OF 20mm OAK PLY HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED. ON TOP, FRONT AND SIDE WITH GROOVES. > 3/8" THICK LACQUERED DEODAR WOOD LIPPING ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE. >SIZE: 4'-4" X 2'-0" (3'-0" H) WITH 5'-6" X18" SIDE RETURN	1	No.		












27	RECEPTION CHAIR				
	> SHOULDER HEIGHT BACK REVOLVING CHAIR. > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM). > DIE CASTED ALUMINUM BASE 350 MM. > FABRIC PADDED SEAT > LUMBAR BACK SUPPORT. > MESH FABRIC. > TORSION BAR BASIC TILTING MECHANISM. > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM. > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT. > SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT.	1	No.		
28	ROUND TABLE (Product 24)				
	> FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH. > DESK TOP THICKNESS IS 25MM. HAVING LIPPING OF MATCHING COLOR > MOUNTED ON TOP OF MS POWDER COATED FRAME HAVING 2" DIA BASE AND 5" VERTICAL MOUNT. > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. > SIZE: 5'-0" DIA, 2'-6" HEIGHT FOR 6 PERSONS	1	No.		
29	SIDE TABLE (Product 25)				
	> SUPPLYING OCCASIONAL TABLE WITH CORIAN TOP AND CORIAN BASE > CORIAN TO BE APPROVED BY ARCHITECT (DUPONT OR EQUIVALENT AMERICAN CORIAN) > SIZE: 1'-8" x 1'-8" x 2'-0" (LxWxH)	2	No.		
30	SIDE TABLE (Product 26)				
	> MARBLE TOP SIDE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH > MARBLE TO BE APPROVED BY ARCHITECT > (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) > SIZE: 1'-8" x 1'-8" x 2'-0" (LxWxH)	2	No.		


31	SIDE TABLE (Product 27)				
	> SHEESHAM WOOD TOP IN POLISH FINISH WITH SHEESHAM WOOD CONICAL BASE WITH BRASS DETAILS > LEGS IN POLISH FINISH > SIZE: 1'-8" x 1'-8" x 2'-0" (LxWxH)	1	No.		
32	WABI SABI STYLE SIDE TABLE				
	> NESTING MARBLE TOP SIDE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH > MARBLE TO BE APPROVED BY ARCHITECT > (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) > SIZE: 18" DIA, 1'-10" H (VISITOR'S LOUNGE) > SIZE 2: 19" DIA, 2'-3" H	1	No.		
33	BOOK SHELVES				
	> THICK OAK PLY WITH OAK VENEER PASTED IN POLISH FINISH INCLUDING POLISHING WHEREVER REQUIRED AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT > SIZE: 9'-6" X 1'-0" X 6'-0" > 16MM (LXWXH)	11	No.		
34	PICTURE FRAME				
	> PICTURE FRAME WITH OIL / ACRYLIC ON CANVAS WITH APPROVED FRAME MADE OF WOOD / FIBRE > ALONG WITH ALL NECESSARY ACCESSORIES FOR HANGING AND SUSPENSION. > (Avg size 17 SQFT)	10	No.		
35	RUG				
	> SUPPLYING OF BEST QUALITY WOOLEN RUG OF MAKE: (EWC, ABBAS CARPETS OR EQUIVALENT) > (Avg size 27 SQFT)	10	No.		
36	PLANTER				
	P/F OF CUSTOMIZED PLANTER MADE OF CONCRETE WITH SMOOTH FINISH AND DECO PAINT OF APPROVED COLOR AND DESIGN. NOTE: THE CONTRACTOR SHALL MAKE AND APPROVE THE SAMPLE BEFORE EXECUTION. > AVERAGE SIZE: 1'-3"x1'X3"x 1'-3" (LxWxH)	28	No.		
37	PROVIDING AND SUPPLYING COAT HANGER MADE UP OF SHEESHAM WOOD FRAME, HANGER AND LEGS IN PREMIUM POLISH FINISH SEMI GLAZED, APPROVED UPON PHYSICAL INSPECTION BY ARCHITECT. SIZE: 2'6" x 4" (WxH)	4	No.		
38	SUBMITTALS, INSPECTIONS, OPERATION, DRAWINGS ETC.				
	SUBMITTALS, SAMPLES, INSPECTIONS, ETC.				
	SUBMITTALS, SAMPLES, INSPECTIONS, OPERATION AND MAINTENANCE MANUALS AND THE LIKE AS REQUIRED BY SPECIFICATION.	1	JOB		

39	SHOP DRAWINGS				
	PREPARATION AND SUBMISSION OF HARD AND SOFT (.dwg) COPIES OF SHOP DRAWINGS OF EVERY FURNITURE ITEM WHICH WILL BE FABRICATED / INSTALLED ON SITE.	1	JOB		
40	CABINET				
	> PROVIDING AND FIXING IN POSITION FLOOR STANDING CABINETS > MADE OF 18MM MDF PRESSED ON BOTH SIDES WITH LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) > DESKTOP LAMINATE OF ARCHITECT'S CHOICE OF COLOUR & FINISH. ARCHITECT'S CHOICE OF COLOUR & FINISH, ON TOP, FRONT AND SIDE WITH GROOVES FOR AESTHETICAL PURPOSE. HAVING SPACING AS PER ARCHITECT'S CHOICE TO BE FILLED WITH MATCHING COLORED SS PROFILE USING EPOXY. > INCLUDING DIVIDER, SHELVES AS RECOMMENDED > ALL CABINET TO HAVE SS LEGS WITH GLIDERS. > PROVISION OF ELECTRICAL LIGHT DETAILS AND COVES AS PER ARCHITECTS RECOMMENDATION WITH EACH DIVISION. > IMPORTED MAGNETIC HINGES > INCASE OF KITCHEN OR DRY PANTRY CABINETS PULL OUT AND TELESCOPIC DRAWER SHALL BE A PART OF THIS ITEM. > CONTRACTOR SHALL ENSURE PROVISION OF CONTROL SWITCH WITH BREAKER. IN CASE OF DRY CABINET TWO BREAKERS SHALL BE SUPPLIED ONE FOR LIGHTING OTHER FOR ACCESSORIES. > HINGED GLASS DOORS AS PER DRAWING > IN CASE OF ELECTRICAL CABINET THE CONTRACTOR WILL ENSURE MS FRAME WITH EARTHING FOR THE ENTIRE CARCASS OF THE CABINET WITH TAMPERED 12 mm GLASS (BLACK OR SUITABLE COLOR) WITH METAL FRAME OF 1/2 INCHES AS PER DRAWINGS, HAVING IN BUILT PULL HANDLES. HAVING LOCK AND KEY FOR EACH CABINET. THE SIZING OF THE DOORS AND THE COLOURS SHALL BE APPROVED BY THE ARCHITECT BEFORE CONSTRUCTION. > ALL DOORS TO HAVE SS PROFILE AS FINGER GRIP ON TOP OF MATCHING COLOR. > LOCK, AS PER APPROVED SAMPLE AND AS DIRECTED BY ARCHITECT. NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.				
A	OVERALL SIZE 5'-0"x1'-0" (LxW), 2'-6" (H)	1	No.		
B	OVERALL SIZE 4'-0"x1'-6" (LxW), 2'-6" DEEP	3	No.		
C	OVER ALL SIZE 11'-8" x 2'-2" x 9'-0" (LXWXH) Filling Cabinet 01	1	No.		
D	OVER ALL SIZE 11'-8" x 1'-7" x 3'-0" (LXWXH) Filling Cabinet 02	1	No.		
C	ELECTRICAL CABINET (13'-6" x 2'-0" x 9'-0")	1	No.		
41	PANTRY CABINET				
	PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED. ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LAQUERED DEODAR WOOD LIPPING/ UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD, COMPLETE WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE. FRONT FACE TO BE MEASURED FOR PAYMENT. NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.				
A	OVER ALL SIZE 10'-0" x 5'-3" x 8'-2" (LXWXH) KITCHEN CABINET	1	No.		
B	DRY PANTRY CABINET INCLUSIVE OF DUPONT (CORIAN COUNTER TOP & BACK SPLASH) 6'2" x 2'6" x 8" (LXWXH)	1	No.		
	FURNITURE COST OF 8th FLOOR				

ORDER LIST (ACCESSORIES)
PROJECT NAME: SL BUILDING NO. 09
8TH FLOOR

Room Name	Brand	Product Photo	Product Name	Description	Dimensions(ft)	Quantity	Rate	Amount
Handicap Bathroom			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
			Soap dispenser	wall mounted basic soap dispenser	2.5" Dia x 8"	1		
		SUB TOTAL						
Men's Bathroom			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	2		
			Soap dispenser	wall mounted basic soap dispenser	2.5" Dia x 8"	2		
		SUB TOTAL						
Executive Bath 2			Soap dispenser	Modern resin soap pump showcasing a cream ribbed finish and a matte black top pump	2.5" Dia x 8"	1		
			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
			Scent diffuser	Cream finish basic scent diffuser	2.4" Dia 8"	1		
			mini planter	mini indoor planter with a saucer made out of ceramic	4" Dia	1		
		SUB TOTAL						
Executive Bath1			Soap dispenser	Modern resin soap pump showcasing a cream ribbed finish and a matte black top pump	2.5" Dia x 8"	1		
			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	1		
			Scent diffuser	Cream finish basic scent diffuser	2.4" Dia 8"	1		
			mini planter	mini indoor planter with a saucer made out of ceramic	4" Dia	1		
		SUB TOTAL						
Women's Bathroom			Pedal bin	A simple clean black pedal bin which could be in plastic or metal	8" Dia x12"	2		
			Soap dispenser	wall mounted basic soap dispenser	2.5" Dia x 8"	2		


SUB TOTAL							
Library		Books	Books as per library requirement	_____	_____		
		Planter	white mini planters made out of ceramic	1'8"x1'9"x1'2"	8		
		decoration piece	twisted black marble décor piece	1'x1'2"x1'2"	6		
		decoration piece	White decoration piece made out of ivory man made stone	6"x3"x1'	7		
		decoration piece	Disk like decoration item made form ceramic and painted matte black standing on a sleek metal base	6"x3"x1'	6		
	SUB TOTAL						
Office 3		Rug	Grey circular rug with weaves in a concentric circular manner	8'6"x8'6"	1		
		Decorative pieces	Pair of decorative pieces made of metal and marble , both having different heights	4"x6"	1		
		planter	Planter having a metallic appearance with lush green foliage	2'7"x2'5"x5'4"	1		
		set of 2 books	_____	_____	1		
		Vase	Transparent glass vase with eucalyptus leaves	4"x8"	2		
		Artwork	Oil painting on canvas	5'x5'	1		
SUB TOTAL							

Office 5		Rug	Grey circular rug with weaves in a concentric circular manner	8'6"x8'6"	1		
		Decorative pieces	Pair of decorative pieces made of metal and marble , both having different heights	4"x6"	1		
		planter	Planter having a metallic appearance with lush green foliage	2'7"x2'5"x5'4"	1		
		set of 2 books			1		
		Vase	Transparent glass vase with eucalyptus leaves	4"x8"	2		
		Artwork	Oil painting on canvas	5'x5'	1		
	SUB TOTAL						
Waiting area		Artwork	Modern black and white abstract painting	2'11"x0'11"x4'2"	1		
		rug		8'10"x9'9"	1		
		Plant	Ceramic white plant with lush green foliage	3'8"x3'3"x6'4"	1		
		Magazine	-	1'6"x1'6"x0'2"	1		
		Table lamp	contemporary style lamp made of wood	11"x11"x1'4"	2		
		vase	Clear glass vase holding a plant	2.5"x4"	2		
		vase	ceramic vase with black and white stripes	4" Dia x 1'	1		
		Decoration piece	Black decorative dish made out of stone	0'7"x0'2"	1		
		potted plant	black fiberglass lightweight plant pot	2'11,2'8"x5'9"	2		
		Artwork	Pair of modern monochrome abstract painting	6'9"x4'2"	1		
Sub Total							
		modern folder	Modern folder for holding office files	1'2"x0'12"x1'3"	6		
		Office stationery	Desk top stationary organiser in plastic	1'0"x0'5"x1'2"	1		

STATE LIFE – MESA

FURNITURE PRESENTATION
6TH FLOOR

6th FLOOR PLAN FURNITURE LAYOUT



OFFICE FURNITURE

PRODUCT 1A


KEY
WORKSTATION TABLE TYPE 01

QUANTITY:
24
EACH TO BE SHARED BY 2 PERSONS




DESCRIPTION:

- SIZE 5'-0"x4'-0" (LxW), 2'-6" HEIGHT**
- > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
 - > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.
 - >HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION
 - > SQUARE LEGS "MS POWDER COATED"(TAPPERED) AT 15 DEGREE
 - > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR.
 - > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER; PROVISION TO BE SUPPLIED FOR TWO USERS.
 - >HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE.WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS.
 - > TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD.
 - > BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED.
 - > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT. SIZE



BOQ ITEM 01

PRODUCT 1B



KEY

 WORKSTATION TABLE
TYPE 02

QUANTITY

21
EACH TO BE SHARED BY 2
PERSONS




DESCRIPTION:

SIZE 4'-0"x4'-0" (LxW), 2'-6" HEIGHT

- > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.
- > HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION
- > SQUARE LEGS "MS POWDER COATED"(TAPERED) AT 15 DEGREE
- > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR.
- > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER; PROVISION TO BE SUPPLIED FOR TWO USERS.
- > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE.WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS.
- > TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD.
- > BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED.
- > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT.

BOQ ITEM 02

PRODUCT 2



KEY
CHIEF DESK

QUANTITY
7



DESCRIPTION:

- >SIZE: 7'-9" X 3'-0" (2'-6" HEIGHT); SIDE RETURN (2'-0" by 5'-0")
- FINISH: POLISHED WOOD VENEER IN TWO TONES WITH MATCHING WOODEN LIPPING, DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > DESK TOP THICKNESS IS (12 MM TOP+ 12 MM (CAVITY) 12 MM BOTTOM) WITH EMBEDDED FRAMING, HAVING LIPPING OF MATCHING COLOR.
- >HAVING CENTRAL LEATHER PANEL WITH 1 MM INSET OF 30 " LENGTH. 22" WIDTH.
- > MODESTY TO BE A PART OF THE WORKSTATION: SUSPENDED IN PLACE USING SS CLIPS.
- > MONLITHIC LEGS CONTINUED FROM THE DESKTOP.
- >WORKSTATION TO BE ANCHORED ON TOP OF SIDER RETURN USING MODULAR SCREW SYSTEM. MADE OF SS FIXTURES & FITTINGS.
- > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP (SIDE RETURN ALIGNED)
- >HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6)

BOQ ITEM 03


PRODUCT 3

KEY

MEETING ROOM TABLE

QUANTITY


3



DESCRIPTION:

- > SIZE 7'-6"X3'-9" (LXW), 3'-0" HEIGHT FOR 6 PERSONS
- > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.
- >ALUMINUM CASTED METAL BASE WITH WHITE POWDER COAT> TECHNOLOGY BOX (02) TO BE A PART OF THIS ITEM (1 LIVE: 1 UPS: 1 HDMI EACH) THE HDMI CABLE IS TO BE SUPPLIED BY THE VENDOR FOR CONNECTION BETWEEN THE TV AND THE TECH. BOX. (APPROX LENGTH 10 LENGTH)
- >WITH A MS POWDER COATED RISER IN CENTER WIDTH ALIGNED FOR CABLE AND ACCESSORY INTERCONNECTION BETWEEN FLOOR AND LAMINATE TOP.
- >CABLE MANAGEMENT TRAY TO RUN HORIZONTALLY FROM THE RISER 1.2 MM TH POWDER COATED MS.
- > RATES TO INCLUDE ALL NECESSARY ACCESSORIES.
- > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 4



KEY
 DGM Desk


QUANTITY
8



DESCRIPTION:

- >SIZE: (LXWXH) 5'-6"X 2'-6"X 2'-6"| SIDE RETURN (LXWXH) 4'-0" X 1'-6" X 2'-0"**
- > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
 - > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR
 - > HAVING CENTRAL LEATHER PANEL WITH 1 MM INSET OF 30 " LENGTH. 22" WIDTH.
 - > MODESTY TO BE A PART OF THE WORKSTATION: SUSPENDED IN PLACE USING SS CLIPS.
 - > MONLITHIC LEGS CONTINUED FROM THE DESKTOP.
 - > WORKSTATION TO BE ANCHORED ON TOP OF SIDER RETURN USING MODULAR SCREW SYSTEM. MADE OF SS FIXTURES & FITTINGS.
 - > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP (SIDE RETURN ALIGNED)
 - > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6)

PRODUCT 5




KEY



MEETING ROOM TABLE TYPE 02

QUANTITY

2




DESCRIPTION:

- SIZE 5'-0" DIA, 2'-6" HEIGHT FOR 6 PERSONS**
- > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
 - > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR > MOUNTED ON TOP OF MS POWDER COATED FRAME HAVING 2' DIA BASE AND 5" VERTICAL MOUNT.
 - > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

BOQ ITEM 06

PRODUCT 6A



KEY

OFFICE CHAIR (STAFF)

QUANTITY

90




DESCRIPTION:

- > **SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MIDBACK**
- > SHOULDER HEIGHT BACK REVOLVING CHAIR.
- > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).
- > DIE CASTED ALUMINUM BASE 350 MM.
- > FABRIC PADDED SEAT
- > LUMBAR BACK SUPPORT.
- > MESH FABRIC.
- > TORSION BAR BASIC TILTING MECHANISM.
- > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.
- > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT.

BOQ ITEM 07

PRODUCT 6B




DESCRIPTION:

- > **SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT.**
 - > LOW BACK WITH HEAD & ARM REST BACK REVOLVING CHAIR.
 - > CHAIR FRAME MADE OF NYLON + BLACK FIBER OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
 - > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).
 - > DIE CASTED ALUMINUM BASE 350 MM.
 - > FABRIC PADDED SEAT
 - > LUMBAR BACK SUPPORT.
 - > MESH FABRIC.
 - > TORSION BAR BASIC TILTING MECHANISM.
 - > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.
 - > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT
- SCRIPTION:

BOQ ITEM 08

PRODUCT 6B



KEY
CHIEF CHAIR

QUANTITY
7




DESCRIPTION:

- > **SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT.TOP NOTCH QUALITY**
- > HIGH BACK WITH HEAD AND ARM REST BACK REVOLVING CHAIR.
- > CHAIR FRAME MADE OF WOODEN PLY
- > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).
- > DIECASTED ALUMINIUM BASE 350 MM.
- > LEATHEROID PADDED SEAT AND ARM REST
- > LUMBAR BACK SUPPORT.
- > IMPORTED LEATHER
- > TORSION BAR BASIC TILTING MECHANISM.
- > LIFT APPROVED WITH SGS.
- > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.

BOQ ITEM 09

PRODUCT 7A



KEY
GUEST CHAIRS

QUANTITY
16




DESCRIPTION:

- SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT.**
- > FIXED VISITOR CHAIR,
 - > MOLDED FOAM
 - > ITALIAN LEATHER OF ARCHITECT'S CHOICE OF COLOR & FINISH.
 - > BACK SHELL MADE OF WOOD VENEER .
 - > HEIGHT ADJUSTABLE.
 - > CUSTOMIZED SS. LEGS
 - > LIFT APPROVED WITH SGS.
 - > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

BOQ ITEM 10

PRODUCT 7B



KEY



MEETING CHAIRS

QUANTITY

27





DESCRIPTION:

- > **SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MIDBACK**
- > SHOULDER HEIGHT BACK REVOLVING CHAIR.
- > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).
- > DIE CASTED ALUMINUM BASE 350 MM.
- > FABRIC PADDED SEAT
- > LUMBAR BACK SUPPORT.
- > MESH FABRIC.
- > TORSION BAR BASIC TILTING MECHANISM.
- > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.
- > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT.

BOQ ITEM 11

PRODUCT 8



KEY
 WAITING CHAIRS


QUANTITY
21



DESCRIPTION:

- > **SIZE: 30" WIDTH, 24" DEPTH, 39" HEIGHT.**
- > **FRAME MATERIAL:SHEESHAM WOOD**
- > **SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOUR & FINISH.**
- > **SEAT FOAM : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOUR & FINISH.**
- > **FOAM DENSITY (MASTER OR MOLTY) : 18 KG/ CUBIC CM. > BACK FOAM (MASTER OR MOLTY) : POLYURETHANE FOAM WITH SILICON FILL AT ARMS.**
- > **BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING.**
- > **THE ARMCHAIR IS BASED ON MS POWDER COATED METAL LEGS.**
- > **THE LEG BASE MUST HAVE RUBBER PADDING.**
- > **ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.**


PRODUCT 9



DESCRIPTION:

- > **CHAIR SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT + TABLE 16" DIA, 20" HEIGHT**
- CHAIRS (02)**
- > FRAME MATERIAL: SHESHAM WOOD.
- > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > SEAT FOAM (MOLTY OR MASTER) : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > FOAM DENSITY : 18 KG/ CUBIC CM.
- > BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS.
- > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING.
- > THE ARMCHAIR IS BASED ON POWDER COATED METAL LEGS
- > THE LEG BASE MUST HAVE RUBBER GLIDES.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.
- TABLE (01)**
- >PAINTED TAMPERED 12MM GLASS TOP TABLE
- >MS POWDER COATED FRAME (VERTICAL) 03 LEGS 8MM TH.
- >MS GLASS EDGING TO BE MADE MONOLITH WITH VERTICAL LEGS.
- >12 INCHES ROUND BASE HAVING RUBBER GLIDES.

PRODUCT 10



KEY
[Blue square] CONSOLE TABLE

QUANTITY
7



DESCRIPTION:

- > SIZE: 4'-0" X 1'-9" X 2'-0" (LXWXH)
- >1 1/2" THICK SHEESHAM WOOD CONSOLE TABLE TOP IN MARBLE DIAGNOSE WHITE OR SIMILAR FINISH TO BE APPROVED BY ARCHITECT,
- >SHEESHAM WOOD LEGS WITH 2" THICKNESS AND 12" DEPTH.
- >TABLE LEGS WITH RUBBER GLIDE.

PRODUCT 11

KEY



SINGLE SEATER SOFA

QUANTITY

11



DESCRIPTION:

(LXWXH) 3'-0" X 2'-10" X 2'-10" (CHIEF ROOMS) (07)

(LXWXH) 3'-0" X 2'-10" X 2'-10" (VISITORS LOUNGE) (04)

>SUPPORTED ON SHEESHAM LEGS IN POLISH FINISH.

> MDF/ WOOD FRAMEWORK,


> SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. UPHOLSTERED WITH TOP-QUALITY IMPORTED FABRIC

> SPRING: IMPORTED SPRING FOR STRONG SUPPORT.

> ALL FABRICS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

BOQ ITEM 15

PRODUCT 12



KEY

SOFA FOR 2 (TYPE 1)

QUANTITY

7



DESCRIPTION:

- (LXWXH) 5'-0" X 2'-10" X 2'-10" (CHIEF ROOMS)
- >SUPPORTED ON POWDER COATED METAL LEGS
 - > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC.
 - > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
 - > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
 - > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 13

KEY



OCCASIONAL TABLE 01

QUANTITY

7




DESCRIPTION:

- > **SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)**
- > >OCCASIONAL TABLE WITH 12 MM THICK TINTED GLASS TOP,
- >SHEESHAM WOOD TAPERED BASE IN POLISH FINISH, FINISHES TO BE APPROVED BY ARCHITECT

BOQ ITEM 17

PRODUCT 14



KEY
FLOOR CABINETS

QUANTITY
53



DESCRIPTION:

- SIZE (5'-0" x 1'-0" x 2'-6") WORKSTATIONS (12)
- SIZE (4'-0" x 1'-6" x 2'-6") WORKSTATIONS (9)
- SIZE (4'-0" x 1'-6" x 6'-1") STORAGE CABINET TYPE 01 (5)
- SIZE (2'-11" x 1'-6" x 6'-1") STORAGE CABINET TYPE 02 (20)
- SIZE (3'-6" x 1'-6" x 6'-1") STORE ROOM TYPE 03 (5)
- SIZE (6'-2" x 2'-2" x 9'-6") LOUNGE (1)
- >ELECTRICAL CABINET (13'-6" x 2'-0" x 9'-6") (1)
- >PROVIDING AND FIXING IN POSITION FLOOR STANDING CABINETS;
- >MADE OF 18MM MDF PRESSED ON BOTH SIDES WITH LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT)
- >DESKTOP LAMINATE OF ARCHITECT'S CHOICE OF COLOUR & FINISH. ARCHITECT'S CHOICE OF COLOUR & FINISH, ON TOP, FRONT AND SIDE WITH GROOVES FOR AESTHTICAL PURPOSE. HAVING SPACING AS PER ARCHITECTS CHOICE TO BE FILLED WITH MATCHING COLORED SS PROFILE USING EPOXY.
- >INCLUDING DIVIDER, SHELVES AS RECOMMENDED
- >IMPORTED MAGNETIC HINGES,
- > ALL DOORS TO HAVE SS PROFILE AS FINGER GRIP ON TOP OF MATCHING COLOR.
- >LOCK, AS PER APPROVED SAMPLE AND AS DIRECTED BY ARCHITECT. NOTE:
- >CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.


LOUNGE FURNITURE

PRODUCT 15a

KEY

LOUNGE CHAIR (TYPE 01)

QUANTITY
3




BOQ ITEM 19



DESCRIPTION:

- (LXWXH) 3'-0" X 2'-10" X 2'-10" (ENTRANCE)
- >SHEESHAM LEGS IN POLISH FINISH
 - > MDF FAME WORK, PADDED WITH FOAM, UPHOLSTERED WITH IMPORTED FABRIC, FABRIC SELECTION TO BE APPROVED BY ARCHITECT
 - > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
 - > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
 - > ALL FABRICS ANDFINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 15B



KEY



LOUNGE CHAIR (TYPE 2)

QUANTITY

2



DESCRIPTION:


- (LxWxH) 3'-0" x 3'-0" x 2'-10" (VISITORS LOUNGE)
- >POWDERCOATED MS BASE
 - > MDF FAME WORK, PADDED WITH FOAM, UPHOLSTERED WITH IMPORTED FABRIC, FABRIC SELECTION TO BE APPROVED BY ARCHITECT
 - > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
 - > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
 - > ALL FABRICS ANDFINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.
- (LXWXH) 3'-0" X 2'-10" X 2'-10" (VISITORS LOUNGE)

BOQ ITEM 20

PRODUCT 16

KEY
SOFA FOR 2 (TYPE 1)

QUANTITY
2



DESCRIPTION:


- > (LXWXH) 7'-0" X 2'-9" X 2'-10" (VISITOR LOUNGE)
- > SUPPORTED ON POWDER COATED MS LEGS
- > MDF FRAMEWORK PADDED WITH HIGHT QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC, APPROVED BY ARCHITECT
- > SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

BOQ ITEM 21

PRODUCT 16

KEY
SOFA FOR 2 (TYPE 2)

QUANTITY
2




DESCRIPTION:

- > (LXWXH) 7'-0" X 2'-9" X 2'-10" (VISITOR LOUNGE)
- > SUPPORTED ON POWDER COATED MS LEGS
- > MDF FRAMEWORK PADDED WITH HIGHT QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC, APPROVED BY ARCHITECT
- > SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

BOQ ITEM 21

PRODUCT 17



KEY
SOFA FOR 2 (TYPE 3)

QUANTITY
2



DESCRIPTION:

- > **SIZE: (LXWXH) 6'-6" X 2'-10" X 2'-10" (ENTRANCE)**
- > SUPPORTED ON POWDER COATED METAL LEGS
- > MDF FRAMEWORK PADDED WITH HIGH QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC APPROVED BY ARCHITECT
- > SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

BOQ ITEM 22

PRODUCT 18A


KEY



COFFEE TABLE (TYPE 1)

QUANTITY

1




DESCRIPTION:

- **SIZE: 5'-0"X3'-0", 1'-6" H (VISITORS LOUNGE)**
- MARBLE COFFEE TABLE WITH MARBLE LEGS, MARBLE TO BE APPROVED BY ARCHITECT
- (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)

BOQ ITEM 23

PRODUCT 18B




DESCRIPTION:

- > SIZE: 2'-9" DIA, 1'-6" H (ENTRANCE WAITING)
- > MARBLE TOP COFFEE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)

BOQ ITEM 24

PRODUCT 19




DESCRIPTION:

- > SIZE: 1'-8" x 1'-8" x 2'-0" (LxWxH)
- >SUPPLYING OCCASIONAL TABLE WITH CORIAN TOP AND CORIAN BASE, CORIAN TO BE APPROVED BY ARCHITECT (DUPONT OR EQUIVALENT AMERICAN CORIAN)
- > SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)

BOQ ITEM 25

PRODUCT 20




DESCRIPTION:

- > **SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)**
- > > SUPPLYING OCASIONAL TABLE WITH MARBLE TOP (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT) RESTING ON POWDERCOATED 2" WIDE MS LEGS WITH 15" BASE DIA

BOQ ITEM 26

PRODUCT 21



DESCRIPTION:

SIZE: 4'-4" X 2'-0" (3'-0" H) WITH 5'-6" X18" SIDE RETURN
>PROVIDING AND FIXING IN POSITION RECEPTION TABLE;
>MADE OF 20mm OAK PLY HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES;
>3/8" THICK LACQUERED DEODAR WOOD LIPPING ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER.

NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.

PRODUCT 22


KEY



RECEPTION CHAIR

QUANTITY

1



DESCRIPTION:

- > **SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MIDBACK**
- > SHOULDER HEIGHT BACK REVOLVING CHAIR.
- > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).
- > DIE CASTED ALUMINUM BASE 350 MM.
- > FABRIC PADDED SEAT
- > LUMBAR BACK SUPPORT.
- > MESH FABRIC.
- > TORSION BAR BASIC TILTING MECHANISM.
- > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.
- > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT.

BOQ ITEM 28



CAFETERIA/ PANTRY FURNITURE

PRODUCT 23A, 23B



- KEY**
- Table
 - Dining Chairs

- QUANTITY**
- 31
 - 22



- PANTONE 11-0601 TCX
- PANTONE 4545

- DESCRIPTION:
- > GRANITE / ARTIFICIAL GRANITE TOP.
 - > M.S. FRAME, POWDER COATED, DISTRIBUTED SUPPORT.
 - > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.
 - > > SIZE: 2'-6" X 1'-6" X 3'-0" (LXWXH) (15)
 - > > SIZE: 2'-6" X 2'-6" X 3'-0" (LXWXH) (9)
 - > > FRAME MATERIAL: MDF
 - > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
 - > SEAT FOAM : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
 - > FOAM DENSITY : 18 KG/ CUBIC CM.
 - > BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS.
 - > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING.
 - > THE ARMCHAIR IS BASED ON POWDER COATED MS LEGS
 - > THE LEG BASE MUST HAVE RUBBER PADDING.
 - > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 24


KEY



Kitchen cabinets with Island

QUANTITY

1



DESCRIPTION:

- OVER ALL SIZE 12'-9" x 8'-1" x 8'-8" (LXWXH) (CORIAN COUNTER TOP & BACK SPLASH) LW KITCHEN WITH ISLAND
- PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LACQUERED DEODAR WOOD LIPPING/ UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD. COMPLETE WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE.
- FRONT FACE TO BE MEASURED FOR PAYMENT.
- NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.

PRODUCT 25


KEY



SW Pantry cabinet

QUANTITY

1




DESCRIPTION:

- DRY PANTRY CABINET INCLUSIVE OF DUPONT (CORIAN COUNTER TOP & BACK SPLASH) 6'2" x 2'6" x 8' (LXWXH)
- PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LACQUERED DEODAR WOOD LIPPING/UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD.COMPLET WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE.
- FRONT FACE TO BE MEASURED FOR PAYMENT.
- NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.

STATE LIFE – MESA


FURNITURE PRESENTATION
7TH FLOOR

7th FLOOR PLAN FURNITURE LAYOUT



OFFICE FURNITURE

PRODUCT 01




DESCRIPTION:

- **SIZE 9'-0"X3'-0" (LXW), 2'-6" HEIGHT**
- **SIDE RETURN 5'-0" X 2'-0" (LXW), 2'-0" HEIGHT**
- DESK TOP THICKNESS IS 30 MM.
- MDF VENEER WOODEN SURFACES: MADE OF MDF 30 MM. THICKNESS, COATED ON BOTH SIDES (TWO TONES) WITH WOOD VENEER THICKNESS. 0.6 MM. AND EDGING STRIP WITH SOLID WOOD THICKNESS. 1 MM. ROUNDED WITH A RADIUS OF 2 MM
- WITH CABLE MANAGEMENT AND BIOMETRIC LOCKING MECHANISM, INCLUDED IN SIDE RETURN FOR SECURITY.
- TABLE PEDESTALS TO BE MADE OF CURVED STEAM BENT WOOD WITH HIGH STRENGTH DECO POLISH.
- THE BASE OF THE TABLE WILL HAVE FLUTED WOODEN DETAIL OF MATCHING COLOUR AND LIGHT PELMET (MADE OF SS INSET) TO BE A PART OF FULL MODESTY FROM TOP TO BOTTOM ATTACHED TO THE TABLE.
- 100MM X 40MM TEAK WOOD FOOTREST WITH POLISHING AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT.
- 3 X 3 FEET SQUARE PLEXI GLASS (10 MM) CLEAR TO BE INCLUSIVE IN COST TO AS CHAIR GLIDE.
- INCLUDING POLISHING WHEREVER REQUIRED AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT.
- ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

BOQ ITEM 01

PRODUCT 02



KEY

 CEO CHAIR

QUANTITY

1




DESCRIPTION:

- >**DIMENSIONS 810 X 810 X 1200 MM**
- >AUTHENTIC GENUINE LEATHER (ITALIAN), WITH INTERNAL HIGH-DENSITY S-SHAPED SPRINGS, WEBBING, AND DENSE FOAM PADDING INSIDE.
- > TOP QUALITY
- > HIGH BACK WITH HEAD REST BACK REVOLVING CHAIR.
- >MULTIFUNCTIONAL BASE WITH TILT AND LOCK FUNCTIONS FOR REASONABLE AND CONVENIENT SERVICE.
- >ALUMINUM FIVE-STAR LEGS WITH CASTERS PROVIDE STABLE SUPPORT.
- > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).
- > DIECASTED ALUMINIUM BASE 400 MM.
- > LUMBAR BACK SUPPORT.
- > TORSION BAR BASIC TILTING MECHANISM.
- > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT

BOQ ITEM 02


PRODUCT 03



DESCRIPTION:

- >**DIMENSIONS 600 X 560 X 800 MM**
- > AUTHENTIC GENUINE LEATHER (ITALIAN), WITH INTERNAL HIGH-DENSITY S-SHAPED SPRINGS, WEBBING, AND DENSE FOAM PADDING INSIDE.
- > TOP QUALITY
- > MEDIUM BACK STATIONARY CHAIR.
- >ALUMINUM BASE.
- > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM) HEIGHT ADJUSTMENT ONLY.
- > DIECASTED ALUMINIUM BASE 300 MM.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT

PRODUCT 04




DESCRIPTION:

- >SIZE: 16" DIA, 20" HEIGHT
- > TINTED GLASS TOP OCCASIONAL TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH , GLASS TO BE APPROVED BY ARCHITECT

BOQ ITEM 04

PRODUCT 05




DESCRIPTION:

- > **SIZE: 30" WIDTH, 24" DEPTH, 36" HEIGHT.**
- >SUPPORTED ON SHEESHAM LEGS IN POLISH FINISH.
- > MDF/ WOOD FRAMEWORK,
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. UPHOLSTERED WITH TOP-QUALITY IMPORTED FABRIC
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

BOQ ITEM 05

PRODUCT 06



KEY

COFFEE TABLE -01

QUANTITY


1



DESCRIPTION:

- > **SIZE: 5'-0" x 3'-6" x 1'-8" (LxWxH)**
- > > MARBLE TOP COFFEE TABLE WITH SHEESHAM WOOD BASE IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)


PRODUCT 07



DESCRIPTION:

- > **SIZE: (LXWXH) 8'-0" X 3'-3" X 2'-6"**
- > >SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH
- > >UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC.
- > >SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > >SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > >ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 08




DESCRIPTION:

- **SIZE: 4'-6" X 1'-6" X 3'-0" (LXWXH)**
- **1 1/2" THICK POWDER COATED MS LEGS**
- TOP IN MARBLE DIAGNOSE WHITE OR SIMILAR FINISH TO BE APPROVED BY ARCHITECT,**
- >TABLE LEGS WITH RUBBER GLIDE.**

BOQ ITEM 08

PRODUCT 09





DESCRIPTION:

- > SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)
- >OCCASIONAL TABLE WITH SHEESHAM TOP IN POLISH FINISH
- >OAK WOOD TAPERED BASE IN POLISH FINISH UPHOLSTERES IN LEATHER, FINISHES TO BE APPROVED BY ARCHITECT

BOQ ITEM 09


PRODUCT 10



DESCRIPTION:

> **SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)**
> MARBLE TOP SIDE TABLE WITH SHEESHAM WOOD BASE IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)

PRODUCT 11



KEY

 TWO SEATER LEATHER SOFA - 02

QUANTITY

1



DESCRIPTION:

- > **Size: (LxWxH) 6'-6" x 3'-3" x 2'-9"**
- > SUPPORTED ON POWDER COATED METAL LEGS
- > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC.
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 12 A


KEY



BOOKSHELF

QUANTITY

2



DESCRIPTION:

- **SIZE: (LxWxH) 11'-6" x 1'-3" x 9'-6"**
- OAK PLY SHLEIVING UNIT WITH OAK VENEER PASTED ON CABINET SHUTTERS FINISHED IN POLISH FINISH
- CABINET SHUTTERS TO BE MADE WITH 8MM TINTED TEMPERED GLASS IN DECO PAINTED MS FRAME
- ALL CABINETS SHUTTERS TO HAVE PUSH MECHANISM HARDWARE
- EXPOSED BACK WALL TO BE MADE OF MARBLE (RIO BLUE, BLYUE ONYX, SILVER TRAVETINE, BLUEBERRY OR EQUIVALENT)
- EXPOSED SHELVES TO BE MADE IN MILD STEEL WITH POWDER COATED FINISH
- ALL MARBLES AND FINISHES TO BE APPROVED BY ARCITECT

BOQ ITEM 12

PRODUCT 12 B


KEY



BOOKSHELF

QUANTITY

2



DESCRIPTION:

- **SIZE: (LxWxH) 7'-10" x 1'-3" x 9'-6"**
- OAK PLY SHLEIVING UNIT WITH OAK VENEER PASTED FINISHED IN POLISH FINISH
- FRAME TO BE MADE IN MS WITH POWDER COATED FINISH

PRODUCT 13

KEY

TV CONSOLE

QUANTITY

1




DESCRIPTION:

- **SIZE: 24'-6" X 1'-6" X 1'-0" (LXWXH)**
- SUPPLYING AND FABRICATION OF TV CONSOLE UNIT USING OAK PLY WITH WOOD VENEER POLISHED FINISH WITH LED PELMIT BACK WALL, DRAWERS AND SHELVES AS PER DRAWINGS.
- TV CONSOLE SHAL CONSIST OF BASIC FRAMING MADE OF SHESHAM WITH OAK VENEER (POLISHED) WOOD ON TOP.
- >MS FRAME HAVING A SPACING OF 2 FEET BY 2 FEET MADE OF 1" SQUARE PIPE WITH AN OFFSET OF 1" FROM THE WALL MADE OF 12 SWG METAL SECTIONS AS THE FRAMING TO HOST MARBLE ON.
- >BACKLIT MARBLE (RIO BLUE OR EQUIVALENT) TO BE USED AND SOURCED FROM SINGLE QUARY HAVING SEAMLESS GRAINS AND PATTERNS FOR INTEGRATION HAVING MITERED EDGE (MARBLE TO BE 1" TH.) MITER 8MM.
- > BACKLIT LIGHT SHOULD BE A PROFILE TYPE SERVICABLE (DETACHABLE). WARM IN COLOR.
- > INCLUSIVE OF TV MOUNT 150 DEGREE BOTH SIDES ADJUSTABLE WITH CABLE MANAGEMENT.
- CONSOLE TO BE A PART OF THIS ITEM (EDGE TO EDGE ALONG WITH THE LENGTH OF ENTIRE TV WALL HAVING DRAWERS
- >EVERY DRAWER TO BE ISO COMPLIANT.
- >OAK PLY WITH OAK VENEER TOP AND INSIDE TO BE POLISH FINISHED.
- >CONSOLE TO HAVE PULL OUT AND HINGED DRAWERS. EACH DRAWER AND BOX UNIT TO HAVE A SATIN EDGE AND LIPPING.

BOQ ITEM 14

PRODUCT 14



KEY



EXECUTIVE CONFERENCE TABLE

QUANTITY

1


DESCRIPTION:

- **SIZE: (LxWxH) 19'-0" x 5'-0" x 2'-6" FOR 16 PERSONS**
- > OAK WOOD TOP WITH WOOD ROUND MOULDING FOR TABLE EDGES AND SUPPORTED ON DECO PAINTED MS PLATFORM MADE OF 10 SWG MS SHEET METAL.
- > HAVING 10" WIDE 1/2" THICK LEATHER APRON IN THE MIDDLE.
- > LENGTH OF THE LEATHER TO BE 80% OF THE TOTAL LENGTH. 1/4" THICK GROOVE ON THE EDGES BETWEEN LEATHER AND WOODEN TOP.
- > THE TOP APRON MUST HAVE PROVISION FOR CABLE MANAGEMENT AND POP-UP MULTI SOCKET BOARD (03 NO. HAVING 1 UPS 2 LIVE; 1 HDMI: 1 USB CHARGING EACH)
- > HAVING SPINE OR APPROPRIATE RISER FOR CABLES FROM THE FLOOR AT MULTIPLE POINTS.
- > ALL INTERNAL SURFACE COVERED WITH 0.8MM WOOD VENEER
- > ALL EXTERNAL SURFACES COVERED WITH 1.0MM WOOD VENEER OF APPROVED COLOUR.
- > RATES TO INCLUDE ALL NECESSARY ACCESSORIES.
- > INCLUDING POLISHING WHEREVER REQUIRED AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.



BOQ ITEM 15

PRODUCT 15




DESCRIPTION:

>DIMENSIONS 810 X 810 X 1040 MM

- AUTHENTIC GENUINE LEATHER (ITALIAN), WITH INTERNAL HIGH-DENSITY S-SHAPED SPRINGS, WEBBING, AND DENSE FOAM PADDING INSIDE.
- TOP QUALITY
- HIGH BACK WITH HEAD REST BACK REVOLVING CHAIR.
- MULTIFUNCTIONAL BASE WITH TILT AND LOCK FUNCTIONS FOR REASONABLE AND CONVENIENT SERVICE.
- ALUMINUM FIVE-STAR LEGS WITH CASTERS PROVIDE STABLE SUPPORT.
- MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).
- DIECASTED ALUMINIUM BASE 400 MM.
- LUMBAR BACK SUPPORT.
- TORSION BAR BASIC TILTING MECHANISM.
- THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.
- ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT

PRODUCT 16




DESCRIPTION:

- > **SIZE: 16'-0" x 1'-6" x 1'-0" (LxWxH)**
- SUPPLYING AND FABRICATION OF TV CONSOLE UNIT USING OAK PLY WITH WOOD VENEER POLISHED FINISH WITH LED PELMIT BACK WALL, DRAWERS AS PER DRAWINGS.
- TV CONSOLE SHAL CONSIST OF BASIC FRAMING MADE OF SHESHAM WITH OAK VENEER (POLISHED) MARBLE TOP.
- >MS FRAME HAVING A SPACING OF 2 FEET BY 2 FEET MADE OF 1" SQUARE PIPE WITH AN OFFSET OF 1" FROM THE WALL MADE OF 12 SWG METAL SECTIONS AS THE FRAMING TO HOST MARBLE ON.
- >BACKLIT MARBLE (RIO BLUE OR EQUIVALENT) TO BE USED AND SOURCED FROM SINGLE QUARY HAVING SEAMLESS GRAINS AND PATTERNS FOR INTEGRATION HAVING MITERED EDGE (MARBLE TO BE 1" TH.) MITER 8MM.
- > BACKLIT LIGHT SHOULD BE A PROFILE TYPE SERVICABLE (DETACHABLE). WARM IN COLOR.
- > INCLUSIVE OF TV MOUNT 150 DEGREE BOTH SIDES ADJUSTABLE WITH CABLE MANAGEMENT.
- CONSOLE TO BE A PART OF THIS ITEM (EDGE TO EDGE ALONG WITH THE LENGTH OF ENTIRE TV WALL HAVING DRAWERS
- >EVERY DRAWER TO BE ISO COMPLIANT.
- >OAK PLY WITH OAK VENEER TOP AND INSIDE TO BE POLISH FINISHED.
- >CONSOLE TO HAVE PULL OUT AND HINGED DRAWERS. EACH DRAWER AND BOX UNIT TO HAVE A SATIN EDGE AND LIPPING.

BOQ ITEM 17

PRODUCT 17




DESCRIPTION:

- (LxWxH) 3'-0" x 2'-10" x 2'-10"
- >POWDERCOATED MS BASE
- > MDF FRAME WORK, PADDED WITH FOAM, UPHOLSTERED WITH IMPORTED FABRIC, FABRIC SELECTION TO BE APPROVED BY ARCHITECT
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.
- (LXWXH) 3'-0" X 2'-10" X 2'-10" (VISITORS LOUNGE)

BOQ ITEM 18


PRODUCT 18



DESCRIPTION:

- > SIZE: 1'-7" x 1'-7" x 2'-0" (LxWxH)
- > SHEESHAM WOOD TOP IN POLISH FINISH WITH SHEESHAM WOOD CONICAL BASE WITH BRASS DETAILS LEGS IN POLISH FINISH

PRODUCT 19




DESCRIPTION:

- **SIZE: 5'-0" x 3'-6" x 1'-6" (LxWxH)**
- 12 TINTED GLASS TOP MOUNTED ON SHEESHAM WOOD LEGS (6" DIA) IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT

BOQ ITEM 20

PRODUCT 20



KEY



CURVED MULTIPURPOSE
SOFA-03

QUANTITY


1



DESCRIPTION:

- > (LxWxH) 14'-6" x 7'-6" x 2'-10"
- > MDF FAME WORK, PADDED WITH FOAM, UPHOLSTERED WITH IMPORTED FABRIC
- > FABRIC SELECTION TO BE APPROVED BY ARCHITECT
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS ANDFINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.
- > TO BE MADE IN 2 EQUAL MODULAR PIECES AND ASSEMBLED WITH INTERLOCKING SYSTEM

PRODUCT 21



KEY
 OFFICE DESK

QUANTITY
4




DESCRIPTION:

- > **SIZE: 5'-6" X 2'-3" (2'-6" HEIGHT); SIDE RETURN (1'-3" by 3'-6")**
- FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.
- > HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION
- > SQUARE LEGS "MS POWDER COATED"(TAPERED) AT 15 DEGREE
- > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR.
- > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER; PROVISION TO BE SUPPLIED FOR TWO USERS.
- > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE.WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS.
- > TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD.
- > BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED.
- > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT.

BOQ ITEM 22

PRODUCT 22



KEY
 OFFICE CHAIR


QUANTITY
32



- > **SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MIDBACK**
- > SHOULDER HEIGHT BACK REVOLVING CHAIR.
- > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).
- > DIE CASTED ALUMINUM BASE 350 MM.
- > FABRIC PADDED SEAT
- > LUMBAR BACK SUPPORT.
- > MESH FABRIC.
- > TORSION BAR BASIC TILTING MECHANISM.
- > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.
- > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT.

BOQ ITEM 23

PRODUCT 23




DESCRIPTION:

- DESK TO SIZE: (LXWXH) 7'-10"X 5'-6"X 2'-6"**
- > DESK TOP THICKNESS IS 30 MM.
 - >MDF VENEER WOODEN SURFACES: DARK COFFEE TEAK, PAIRED WITH METEOR GRAY COLOR: MADE OF MDF 30 MM. THICKNESS, COATED ON BOTH SIDES (TWO TONES) WITH WOOD VENEER THICKNESS. 0.6 MM. AND EDGING STRIP WITH SOLID WOOD THICKNESS. 1 MM. ROUNDED WITH A RADIUS OF 2 MM
 - >WITH CABLE MANAGEMENT AND KEYPAD 3 DIGIT LOCKING MECHANISM, INCLUDED IN SIDE RETURN FOR SECURITY.
 - >TABLE PEDESTALS TO BE MADE OF CURVED STEAM BENT WOOD WITH HIGH STRENGTH DECO POLISH.
 - > THE BASE OF THE TABLE WILL HAVE FLUTED GLASS DETAIL WITH ANODIZED ALUMINUM FRAME OF MATCHING COLOUR AND LIGHT PELMET (MADE OF SS INSET) TO BE A PART OF FULL MODESTY FROM TOP TO BOTTOM ATTACHED TO THE TABLE.
 - > 100MM X 40MM TEAK WOOD FOOTREST WITH POLISHING AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT.
 - > 3 X 3 FEET SQUARE PLEXI GLASS (10 MM) CLEAR TO BE INCLUSIVE IN COST TO AS CHAIR GLIDE.
 - > INCLUDING POLISHING WHEREVER REQUIRED AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT.
 - > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. EXECUTIVE DIRECTOR (1, 2, 3, 4, 5), CHAIRMAN'S OFFICE,, VISITING DIRECTOR , BOARD SECRETARIAT.

BOQ ITEM 24

PRODUCT 24



KEY



HIGH EXECUTIVE OFFICE CHAIR

QUANTITY

8



DESCRIPTION:

>DIMENSIONS 810 X 810 X 1200 MM

>AUTHENTIC GENUINE LEATHER (ITALIAN), WITH INTERNAL HIGH-DENSITY S-SHAPED SPRINGS, WEBBING, AND DENSE FOAM PADDING INSIDE.

> TOP QUALITY

> HIGH BACK WITH HEAD REST BACK REVOLVING CHAIR.

>MULTIFUNCTIONAL BASE WITH TILT AND LOCK FUNCTIONS FOR REASONABLE AND CONVENIENT SERVICE.

>ALUMINUM FIVE-STAR LEGS WITH CASTERS PROVIDE STABLE SUPPORT.

> MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).

> DIECASTED ALUMINIUM BASE 400 MM.


> LUMBAR BACK SUPPORT.

> TORSION BAR BASIC TILTING MECHANISM.

> THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.

> ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT


PRODUCT 25




DESCRIPTION:

- >**DIMENSIONS 600 X 560 X 800 MM**
- > AUTHENTIC GENUINE LEATHER (ITALIAN), WITH INTERNAL HIGH-DENSITY S-SHAPED SPRINGS, WEBBING, AND DENSE FOAM PADDING INSIDE.
- > > TOP QUALITY
- > > MEDIUM BACK STATIONARY CHAIR.
- > >ALUMINUM BASE.
- > > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM) HEIGHT ADJUSTMENT ONLY.
- > > DIECASTED ALUMINIUM BASE 300 MM.
- > > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT

PRODUCT 26



KEY
 END TABLE -05


QUANTITY
8



DESCRIPTION:

- > **SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)**
- > OCCASIONAL TABLE WITH 12 MM THICK TINTED GLASS TOP,
- > SHEESHAM WOOD TAPERED BASE IN POLISH FINISH, FINISHES TO BE APPROVED BY ARCHITECT


PRODUCT 27



DESCRIPTION:

- > **SIZE: (LXWXH) 6'-6" X 2'-10" X 2'-10"**
- > SUPPORTED ON POWDER COATED METAL LEGS
- > MDF FRAMEWORK PADDED WITH HIGH QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC APPROVED BY ARCHITECT
- > SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.


PRODUCT 28



DESCRIPTION:

- > **SIZE: 1'-6" DIA" x 2'-0" H**
- > MARBLE TOP SIDE TABLE WITH SHEESHAM WOOD FLUTED BASE IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT


PRODUCT 29




DESCRIPTION:

- > **SIZE:** 3'-3" DIA, 1'-6" H
- >**SIZE 2:** 2'-9" DIA, 1'4" H
- > MARBLE TOP COFFEE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)

PRODUCT 30



KEY

 ARM CHAIR-03


QUANTITY
2



DESCRIPTION:

- (LXWXH) 3'-0" X 2'-10" X 2'-10"**
- >SUPPORTED ON POWDER COATED MS LEGS .
 - > MDF/ WOOD FRAMEWORK,
 - > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. UPHOLSTERED WITH TOP-QUALITY IMPORTED FABRIC
 - > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
 - > ALL FABRICS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 31



KEY
BOOKSHELF

QUANTITY
5




Pantone 5645

- EXECUTIVE DIRECTOR 4, 5
> SIZE: (LxWxH) 12'-6" x 1'-3" x 9'-6".
- EXECUTIVE DIRECTOR 2
> SIZE: (LxWxH) 10'-0" x 1'-3" x 9'-6".
- EXECUTIVE DIRECTOR 3
> SIZE: (LxWxH) 16'-4" x 1'-3" x 9'-6".
- EXECUTIVE DIRECTOR 1
> SIZE: (LxWxH) 10'-0" x 1'-3" x 9'-6".

DESCRIPTION:

- OAK PLY SHLEIVING UNIT WITH OAK VENEER PASTED ON CABINET SHUTTERS FINISHED IN POLISH FINISH
- CABINET SHUTTERS TO BE MADE WITH 8MM TINTED TEMPERED GLASS IN DECO PAINTED MS FRAME
- ALL CABINETS SHUTTERS TO HAVE PUSH MECHANISM HARDWARE
- EXPOSED BACK WALL TO BE MADE OF MARBLE (RIO BLUE, BLYUE ONYX, SILVER TRAVETINE, BLUEBERRY OR EQUIVALENT)
- EXPOSED SHELVES TO BE MADE IN MILD STEEL WITH POWDER COATED FINISH
- ALL MARBLES AND FINISHES TO BE APPROVED BY ARCITECT

PRODUCT 32



KEY
TV CONSOLE

QUANTITY
5




Pantone 431

- EXECUTIVE DIRECTOR 4,5
> SIZE: 16'-0" x 1'-6" x 1'-0" (LxWxH)
- EXECUTIVE DIRECTOR 2
> SIZE: 16'-6" x 1'-6" x 1'-0" (LxWxH)
- EXECUTIVE DIRECTOR 1
> SIZE: 15'-6" x 1'-6" x 1'-0" (LxWxH)
- EXECUTIVE DIRECTOR 3
> SIZE: 12'-7" x 1'-6" x 1'-0" (LxWxH)

DESCRIPTION:

- SUPPLYING AND FABRICATION OF TV CONSOLE UNIT USING OAK PLY WITH WOOD VENEER POLISHED FINISH WITH LED PELMIT BACK WALL, DRAWERS AND SHELVES AS PER DRAWINGS.
- TV CONSOLE SHALL CONSIST OF BASIC FRAMING MADE OF SHESHAM WITH OAK VENEER (POLISHED) WOOD ON TOP.
- >MS FRAME HAVING A SPACING OF 2 FEET BY 2 FEET MADE OF 1" SQUARE PIPE WITH AN OFFSET OF 1" FROM THE WALL MADE OF 12 SWG METAL SECTIONS AS THE FRAMING TO HOST MARBLE ON.
- >BACKLIT MARBLE (RIO BLUE OR EQUIVALENT) TO BE USED AND SOURCED FROM SINGLE QUARY HAVING SEAMLESS GRAINS AND PATTERNS FOR INTEGRATION HAVING MITERED EDGE (MARBLE TO BE 1" TH.) MITER 8MM.
- > BACKLIT LIGHT SHOULD BE A PROFILE TYPE SERVICABLE (DETACHABLE). WARM IN COLOR.
- > INCLUSIVE OF TV MOUNT 150 DEGREE BOTH SIDES ADJUSTABLE WITH CABLE MANAGEMENT.
- CONSOLE TO BE A PART OF THIS ITEM (EDGE TO EDGE ALONG WITH THE LENGTH OF ENTIRE TV WALL HAVING DRAWERS
- >EVERY DRAWER TO BE ISO COMPLIANT.
- >OAK PLY WITH OAK VENEER TOP AND INSIDE TO BE POLISH FINISHED.
- >CONSOLE TO HAVE PULL OUT AND HINGED DRAWERS. EACH DRAWER AND BOX UNIT TO HAVE A SATIN EDGE AND LIPPING.
- FULL HEIGHT SHUTTERS TO HAVE FLUTED PANELS

PRODUCT 33



KEY



WORKSTATION TABLE

QUANTITY

10




DESCRIPTION:

SIZE 5'-0"x4'-0" (LxW), 2'-6" HEIGHT

- > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.
- > HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION
- > SQUARE LEGS "MS POWDER COATED"(TAPERED) AT 15 DEGREE
- > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR.
- > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER; PROVISION TO BE SUPPLIED FOR TWO USERS.
- > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE. WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS.
- > TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD.
- > BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED.
- > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT.


PRODUCT 34



DESCRIPTION:

- > **Size: (LxWxH) 9'-0" x 3'-3" x 2'-10"**
- > SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH
- > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC.
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.


PRODUCT 35



DESCRIPTION:

- > (LxWxH) 6'-6" x 3'-0" x 2'-10"
- > >SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH
- > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC.
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.


PRODUCT 36



DESCRIPTION:


- **SIZE: 4'-6" x 4'-6" x 1'-0" (LxWxH)**
- **SIZE: 4'-6" X 2'-0" X 1'-0" (LxwxH)**
- MARBLE PLINTH COFFEE TABLE WITH 1" SHEESHAM WOOD BASE IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)
- SHEESHAM WOOD PLINTH COFFEE TABLE IN POLISH FINISH

PRODUCT 37



KEY
SIDE TABLE-07

QUANTITY
1




DESCRIPTION:

> SIZE: 1'-9" x 1'-9" x 2'-0" (LxWxH)
>SHEESHAM WOOD TOP IN POLISH FINISH WITH SHEESHAM WOOD BASE WITH SHELF SPACE IN POLISH FINISH

BOQ ITEM 38

PRODUCT 38



KEY
SINGLE SOFA-04


QUANTITY
1



DESCRIPTION:

- > (LxWxH) 3'-0" x 2'-9" x 2'-10"
- > SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH
- > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC.
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.


PRODUCT 39



DESCRIPTION:

- >Size 4'-0"x2'-0"x2'-6" (LxWxH)
- > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.
- >HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION
- > SQUARE LEGS "MS POWDER COATED"(TAPPERED) AT 15 DEGREE
- > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR.
- > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER; PROVISION TO BE SUPPLIED FOR TWO USERS.
- >HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE.WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS.
- > TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD.
- > BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED.
- > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT.


PRODUCT 40



DESCRIPTION:


- > (LxWxH) 6'-0" x 2'-9" x 2'-9"
- > SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH
- > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC.
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 41



KEY
CABINET

QUANTITY
12




DESCRIPTION:

- > SIZE 8'-8"x 2'-2"x3'-0" (LxWxH) (FILE CABINETS) (4)
- > SIZE 4'-0"x1'-1"x 2'-6" (LxWxH) DEEP (ADJACENT TO WORKSTATION) (5)
- > >SIZE 8'1" x 1'7" x 3'-0" (LxWxH) HANGING CABINET TYPE 01 (1)
- > >SIZE 4'0" x 1'1" x 3'-6" (LxWxH) HANGING CABINET TYPE 02 (1)
- > >ELECTRICAL CABINET (13'-6" x 2'-0" x 9'6") (1)
- >PROVIDING AND FIXING IN POSITION FLOOR STANDING CABINETS;
- >MADE OF 18MM MDF PRESSED ON BOTH SIDES WITH LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT)
- >DESKTOP LAMINATE OF ARCHITECT'S CHOICE OF COLOUR & FINISH. ARCHITECT'S CHOICE OF COLOUR & FINISH, ON TOP, FRONT AND SIDE WITH GROOVES FOR AESTHETICAL PURPOSE. HAVING SPACING AS PER ARCHITECTS CHOICE TO BE FILLED WITH MATCHING COLORED SS PROFILE USING EPOXY.
- >INCLUDING DIVIDER, SHELVES AS RECOMMENDED
- >IMPORTED MAGNETIC HINGES,
- > ALL DOORS TO HAVE SS PROFILE AS FINGER GRIP ON TOP OF MATCHING COLOR.
- >LOCK, AS PER APPROVED SAMPLE AND AS DIRECTED BY ARCHITECT. NOTE:
- >CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.

BOQ ITEM 42

PRODUCT 42



KEY
SIDE CHAIR 05


QUANTITY
6



DESCRIPTION:

- > **SIZE: 21" WIDTH, 18" DEPTH, 33" HEIGHT.**
- > >SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH
- > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC.
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 43



KEY



SIDE TABLE- 08

QUANTITY

4




DESCRIPTION:

> **SIZE: 1'-9" DIA" x 2'-0" (H)**

>SHEESHAM WOOD TOP IN POLISH FINISH WITH SHEESHAM WOOD LEGS AS PER DESIGN

PRODUCT 44



KEY



COFFEE TABLE- 05

QUANTITY


3



DESCRIPTION:

- **SIZE: 33" DIA X 20" (H)**
- **>SHEESHAM WOOD TOP IN POLISH FINISH WITH SHEESHAM WOOD LEGS AS PER DESIGN**


PRODUCT 45



DESCRIPTION:

- (LxWxH) 7'-0" x 2'-10" x 2'-10"
- >SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH
- > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC.
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 46



KEY
SIDETABLE- 07

QUANTITY
3




DESCRIPTION:

- > SIZE: 1'-9" DIA x 2'-0" (H)
- >MARBLE TOP IN POLISH FINISH WITH CONICAL SHEESHAM WOOD BASE AND BRASS DETAIL. AS PER DESIGN
- >MARBLE TO BE APPROVED BY ARCHITECT (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)

BOQ ITEM 47

PRODUCT 47




DESCRIPTION:

- > **Size: (LxWxH) 9'-0" x 3'-3" x 2'-10"**
- > SUPPORTED SHEESHAM WOOD LEGS IN POLISH FINISH
- > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC.
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM (MASTER/ MOLYFOAM EQUIVALENT) 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

BOQ ITEM 48


PRODUCT 48



DESCRIPTION:

- > **SIZE: 30" WIDTH, 24" DEPTH, 36" HEIGHT.**
- >SUPPORTED ON SHEESHAM LEGS IN POLISH FINISH.
- > MDF/ WOOD FRAMEWORK,
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. UPHOLSTERED WITH TOP-QUALITY IMPORTED FABRIC
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 49



KEY

COFFEE TABLE 06

QUANTITY


2



DESCRIPTION:

- > SIZE: 5'-0" X 3'-0" X 1'-8" (LXWXH)
- > > MARBLE TOP COFFEE TABLE FRAMED IN COPPER FINISH METAL WITH SHEESHAM WOOD BASE IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)


PRODUCT 50



DESCRIPTION:

- > **SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT.**
- >SUPPORTED ON SHEESHAM LEGS IN POLISH FINISH.
- > MDF/ WOOD FRAMEWORK,
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. UPHOLSTERED WITH TOP-QUALITY IMPORTED FABRIC
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 51




DESCRIPTION:

- > **SIZE: 1'-9" DIA, 1'-6" H**
- >**SIZE 2: 1'-9" DIA, 1'4" H**
- >**SIZE 2: 1'-9" DIA, 1'2" H**
- > NESTING MARBLE TOP COFFEE TABLE WITH MARBLE LEGS AS SHOWN IN REFERENCE , MARBLE TO BE APPROVED BY ARCHITECT (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)

BOQ ITEM 52

PRODUCT 52



KEY



CONFERENCE TABLE

QUANTITY

1




DESCRIPTION:

- **SIZE: (LxWxH) 33'-0" x 10'-0" x 2'-6" FOR 30 PEOPLE**
- > OAK WOOD TOP WITH WOOD ROUND MOULDING FOR TABLE EDGES AND SUPPORTED ON DECO PAINTED MS PLATFORM MADE OF 10 SWG MS SHEET METAL.
- > HAVING 10" WIDE 1/2" THICK MARBLE APRON IN THE MIDDLE.
- > LENGTH OF THE LEATHER TO BE 80% OF THE TOTAL LENGTH. 1/4" THICK GROOVE ON THE EDGES BETWEEN LEATHER AND WOODEN TOP.
- > THE TOP APRON MUST HAVE PROVISION FOR CABLE MANAGEMENT AND POP-UP MULTI SOCKET BOARD (03 NO. HAVING 1 UPS 2 LIVE; 1 HDMI: 1 USB CHARGING EACH)
- > HAVING SPINE OR APPROPRIATE RISER FOR CABLES FROM THE FLOOR AT MULTIPLE POINTS.
- > ALL INTERNAL SURFACE COVERED WITH 0.8MM WOOD VENEER
- > ALL EXTERNAL SURFACES COVERED WITH 1.0MM WOOD VENEER OF APPROVED COLOUR.
- > RATES TO INCLUDE ALL NECESSARY ACCESSORIES.
- > INCLUDING POLISHING WHEREVER REQUIRED AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

BOQ ITEM 53

PRODUCT 53




DESCRIPTION:

- > **SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT.TOP NOTCH QUALITY**
- > HIGH BACK WITH HEAD AND ARM REST BACK REVOLVING CHAIR.
- > CHAIR FRAME MADE OF WOODEN PLY
- > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).
- > DIECASTED ALUMINIUM BASE 350 MM.
- > LEATHEROID PADDED SEAT AND ARM REST
- > LUMBAR BACK SUPPORT.
- > IMPORTED LEATHER
- > TORSION BAR BASIC TILTING MECHANISM.
- > LIFT APPROVED WITH SGS.
- > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.

CAFETERIA/ PANTRY FURNITURE

PRODUCT 54



KEY

SW Pantry cabinet

QUANTITY


1



DESCRIPTION:

- OVER ALL SIZE 14'-6" x 6'-0" x 8'-0" (LXWXH) (SMALL WING KITCHEN)
- PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LACQUERED DEODAR WOOD LIPPING/UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD. COMPLETE WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE.
- FRONT FACE TO BE MEASURED FOR PAYMENT.
- NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE *EXECUTION* OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.


PRODUCT 55



DESCRIPTION:

- OVER ALL SIZE 14'-6" x 2'-0" x 8'-0" (LXWXH) (SMALL WING EXECUTIVE LOUNGE (CORIAN COUNTER TOP & BACK SPLASH))
- PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LACQUERED DEODAR WOOD LIPPING/UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD. COMPLETE WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE.
- FRONT FACE TO BE MEASURED FOR PAYMENT.
- NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE *EXECUTION* OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.

PRODUCT 56



KEY

SW Pantry cabinet

QUANTITY


1



DESCRIPTION:

- OVER ALL SIZE 7'-6" x 2'-0"x 9'-0" (LXWXH) (CORIAN COUNTER TOP & BACK SPLASH) VISITORS LOUNGE
- PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LACQUERED DEODAR WOOD LIPPING/UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD.COMPLET WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE.
- FRONT FACE TO BE MEASURED FOR PAYMENT.
- NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE *EXECUTION* OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.

PRODUCT 57



KEY

 Pantry CEO Room

QUANTITY


1



DESCRIPTION:

- OVER ALL SIZE 7'-2" x 1'-10"x 2'-9" (LXWXH) (CORIAN COUNTER TOP & BACK SPLASH) CEO
- PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LACQUERED DEODAR WOOD LIPPING/UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD.COMPLETE WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE.
- FRONT FACE TO BE MEASURED FOR PAYMENT.
- NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE *EXECUTION* OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.

PRODUCT 58



KEY



Pantry LW

QUANTITY

1



DESCRIPTION:


- OVER ALL SIZE 15'-8" x 2'-1" x 10'-0" (LXWXH) (LARGE WING KITCHEN)
- PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LACQUERED DEODAR WOOD LIPPING/UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD. COMPLETE WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE.
- FRONT FACE TO BE MEASURED FOR PAYMENT.
- NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE *EXECUTION* OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.

8th FLOOR PLAN FURNITURE LAYOUT



OFFICE FURNITURE

PRODUCT 01



DESCRIPTION:

- SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT.**
- > STATIONARY MEETING CHAIR,
 - > MOLDED FOAM
 - > ITALIAN LEATHER OF ARCHITECT'S CHOICE OF COLOR & FINISH.
 - > BACK SHELL MADE OF WOOD VENEER .
 - > HEIGHT ADJUSTABLE.
 - > CUSTOMIZED SS. LEGS
 - > LIFT APPROVED WITH SGS.
 - > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.


PRODUCT 02

KEY

 OFFICE CHAIR-02

QUANTITY


30



- > **SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MIDBACK**
- > SHOULDER HEIGHT BACK REVOLVING CHAIR.
- > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).
- > DIE CASTED ALUMINUM BASE 350 MM.
- > FABRIC PADDED SEAT
- > LUMBAR BACK SUPPORT.
- > MESH FABRIC.
- > TORSION BAR BASIC TILTING MECHANISM.
- > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.
- > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT.

BOQ ITEM 02

PRODUCT 03



KEY
AUDITORIUM SEATS


QUANTITY
158



DESCRIPTION:

- SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT.**
- SHOULDER HEIGHT BACK FIXED AUDITORIUM CHAIR.
 - CHAIR FRAME MADE OF MS + MDF UPHOLSTERED IN ARCHITECT'S CHOICE OF COLOUR & FINISH.
 - DIE CASTED ALUMINUM BASE 350 MM
 - FABRIC PADDED SEAT
 - LUMBAR BACK SUPPORT.
 - TORSION BAR BASIC TILTING MECHANISM.
 - ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION BYARCHITECT.

PRODUCT 04



KEY



CURVED SOFA

QUANTITY

2




DESCRIPTION:

(LxWxH) 14'-0" x 3'-0" x 2'-9"

- > MDF FRAME WORK, PADDED WITH FOAM, UPHOLSTERED WITH IMPORTED FABRIC
- > FABRIC SELECTION TO BE APPROVED BY ARCHITECT
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.
- > TO BE MADE IN 3 EQUAL MODULAR PIECES AND ASSEMBLED WITH INTERLOCKING SYSTEM

BOQ ITEM 04


PRODUCT 04A



DESCRIPTION:

- (LXWXH) 8'-0" X 2'-9" X 2'-10" (VISITOR LOUNGE)
- > SUPPORTED ON POWDER COATED MS LEGS
 - > MDF FRAMEWORK PADDED WITH HIGHT QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC, APPROVED BY ARCHITECT
 - > SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
 - > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
 - ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.


PRODUCT 04B



DESCRIPTION:

- (LXWXH) 6'-6" X 2'-9" X 2'-10" (VISITOR LOUNGE)
 - > SUPPORTED ON POWDER COATED MS LEGS
 - > MDF FRAMEWORK PADDED WITH HIGH QUALITY FOAM, UPHOLSTERED IN IMPORTED FABRIC, APPROVED BY ARCHITECT
 - > SPONGE (MASTER OR MOLTY): HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
 - > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
 - > ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 04C



KEY
2 SEATER SOFA

QUANTITY
2



DESCRIPTION:

- (LXWXH) 5'-6" X 2'-10" X 2'-10" (CHIEF ROOMS)**
- >SUPPORTED ON POWDER COATED METAL LEGS
 - > UPHOLSTERED WITH TOP-QUALITY IMPORTED FAUX LEATHERETTE / FABRIC.
 - > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
 - > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
 - > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

BOQ ITEM 07

PRODUCT 05


KEY



WAITING CHAIR

QUANTITY

4



DESCRIPTION:

- > **SIZE: 30" WIDTH, 24" DEPTH, 39" HEIGHT.**
- > **FRAME MATERIAL: SHEESHAM WOOD**
- > **SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOUR & FINISH.**
- > **SEAT FOAM : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOUR & FINISH.**
- > **FOAM DENSITY (MASTER OR MOLTY) : 18 KG/ CUBIC CM. > BACK FOAM (MASTER OR MOLTY) : POLYURETHANE FOAM WITH SILICON FILL AT ARMS.**
- > **BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING.**
- > **THE ARMCHAIR IS BASED ON MS POWDER COATED METAL LEGS.**
- > **THE LEG BASE MUST HAVE RUBBER PADDING.**
- > **ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.**

PRODUCT 06


KEY



CHAIRS-02

QUANTITY

2



DESCRIPTION:

(LXWXH) 3'-0" X 2'-10" X 2'-10" (VISITORS LOUNGE)

>SHEESHAM LEGS IN POLISH FINISH


> MDF FRAME WORK, PADDED WITH FOAM, UPHOLSTERED WITH IMPORTED FABRIC, FABRIC SELECTION TO BE APPROVED BY ARCHITECT

> SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.

> SPRING: IMPORTED SPRING FOR STRONG SUPPORT.

> ALL FABRICS AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 07



KEY



SINGLE SEAT SOFA

QUANTITY

2



DESCRIPTION:

- (LXWXH) 3'-0" X 2'-10" X 2'-10" (CHIEF ROOMS)
- > **SUPPORTED** ON SHEESHAM LEGS IN POLISH FINISH.
 - > MDF/ WOOD FRAMEWORK,
 - > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK. UPHOLSTERED WITH TOP-QUALITY IMPORTED FABRIC
 - > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
 - > ALL FABRICS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

BOQ ITEM 10

PRODUCT 08


KEY



ACCENT CHAIR

QUANTITY

3




DESCRIPTION:

(LxWxH) 3'-0" x 3'-0" x 2'-10" (VISITORS LOUNGE)

- >POWDERCOATED MS BASE
- > MDF FRAME WORK, PADDED WITH FOAM, UPHOLSTERED WITH IMPORTED FABRIC, FABRIC SELECTION TO BE APPROVED BY ARCHITECT
- > SPONGE: HIGH QUALITY POLYMERIC URETHANE FOAM 1.4 MINIMUM DENSITY AS THE DIFFERENCE PART , SEAT AND BACK.
- > SPRING: IMPORTED SPRING FOR STRONG SUPPORT.
- > ALL FABRICS ANDFINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 09



KEY

■ OFFICE CHAIR-03

QUANTITY

11




DESCRIPTION:

SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT.

- > FIXED VISITOR CHAIR,
- > MOLDED FOAM
- > ITALIAN LEATHER OF ARCHITECT'S CHOICE OF COLOR & FINISH.
- > BACK SHELL MADE OF WOOD VENEER .
- > HEIGHT ADJUSTABLE.
- > CUSTOMIZED SS. LEGS
- > LIFT APPROVED WITH SGS.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

PRODUCT 10



KEY

■ OFFICE CHAIR-03

QUANTITY

6




DESCRIPTION:

SIZE: 24" WIDTH, 18" DEPTH, 36" HEIGHT.

- > FIXED VISITOR CHAIR,
- > MOLDED FOAM
- > ITALIAN LEATHER OF ARCHITECT'S CHOICE OF COLOR & FINISH.
- > BACK SHELL MADE OF WOOD VENEER .
- > HEIGHT ADJUSTABLE.
- > CUSTOMIZED SS. LEGS
- > LIFT APPROVED WITH SGS.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.


PRODUCT 11



DESCRIPTION:

- > CHAIR SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT + TABLE 16" DIA, 20" HEIGHT
- CHAIRS (02)**
- > FRAME MATERIAL: SHESHAM WOOD.
- > SYNTHETIC LEATHER UPHOLSTERY OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > SEAT FOAM (MOLTY OR MASTER) : POLYURETHANE FOAM WITH APPROPRIATE FABRIC OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > FOAM DENSITY : 18 KG/ CUBIC CM.
- > BACK FOAM : POLYURETHANE FOAM WITH SILICON FILL AT ARMS.
- > BACK FOAM DENSITY : 22 KG/CUBIC CM S-SPRING WEBBING.
- > THE ARMCHAIR IS BASED ON POWDER COATED METAL LEGS
- > THE LEG BASE MUST HAVE RUBBER GLIDES.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.
- TABLE (01)**
- >PAINTED TAMPERED 12MM GLASS TOP TABLE
- >MS POWDER COATED FRAME (VERTICAL) 03 LEGS 8MM TH.
- >MS GLASS EDGING TO BE MADE MONOLITH WITH VERTICAL LEGS.
- >12 INCHES ROUND BASE HAVING RUBBER GLIDES.


PRODUCT 12



DESCRIPTION:

- > SIZE: 4'-0" X 1'-9" X 2'-0" (LXWXH)
- >1 1/2" THICK SHEESHAM WOOD CONSOLE TABLE
- TOP IN MARBLE DIAGNOSE WHITE OR SIMILAR FINISH TO BE APPROVED BY ARCHITECT, >SHEESHAM WOOD LEGS WITH 2" THICKNESS AND 12" DEPTH.
- >TABLE LEGS WITH RUBBER GLIDE.


PRODUCT 13



DESCRIPTION:

- **SIZE: 5'-0"X3'-0", 1'-3" H (VISITORS LOUNGE)**
- **MARBLE PLINTH COFFEE TABLE WITH 2" BASE, MDF FRAME WITH MARBLE PASTED**
- **, MARBLE TO BE APPROVED BY ARCHITECT**
- **(RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)**


PRODUCT 14



DESCRIPTION:

- > SIZE: 3'-3" DIA, 1'-6" H (VISITOR'S LOUNGE)
- >SIZE 2: 2'-9" DIA, 1'-4" H
- > MARBLE TOP COFFEE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)


PRODUCT 15



DESCRIPTION:

- > **SIZE: 4'-6" DIA, 1'-4" H (VISITOR'S LOUNGE)**
- > **SIZE 2: 3'-3" DIA, 1'4" H**
- > **MARBLE TOP COFFEE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)**

PRODUCT 16B



KEY
Chief's desk


QUANTITY
2




DESCRIPTION:

- >**SIZE: (LXWXH) 5'-6"X 2'-6"X 2'-6"**| **SIDE RETURN (LXWXH) 4'-0" X 1'-6" X 2'-0"**
- > FINISH: POLISHED WOOD VENEER IN TWO TONES WITH MATCHING WOODEN LIPPING, DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > DESK TOP THICKNESS IS (12 MM TOP+ 12 MM (CAVITY) 12 MM BOTTOM) WITH EMBEDDED FRAMING, HAVING LIPPING OF MATCHING COLOR.
- >HAVING CENTRAL LEATHER PANEL WITH 1 MM INSET OF 30 " LENGTH. 22" WIDTH.
- > MODESTY TO BE A PART OF THE WORKSTATION: SUSPENDED IN PLACE USING SS CLIPS.
- > MONLITHIC LEGS CONTINUED FROM THE DESKTOP.
- >WORKSTATION TO BE ANCHORED ON TOP OF SIDER RETURN USING MODULAR SCREW SYSTEM. MADE OF SS FIXTURES & FITTINGS.
- > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP (SIDE RETURN ALIGNED)
- >HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6)

PRODUCT 17



KEY
 CHIEF CHAIRS


QUANTITY
2



DESCRIPTION:

- > **SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT.TOP NOTCH QUALITY**
- > HIGH BACK WITH HEAD AND ARM REST BACK REVOLVING CHAIR.
- > CHAIR FRAME MADE OF WOODEN PLY
- > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).
- > DIECASTED ALUMINIUM BASE 350 MM.
- > LEATHEROID PADDED SEAT AND ARM REST
- > LUMBAR BACK SUPPORT.
- > IMPORTED LEATHER
- > TORSION BAR BASIC TILTING MECHANISM.
- > LIFT APPROVED WITH SGS.
- > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.


PRODUCT 18



DESCRIPTION:

- > **SIZE: 24" WIDTH, 18" DEPTH, 45" HEIGHT.**
- > LOW BACK WITH HEAD & ARM REST BACK REVOLVING CHAIR.
- > CHAIR FRAME MADE OF NYLON + BLACK FIBER OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).
- > DIE CASTED ALUMINUM BASE 350 MM.
- > FABRIC PADDED SEAT
- > LUMBAR BACK SUPPORT.
- > MESH FABRIC.
- > TORSION BAR BASIC TILTING MECHANISM.
- > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.
- > ALL FABRICS, LEATHERS, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT

PRODUCT 19A




DESCRIPTION

➤ SIZE:4'x2'-0" (FOR STUDY)

- > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.
- > SQUARE LEGS "MS POWDER COATED"(TAPERED) AT 15 DEGREE
- > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR.
- > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER; PROVISION TO BE SUPPLIED FOR TWO USERS.
- >HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE.WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS.


PRODUCT 19B



DESCRIPTION

- **SIZE:4'x4'-0" (FOR STUDY)**
- > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.
- >HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION
- > SQUARE LEGS "MS POWDER COATED"(TAPERED) AT 15 DEGREE
- > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR.
- > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER; PROVISION TO BE SUPPLIED FOR TWO USERS.
- >HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE.WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS.
- > TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD.
- > BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED.
- > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT. SIZE 4'-0"x5'-0" (LxW), 2'-6" HEIGHT

PRODUCT 20



KEY
 **WORKSTATIONS**


QUANTITY
15
To be shared by 2 persons



DESCRIPTION

- SIZE 5'-0"x4'-0" (LxW), 2'-6" DEEP**
- > FINISH: LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT) DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
 - > DESK TOP THICKNESS IS 25MM, HAVING LIPPING OF MATCHING COLOR.
 - > HAVING A PARTITION WITH FABRIC SOFTBOARD OF NO MORE THAN 1'-4" HEIGHT HAVING TWO STUDDED ANCHORS WITH LOCK ON BOTTOM BETWEEN TWO WORKSTATION. EXTENDED THROUGHOUT THE EXTENT OF WORKSTATION
 - > SQUARE LEGS "MS POWDER COATED"(TAPERED) AT 15 DEGREE
 - > LEG WALL THICKNESS IS 2.0MM POWDER COATED TO SPECIFIC COLOUR.
 - > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP HAVING A TECHNOLOGY BOX AS SPECIFIED IN THE ELECTRICAL COMPONENT OF THE TENDER; PROVISION TO BE SUPPLIED FOR TWO USERS.
 - > HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6) AT THE CENTRE.WITH EARTH POINT TO BE ATTACHED TO THE EARTH CABLE. PROVISION TO BE SUPPLIED FOR TWO USERS.
 - > TWO MOBILE DRAWER UNITS WITH LOCKABLE WHEELS. EACH HAVING 02 TELESCOPIC DRAWERS FIVE INCHES IN HEIGHT & ONE HINGED DRAWER AT BOTTOM INCLUDED 14 INCHES IN WIDTH AS PER INDUSTRY STANDARD.
 - > BEST QUALITY LOCK FOR DRAWERS AND HINGED SECTION WITH 3 KEYS INCLUDED.
 - > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY THE ARCHITECT


PRODUCT 21



DESCRIPTION:

- >**SIZE: (LXWXH) 5'-6"X 2'-6"X 2'-6"| SIDE RETURN (LXWXH) 4'-0" X 1'-6" X 2'-0"**
- > FINISH: POLISHED WOOD VENEER IN TWO TONES WITH MATCHING WOODEN LIPPING, DESKTOP OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > DESK TOP THICKNESS IS (12 MM TOP+ 12 MM (CAVITY) 12 MM BOTTOM) WITH EMBEDDED FRAMING, HAVING LIPPING OF MATCHING COLOR.
- >HAVING CENTRAL LEATHER PANEL WITH 1 MM INSET OF 30 " LENGTH. 22" WIDTH.
- > MODESTY TO BE A PART OF THE WORKSTATION: SUSPENDED IN PLACE USING SS CLIPS.
- > MONLITHIC LEGS CONTINUED FROM THE DESKTOP.
- >WORKSTATION TO BE ANCHORED ON TOP OF SIDER RETURN USING MODULAR SCREW SYSTEM. MADE OF SS FIXTURES & FITTINGS.
- > WORKSTATION TO HAVE A LINEAR POWER TRAY UNDERNEATH FOR CABLE DISTRIBUTION ALONG WITH A CUT-OUT ON TOP (SIDE RETURN ALIGNED)
- >HAVING CABLE MANAGEMENT TRAY 1.2MM POWDER COATED AND TECHNOLOGY BOX OUTLET (2LIVE+ 1UPS+ 2CAT-6)

PRODUCT 22




DESCRIPTION:

SIZE: 4'-4" X 2'-0" (3'-0" H) WITH 5'-6" X18" SIDE RETURN
>PROVIDING AND FIXING IN POSITION RECEPTION TABLE;
>MADE OF 20mm OAK PLY HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES;
>3/8" THICK LACQUERED DEODAR WOOD LIPPING ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER.

NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.


PRODUCT 23



DESCRIPTION:

- > **SIZE: 24" WIDTH, 18" DEPTH, 39" HEIGHT. MIDBACK**
- > SHOULDER HEIGHT BACK REVOLVING CHAIR.
- > CHAIR FRAME MADE OF NYLON + BACK FIBER OF ARCHITECT'S CHOICE OF COLOUR & FINISH.
- > MULTI FUNCTIONAL AND AUTOMATICALLY SELF-WEIGHT ADJUSTABLE MECHANISM (THICKNESS 3 MM).
- > DIE CASTED ALUMINUM BASE 350 MM.
- > FABRIC PADDED SEAT
- > LUMBAR BACK SUPPORT.
- > MESH FABRIC.
- > TORSION BAR BASIC TILTING MECHANISM.
- > THE CHAIR MUST HAVE BEST QUALITY BASE WHEELS WITH LOCKING MECHANISM.
- > ALL FABRICS, MESH, AND FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT. HAVING ADJUSTABLE ARMS SUPPORT.

PRODUCT 24



DESCRIPTION:

SIZE 5'-0" DIA, 2'-6" HEIGHT FOR 6 PERSONS


- > DUPONT CORIAN NUGWOOD OR EQUIVALENT TABLE TOP ROUND. WITH BULL NOSE EDGE. 10 MM TH.
- > MOUNTED ON TOP OF MS POWDER COATED FRAME HAVING 2' DIA BASE AND 5" VERTICAL MOUNT.
- > ALL FINISHES WILL BE APPROVED UPON PHYSICAL INSPECTION OF SWATCHES BY ARCHITECT.

BOQ ITEM 29

PRODUCT 25

KEY
Side table

QUANTITY
2




DESCRIPTION:

- > SIZE: 1'-8" x 1'-8" x 2'-0" (LxWxH)
- >SUPPLYING OCCASIONAL TABLE WITH CORIAN TOP AND CORIAN BASE, CORIAN TO BE APPROVED BY ARCHITECT (DUPONT OR EQUIVALENT AMERICAN CORIAN)
- > SIZE: 1'-8" X 1'-8" X 2'-0" (LXWXH)

BOQ ITEM 30


PRODUCT 26



DESCRIPTION:

> **SIZE: 1'-8" x 1'-8" x 2'-0" (LxWxH)**
 > **MARBLE TOP SIDE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)**

PRODUCT 27



DESCRIPTION:

- > **SIZE: 1'-8" x 1'-8" x 2'-0" (LxWxH)**
- > **SHEESHAM WOOD TOP IN POLISH FINISH WITH SHEESHAM WOOD CONICAL BASE WITH BRASS DETAILS LEGS IN POLISH FINISH**


PRODUCT 28

KEY

Wabi sabi style side table

QUANTITY

1




DESCRIPTION:


- > SIZE: 18" DIA, 1'-10" H (VISITOR'S LOUNGE)
- >SIZE 2: 15" DIA, 2'-3" H
- > NESTING MARBLE TOP SIDE TABLE WITH SHEESHAM WOOD LEGS IN POLISH FINISH , MARBLE TO BE APPROVED BY ARCHITECT (RIO BLUE, BLUE ONYX, SILVER TRAVERTINE, BLUEBERRY OR EQUIVALENT)

BOQ ITEM 33

PRODUCT 29



KEY

 Book shelves

QUANTITY

11




DESCRIPTION:


> **SIZE:** (LXWXH) 9'-6" X 1'-0" X 8'-0"

>16MM THICK OAK PLY WITH OAK VENEER PASTED IN POLISH FINISH
INCLUDING POLISHING WHEREVER REQUIRED AS PER DESIGN AND INSTRUCTIONS BY ARCHITECT.

PRODUCT 30




KEY

 Cabinets

QUANTITY

7



DESCRIPTION:

- > OVERALL SIZE 5'-0"x1'-0" (LxW), 2'-6" (H) (1)
- > OVERALL SIZE 4'-0"x1'-6" (LxW), 2'-6" (H) (3)
- > OVER ALL SIZE 11'-8" x 2'-2"x 9'-0" (LXWXH) Filing Cabinet 01 (1)
- > OVER ALL SIZE 11'-8" x 1'-7"x 3'-0" (LXWXH) Filing Cabinet 02 (1)
- > ELECTRICAL CABINET (13'-6" x 2'-0" x 9'6") (1)
- > PROVIDING AND FIXING IN POSITION FLOOR STANDING CABINETS
- > MADE OF 18MM MDF PRESSED ON BOTH SIDES WITH LAMINATE WITH MATCHING LIPPING (PATEX LAMINATES SERIES OR EQUIVALENT)
- > DESKTOP LAMINATE OF ARCHITECT'S CHOICE OF COLOUR & FINISH. ARCHITECT'S CHOICE OF COLOUR & FINISH, ON TOP, FRONT AND SIDE WITH GROOVES FOR AESTHTICAL PURPOSE. HAVING SPACING AS PER ARCHITECTS CHOICE TO BE FILLED WITH MATCHING COLORED SS PROFILE USING EPOXY.
- > INCLUDING DIVIDER, SHELVES AS RECOMMENDED
- >ALL CABINET TO HAVE SS LEGS WITH GLIDERS.
- > PROVISION OF ELECTRICAL LIGHT DETAILS AND COVES AS PER ARCHITECTS RECOMMENDATION WITH EACH DIVISION.
- > IMPORTED MAGNETIC HINGES
- >IN CASE OF KITCHEN OR DRY PANTRY CABINETS PULL OUT AND TELESCOPIC DRAWER SHALL BE A PART OF THIS ITEM.
- > CONTRACTOR SHALL ENSURE PROVISION OF CONTROL SWITCH WITH BREAKER. IN CASE OF DRY CABINET TWO BREAKERS SHALL BE SUPPLIED ONE FOR LIGHTING OTHER FOR ACCESSORIES.
- > HINGED GLASS DOORS AS PER DRAWING.
- >IN CASE OF ELECTRICAL CABINET THE CONTRACTOR WILL ENSURE MS FRAME WITH EARTHING FOR THE ENTIRE CARCASS OF THE CABINET WITH TAMPERED 12 mm GLASS (BLACK OR SUITABLE COLOR) WITH METAL FRAME OF 1/2 INCHES AS PER DRAWINGS, HAVING IN BUILT PULL HANDLES. HAVING LOCK AND KEY FOR EACH CABINET. THE SIZING OF THE DOORS AND THE COLOURS SHALL BE APPROVED BY THE ARCHITECT BEFORE CONSTRUCTION. > ALL DOORS TO HAVE SS PROFILE AS FINGER GRIP ON TOP OF MATCHING COLOR.
- >LOCK, AS PER APPROVED SAMPLE AND AS DIRECTED BY ARCHITECT. NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.


PRODUCT 31 B

KEY

 Pantry Cabinet Type 1

QUANTITY

1



DESCRIPTION:

> OVER ALL SIZE 10'-0" x 5'-3"x 8'-2" (LXWXH) Large wing pantry

PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LACQUERED DEODAR WOOD LIPPING/ UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD.COMPLETE WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE.

FRONT FACE TO BE MEASURED FOR PAYMENT.

NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.

PRODUCT 31 B


KEY



Pantry Cabinet Type 2

QUANTITY

1



DESCRIPTION:
> DRY PANTRY CABINET INCLUSIVE OF DUPONT (CORIAN COUNTER TOP & BACK SPLASH) 6'2" x 2'6" x 8' (LXWXH

PROVIDING AND FIXING IN POSITION FLOOR CABINETS & HANGING TYPE CABINETS; MADE OF 20mm THICK COMMERCIAL VEN BOARD HAVING OAK PLY PRESSED ON BOTH SIDES APPROVED, ON TOP, FRONT AND SIDE WITH GROOVES; 3/8" THICK LACQUERED DEODAR WOOD LIPPING/ UPVC ON ALL EDGES; INCLUDING DIVIDER, SHELVES; IMPORTED MAGNETIC HINGES, LOCK, STAINLESS STEEL HANDLES WITH POLISH FINISH AS PER APPROVED SAMPLE AND AS DIRECTED BY ENGINEER. INCLUDING MAKING PROVISION OF GLASS HOOD.COMPLETE WIRING SOLUTION FOR UNDER COUNTER LIGHT TO BE PROVIDED BY CONTRACTOR USING T3 TUBELIGHT TO BE HUNG BELOW CABINET FOR APPROPRIATE LIGHTING CONTRACTOR TO SUBMIT LIGHT SAMPLES ALONG WITH COLOR CHOICE.
FRONT FACE TO BE MEASURED FOR PAYMENT.
NOTE: CONTRACTOR MUST SUBMIT SAMPLES AND SHOP DRAWINGS FOR APPROVAL BEFORE EXECUTION OF WORKS. THE ARCHITECT/ ENGINEER ON SITE HAS THE AUTHORITY TO CHANGE DETAILS AS PER SITE.

BOQ ITEM 41